

MECLIZINE HYDROCHLORIDE- meclizine hydrochloride tablet
CVS Pharmacy, Inc

5655- CVS

Drug Facts

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of these symptoms associated with motion sickness:

■ nausea ■ vomiting ■ dizziness

Do not give to

children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you

are taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- To prevent motion sickness, take first dose ½ hour to 1 hour before starting activity
- To treat motion sickness, take at first signs of symptoms

■ **Adults and children 12 years and over:** 1 to 2 tablets once daily, or as directed by a doctor

Other information

Store in a dry place at 15° – 30°C (59° – 86°F).

corn starch, colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose, magnesium stearate, microcrystalline cellulose

Questions? 1-800-231-4670

For prevention and treatment of motion sickness

RETAIN VIAL CARD FOR COMPLETE PRODUCT INFORMATION

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2025 CVS/pharmacy
CVS.com® 1-800-SHOP CVS V-34571

*CVS™ is not affiliated with the owner of the registered trademark Dramamine® Less Drowsy.

CVS™

NDC 69842-857-09

Less Drowsy

MOTION SICKNESS



Meclizine Hydrochloride, Tablets, Antiemetic

Compare to Dramamine® Less Drowsy active ingredient*

Prevents & Relieves: Nausea, Dizziness & Vomiting due to motion sickness

16 TABLETS (25 mg EACH)

TAMPER EVIDENT: USE ONLY IF THIS BLISTER IS INTACT



MECLIZINE HYDROCHLORIDE

meclizine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-857
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6130)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
SILICON DIOXIDE (UNII: ETJ7Z6XB4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	5655
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-857-05	2 in 1 CARTON	10/28/2020	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69842-857-09	1 in 1 CARTON	08/13/2020	
2		8 in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	08/13/2020	

Labeler - CVS Pharmacy, Inc (062312574)

Revised: 10/2025

CVS Pharmacy, Inc