MAXIMUM STRENGTH SEVERE SINUS PRESSURE, PAIN AND COUGH RELIEFacetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride capsule, liquid filled RITE AID CORPORATION

Maximum Strength Severe Sinus Pressure, Pain and Cough Relief

Drug Facts

Active ingredients (in each caplet)

Acetaminophen Dextromethorphan HBr 10 mg Guaifenesin 200 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Cough suppressant Expectorant Nasal decongestant

Uses

- for the temporary relief of the following cold/flu symptoms: minor aches and pains headache sore throat nasal congestion cough
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is

10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you

are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression,

psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the

MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. • if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

• liver disease • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema • cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage

Stop use and ask a doctor if • nervousness, dizziness, or sleeplessness occur • pain, nasal congestion or cough gets worse or lasts more than 7 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

Directions

do not take more than directed

adults and children • take 2 caplets every 4 hours • swallow whole; do not crush, chew 12 years & over or dissolve • do not take more than 10 caplets in 24 hours children under 12 years

Other information

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive Ingredients

FD&C Yellow # 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan, titanium dioxide

Questions or comments?

1-888-333-9792

Distributed By: **Rite Aid** 200 Newberry Commons Etters, PA 17319

www.riteaid.com

Made In India

Principal Display Panel

Compare to the active ingredient in Maximum Strength Mucinex® Sinus-Max® Pressure, Pain & Cough*

Maximum Strength Severe Sinus Pressure, Pain & Cough Relief

ACETAMINOPHEN
DEXTROMETHORPHAN HBr
GUAIFENESIN
PHENYLEPHRINE HCL

PAIN RELIEVER/FEVER REDUCER • COUGH SUPRESSANT EXPECTORANT • NASAL DECONGESTANT

Releif of nasal/sinus congestion & sinus pressure, pain, headache & cough Thins & loosens mucus

16 SOFTGELS



MAXIMUM STRENGTH SEVERE SINUS PRESSURE, PAIN AND COUGH RELIEF

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride capsule, liquid filled

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1576	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE	5 mg	

Inactive Ingredients		
Ingredien	t Name	Strength

FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ 989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6092ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics				
Color	orange	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	341;A13	
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:11822- 1576-1	2 in 1 CARTON	12/13/2022			
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	12/13/2022		

Labeler - RITE AID CORPORATION (014578892)

Revised: 12/2024 RITE AID CORPORATION