TETRA KOTE- 0.2% bronopol teat dip solution Preserve International

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Tetra Kote

DIRECTIONS FOR USE:

Use at full strength, do not dilute.

APPLICATION:

FOR POST-DIPPING: Immediately after removal of milking unit, dip entire teat in **TETRA KOTE**. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with **TETRA KOTE** at full strength. Do not return unused product to original container.

NOTE:

This product does not contain NPE (Nonylphenol Ethoxylate) Surfactant.

PROTECT FROM FREEZING

IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING

TAKE TIME OBSERVE LABEL DIRECTIONS

WARNING:

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN

FIRST AID:

INHALATION: No irritation expected. Move the exposed person to fresh air.

EYE CONTACT Rinse immediately with plenty of water. Contact lenses should be removed.

SKIN CONTACT: No irritation expected. Rinse immediately with plenty of water.

INGESTION: DO NOT INDUCE VOMITING unless advised to do so by a doctor. Never give anything by mouth to an unconscious person.

GET MEDICAL ATTENTION IMMEDIATELY.

IFOR PRODUCT EMERGENCY CONTACT: Chem-Tel Inc. 1-800-255-3924

TETRA KOTE

Barrier Post Dip

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient.......0.20% 2-Bromo-2-Nitro 1,3 propanediol pH......Minimum 4.0

Emollients.....10% Glycerin





DIRECTIONS FOR USE: Use at full strength, do not dilute.

APPLICATION:
FOR POST-DIPPING: Immediately after removal of milking
unit, dip entire teat in FITRA KOTE. Allow to air dy, if Solidon
in cup becomes visibly dirty or cloudy, then replenish with
TETRA KOTE at full strength. Do not return unused product
to original condainare.

NOTE: This product does not contain NPE (Nonylphenol Ethoxylate) Surfactant.



This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient: 2-Bromo-2-Nitro 1,3 propanediol 0.20%

..... Minimum 4.0 Emollients 10% Glycerin

PROTECT FROM FREEZING IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING

TAKE TIME OBSERVE LABEL DIRECTIONS

FOR PRODUCT EMERGENCY CONTACT: CHEM-TEL INC. 1-800-255-3924

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN

FIRST AID: INHALATION: No irritation expected. Move the exposed person to fresh air.

EYE CONTACT: Rinse immediately with plenty of water.
Contact lenses should be removed.

SKIN CONTACT: No irritation expected. Rinse immediately with plenty of water.

INGESTION: DO NOT INDUCE VOMITING unless advised to do so by a doctor. Never give anything by mouth to an unconscious person.

GET MEDICAL ATTENTION IMMEDIATELY.



NEOGEN 944 Nandino Blvd. • Lexington, KY 40511 • 859-254-1221 or 800-621-8829 • animalsafety.neogen.com

L5377-0219

 $\label{lem:manufactured} \begin{tabular}{ll} Manufactured by: Preserve International @ Preserve International @ is a wholly-owned subsidiary of Neogen @ Corporation. \\ \end{tabular}$

Manufactured By: Preserve International ®

Preserve International [1] is a wholly-owned subsidiary of Neogen [1] Corporation.

NEOGEN^{[]®}[]

944 Nandino Blvd.

Lexington, KY 40511

859-254-1221 or 800-621-8829

animalsafety.neogen.com

TETRA KOTE

0.2% bronopol teat dip solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:60648-9008
--------------	-----------------	--------------------	----------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BRONOPOL (UNII: 6PU1E16C9W) (BRONOPOL - UNII:6PU1E16C9W)	BRONOPOL	2.16 g in 1 L
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	104.20 g in 1 L

Packaging

ı	1 ackaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:60648-9008-	3.78 L in 1 JUG		

2	NDC:60648-9008-	18.9 L in 1 PAIL	
3	NDC:60648-9008-	56.7 L in 1 DRUM	
4	NDC:60648-9008-	113.4 L in 1 DRUM	
5	NDC:60648-9008-	207.9 L in 1 DRUM	
6	NDC:60648-9008-	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK	
7	NDC:60648-9008-	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/18/2019	

Labeler - Preserve International (808154199)

Revised: 5/2019 Preserve International