

**ANTISEPTIC BANDAGES- benzalkonium chloride dressing
Pharmaband**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Antiseptic Bandages

Drug Facts

Active ingredients

Benzalkonium Chloride 0.1%

Purpose

Antiseptic

Uses

First aid to help reduce the risk of infection in minor cuts, scrapes, and burns

Warnings

- **For external use only.**

Stop use and consult a doctor

if the condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

Directions

Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Inactive Ingredients:

None

Other Information:

Not intended for use on delicate or sensitive skin.

PRINCIPAL DISPLAY PANEL

PharmaBand

Antiseptic Bandages

20

Antiseptic Bandages

- Each strip has been sealed and sterilized for your protection.
- Be sure skin is clean and dry before applying. Change bandage as needed.
- Sterility guaranteed unless individual envelope has been opened or damaged.

To report a serious adverse event contact ?

PharmaBand Antiseptic Bandages

Antiseptic Bandages

20 ANTISEPTIC BANDAGES

20 COUNT

3/4 in. x 3 in. (1.9cm x 7.6cm)

INTENDED USE:
Antibacterial Adhesive Bandages are to be applied to the skin for topical application. The bandages help provide an antibacterial barrier for minor cuts and scrapes.

DIRECTIONS:
Apply bandages to clean, dry skin. Change daily or when pad becomes wet. Sterile unless wrapper is damaged or open.

Active Ingredient:
Benzalkonium Chloride

WARNINGS:
FOR MEDICAL EMERGENCIES SEEK PROFESSIONAL HELP

GERM FIGHTING PROTECTION

- Helps prevent infection
- Safe for all minor cuts and scrapes
- Unique, long lasting adhesive
- Medicated non-stick pad

Drug Facts

Active ingredients	Purpose
Benzalkonium Chloride .1%	Antiseptic

Uses First aid to help reduce the risk of infection in minor cuts, scrapes, and burns.

Warnings

- For external use only.
- Stop use and consult a doctor if the condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor.
- Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions
Clean and dry the affected area. Apply a sterile bandage on the area 1 to 3 times daily.

Inactive Ingredients None

Other Information Not intended for use on delicate or sensitive skin.

Produced by: PharmaBand, Alexandria-Egypt
www.Pharmaband.com

STERILE **No Reuse**

Sterile • Antiseptic • Latex Free

Sterile • Antiseptic • Latex Free
Allows skin to breathe

ANTISEPTIC BANDAGES

benzalkonium chloride dressing

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69225-1000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.042 mg

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
Does not contain	NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	0

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69225-	20 in 1 BOX; Type 4: Device Coated/Impregnated/Otherwise		

1	1000-2	Combined with Drug		
2	NDC:69225-1000-3	30 in 1 BOX; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		
3	NDC:69225-1000-4	40 in 1 BOX; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part333E	01/09/2014	

Labeler - Pharmaband (850528574)

Establishment

Name	Address	ID/FEI	Business Operations
Pharmaband		850528574	ANALYSIS(69225-1000) , LABEL(69225-1000) , MANUFACTURE(69225-1000) , PACK(69225-1000)

Revised: 9/2014

Pharmaband