

**NASAL DECONGESTANT- oxymetazoline hcl spray**  
**Navarro Discount Pharmacies,LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient**

Oxymetazoline HCl 0.05%

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
  - sinusitis
- reduces swelling of nasal passages; shrinks swollen membranes
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use this product for more than 3 days**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate

**When using this product**

- **do not exceed recommended dosage**
- use only as directed. frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if**

symptoms persist

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- To spray, squeeze bottle quickly and firmly
- Do not tilt head backward while spraying
- Wipe nozzle clean after use
- Do not exceed 2 doses in any 24 hour period
- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours
- children under 6 years of age: ask a doctor

### **Other information**

- store at room temperature 15° - 30°C (59°-86°F)
- retain carton for future reference on full labeling

### **Inactive ingredients**

benzalkonium chloride, benzyl alcohol, edetate disodium, polyethylene glycol, povidone, propylene glycol, sodium phosphate dibasic, sodium phosphate monobasic, water

### **Carton image**

53x123x33mm

**Original Nasal Spray**  
 Atomizador Nasal Original

NDC #59970-052-01

Compare to Afrin® Original Nasal Spray active ingredient\*  
 Compare con el ingrediente activo de Afrin® Original Nasal Spray\*



**Original Nasal Spray**  
 Atomizador Nasal Original


*Oxymetazoline HCl / Oximetazolina HCl*  
*Nasal Decongestant / Descongestionante nasal*

**No Drip / Sin goteo**

- Fast Relief for Stuffy Noses
- Alivio rápido para la nariz tapada
- Soothes as it Relieves
- Calma mientras alivia

**12 HOUR RELIEF / 12 HORAS DE ALIVIO**

NET 1 oz (30 mL)



Exclusively distributed by:  
 Distribuido exclusivamente por:

**MAGEJIAN**  
 DISTRIBUTION SOLUTIONS  
 Medley, Florida 33178

Made in Korea / Fabricado en Corea

\*This product is not manufactured or distributed by Schering-Plough Health Care Products, Inc., distributor of Afrin® Original Nasal Spray.  
 \*Este producto no es fabricado ni distribuido por Schering-Plough Health Care Products, Inc., distribuidor de Afrin® Original Nasal Spray.

**Drug Facts**

**Active ingredient Purpose**  
 Oxymetazoline HCl 0.05% Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to:
  - common cold □ hay fever □ upper respiratory allergies □ sinusitis
- reduces swelling of nasal passages; shrinks swollen membranes
- temporarily restores freer breathing through the nose

**Warnings**

Do not use this product for more than 3 days

**Ask a doctor before use if you have**

- heart disease ■ high blood pressure ■ thyroid disease ■ diabetes
- difficulty in urination due to enlargement of the prostate

**When using this product**

- do not exceed recommended dosage
- use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if symptoms persist**

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- to spray, squeeze bottle quickly and firmly
- do not tilt head backward while spraying
- wipe nozzle clean after use
- do not exceed 2 doses in any 24 hour period
  - adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours
  - children under 6 years of age: ask a doctor

**Other information**

- store at room temperature 15°-30° C (59°-86° F)
- retain carton for future reference on full labeling

**Inactive ingredients**

benzalkonium chloride, benzyl alcohol, edetate disodium, polyethylene glycol, povidone, propylene glycol, sodium phosphate dibasic, sodium phosphate monobasic, water

**Información sobre el Medicamento**

**Ingrediente activo Propósito**  
 Oximetazolina HCl 0,05% Descongestionante nasal

**Usos**

- Alivia temporalmente la congestión nasal debida a:
  - Resfriado común □ Fiebre del heno
  - Alergias respiratorias superiores □ Sinusitis
- Reduce la inflamación de las fosas nasales; contrae las membranas inflamadas
- Restaura temporalmente la respiración libre por la nariz

**Advertencias**

No utilice este producto durante más de 3 días

continuación ▶

**Información sobre el Medicamento (continuación)**

**Consulte a su médico antes de usar este producto si usted tiene**

- Enfermedades del corazón
- Presión arterial alta
- Enfermedad de la tiroides
- Diabetes
- Dificultad para orinar debido al agrandamiento de la próstata

**Cuando utilice este producto**

- No exceda la dosis recomendada
- Utilícelo únicamente según las indicaciones. El uso frecuente o prolongado puede causar que la congestión nasal se repita o se empeore
- Pueden ocurrir molestias temporales tales como ardor, picazón, estornudos o aumento de la secreción nasal
- El uso de este atomizador por más de una persona puede propagar la infección

**Suspenda el uso de este producto y consulte a un médico si los síntomas persisten**

Si está embarazada o en período de lactancia, consulte con un profesional de la salud antes de usar.

Mantener fuera del alcance de los niños. En caso de ingestión, obtenga ayuda médica o contacte un Centro de Control de Envenamamiento inmediatamente.

**Instrucciones**

- Para rociar, apriete el frasco rápidamente y con firmeza
- No incline la cabeza hacia atrás mientras usa el atomizador
- Limpie la boquilla después de cada uso
- No exceda 2 dosis en un período de 24 horas.
  - Adultos y niños de 6 a 12 años de edad (con supervisión de un adulto): 2 o 3 pulverizaciones en cada fosa nasal, no más de cada 10 a 12 horas
  - Para menores de 6 años de edad: consulte a un médico

**Otra información**

- Almacenar a temperatura ambiente 15°-30° C (59°-86° F)
- Conserve la caja para consultas futuras sobre la etiqueta completa

**Ingredientes inactivos**

Cloruro de Benzalkonio, Alcohol Bencílico, Edetato Disódico, Glicerol de Polietileno, Povidona, Propilenglicol, Fosfato Sódico Dibásico, Fosfato Sódico Monobásico, Agua

LOT & EXP.

LOTE & FECHA DE VENCIMIENTO

**NASAL DECONGESTANT**

oxymetazoline hcl spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59970-052
<b>Route of Administration</b>	NASAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POLYETHYLENE GLYCOLS</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	
<b>SODIUM PHOSPHATE, MONOBASIC</b> (UNII: 3980JIH2SW)	
<b>Water</b> (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59970-052-01	1 in 1 BOX		
1		30 mL in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/26/2012	

**Labeler** - Navarro Discount Pharmacies,LLC (094930963)

Revised: 10/2012

Navarro Discount Pharmacies,LLC