

BZK ALCOHOL - benzalkonium chloride swab
Wuxi Medical Instrument Factory

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Item# 83791-510-002 NDC#42947-610-02 Qty.1ea

BZK Alcohol Wash Towelette

Contains: Benzalkonium Chloride 0.13%

For Single Use Only

Caution: Keep out of reach of children

Manufactured by: Wuxi Medical Instrument Factory

No.86 East street, Zhangjing, Wuxi, Jiangsu 214194 China

Made in China

Active ingredient

Benzalkonium Chloride, 0.13% w/w

Purpose

First Aid Antiseptic

Use

First aid antiseptic to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only. Do not use

In the eyes or apply over large areas of the body longer than 1 week unless directed by a doctor.

In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor.

Stop use and consult a doctor

if the condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right way.

Directions

* Clean the affected area

* Apply a small amount of this product on the area 1 to 3 times daily

* May be covered with a sterile bandage when dry

Inactive ingredients

purified water, sodium bicarbonate, isopropyl alcohol

Image of Pouch Label

50 mm

50 mm

57 mm

Item# 83791-510-002 NDC#42947-610-02 Qty.1ea

**BZK Alcohol Wash
Towelette**

Contains: Benzalkonium Chloride 0.13%
For Single Use Only
Caution: Keep out of reach of children



Manufactured by:Wuxi Medical Instrument
Factory No.86 East Street,Zhangjing,Wuxi,
Jiangsu 214194 China
Made in China

**WuXi Medical****Drug Facts****Active ingredient**

Benzalkonium Chloride 0.13%w/w...First Aid Antiseptic

Use First aid antiseptic to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only. Do not use • in the eyes or apply over large areas of the body • longer than 1 week unless directed by a doctor. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. **Stop use and consult a doctor** if the condition persists or gets worse, **keep out of reach of children**. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Clean the affected area • Apply a small amount of this product on the area 1 to 3 times daily • May be covered with a sterile bandage when dry

Inactive ingredients purified water, sodium bicarbonate
Isopropyl Alcohol

Lot.No.:

----- TEAR HERE -----

BZK ALCOHOL

benzalkonium chloride swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42947-610
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.0013 mL in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42947-610-02	1.4 mL in 1 POUCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	01/01/2009	

Labeler - Wuxi Medical Instrument Factory (421292863)

Registrant - Wuxi Medical Instrument Factory (421292863)

Establishment

Name	Address	ID/FEI	Business Operations
Wuxi Medical Instrument Factory		421292863	manufacture

Revised: 3/2001

Wuxi Medical Instrument Factory