

PERBELLE CC SPF43 UVA UVB BROAD SPECTRUM- titanium dioxide cream
Perbelle Cosmetics Global Ltd.

Perbelle CC Cream SPF43 UVA/UVB Broad Spectrum

Drug Facts

Active ingredients

TITANIUM DIOXIDE 12%

Purpose

Sunscreen

Uses

- Helps protect sunburns
- If used as directed with other sun protection measures (see directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other skin protection measures including: **Sun Protection Measures**

- Limit time in the sun, especially from 10 am - 2 pm.
- Wear long-sleeve shirts, pants, hats and sunglasses. Children under 6 months of age Ask doctor.

Other information

- Protect the product in this container from excessive heat or direct sun.

Questions?**Call 646.328.6562****Inactive Ingredient**

Water, Ethylhexyl methoxycinnamate, Cyclomethicone, Cyclopentasiloxane, Hexyl Laurate, Butylene Glycol, Isodecyl neopentanoate, Amorphophallus Konjac Root Extract, Methyl Trimethicone, Bis-Ethylhexyloxyphenol Methoxyphehyl Triazine, Polymethyl Methacrylate, C12-15 Alkyl Benzoate, Niacinamide, PEG-10 Dimethicone, Talc, Silica, Cetyl PEG/PPG-10/1 Dimethicone, Sodium Chloride, Nelumbo Nucifera Flower Extract, Jasminum Officinale (Jasmine) Flower/leaf Extract, Rose Extract, Lilium Candidum Bulb Extract, Freesia Refracta Extract, Iris Versicolor Extract, Leontopodium Alpinum Flower/leaf Extract, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Sorbitan Olivatate, Hyaluronic Acid, Sorbitan Isostearate, Dimethicone, Polysilicone-11, Ozokerite, Calcium Stearate, Lauryl PEG/PPG-18/18 Methicone, Glycerin, Triethoxycaprylylsilane, Sorbitan Sesquioleate, Trihydroxysteain, Triethanolamine, Adenosine, Aluminum Hydroxide, Stearic Acid, Synthetic Fluorphlogopite, Silica Dimethyl Silylate, Zein, Zea Mays (Corn) Strach, Hydrogenated Lecithin, Caprylic/capric Triglyceride, Disodium EDTA, CI 77491, CI 77492, CI 77499, Propylparaben, Methylparaben, Phenoxyethanol, Fragrance

Package Labeling:

Drug Facts

Active ingredients	Purpose
TITANIUM DIOXIDE 12%	Sunscreen

Uses

- Helps protect sunburns
- If used as directed with other sun protection measures (see directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures** spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other skin protection measures including:
 - Limit time in the sun, especially from 10 am - 2 pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses. Children under 6 months of age Ask a doctor.

Other information

- Protect the product in this container from excessive heat or direct sun.

Questions? Call 646.328.6562

Inactive Ingredients

Water, Ethylhexyl Methoxycinnamate, Cycloheximide, Cyclopentasiloxane, Hexyl Laurate, Butylene Glycol, Isodecyl neopentanoate, Amorphophallus Konjac Root Extract, Methyl Trimethicone, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Polymethyl Met-hacrylate, C12-15 Alkyl Benzoate, Niacinamide, PEG-10 Dimethicone, Talc, Silica, Cetyl PEG/PPG-10/1 Dimethicone, Sodium Chloride, Nelumbo Nucifera Flower Extract, Jasminum Officinale (Jasmine) Flower/leaf Extract, Rose Extract, Lilium Candidum Bulb Extract, Freesia Refracta Extract, Narcissus Pseudo-narcissus (Daffodil) Flower Extract, Iris Versicolor Extract, Leontopodium Alpinum Flower/leaf Extract, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Sorbitan Oliviate, Hyaluronic Acid, Sorbitan Isostearate, Dimethicone, Polysilicone-11, Ozokerite, Calcium Stearate, Lauryl PEG/PPG-18/18 Methicone, Glycerin, Triethoxycaprylsilane, Sorbitan Sesquioleate, Trihydroxystearin, Triethanolamine, Adenosine, Aluminum Hydroxide, Stearic Acid, Synthetic Fluorphlogopite, Silica Dimethyl Silylate, Zein, Zea Mays (Corn) Starch, Hydrogenated Lecithin, Caprylic/capric Triglyceride, Disodium EDTA, CI 77491, CI 77492, CI 77499, Propylparaben, Methylparaben, Phenoxyethanol, Fragrance

30g / 1,05 oz

Manufactured for: **PERBELLE COSMETICS GLOBAL LTD**
5900 W OGDEN AVE, Cicero, IL 60804
all rights reserved 2020 **PERBELLE COSMETICS GLOBAL LTD** ©
WWW.PERBELLECOSMETICS.COM
Made in Korea



PERBELLE

CC CREAM

Color Correcting
Moisturizing
Make-up Base & Foundation

SPF 43
UVA/UVB
Broad Spectrum

PERBELLE

1.05 oz, 30g

CC CREAM

Color Correcting
Moisturizing
Make-up Base & Foundation

SPF 43
UVA/UVB
Broad Spectrum

PERBELLE

PERBELLE COSMETICS CC CREAM

Drug Facts

Active ingredients	Purpose
TITANIUM DIOXIDE 12%	Sunscreen

Uses

- Helps protect sunburns
- If used as directed with other sun protection measures (see directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures** spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other skin protection measures including:
 - Limit time in the sun, especially from 10 am - 2 pm.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age Ask a doctor.

Other information

- Protect the product in this container from excessive heat or direct sun.

30g 1.05 oz
www.perbellec cosmetics.com

PERBELLE CC SPF43 UVA UVB BROAD SPECTRUM

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81186-000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	120 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)
METHYLPARABEN (UNII: A2I8C7HI9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
WATER (UNII: 059QF0KO0R)
OCTINOXATE (UNII: 4Y5P7MUD51)
CYCLOMETHICONE (UNII: NMQ347994Z)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)
AMORPHOPHALLUS KONJAC ROOT (UNII: F7KU2UY3HE)
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)
BEMOTRIZINOL (UNII: PWZ1720CBH)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
NIACINAMIDE (UNII: 25X51I8RD4)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V15VM0)
TALC (UNII: 7SEV7J4R1U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
JASMINUM OFFICINALE FLOWER (UNII: 0Q8K841432)
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)
IRIS VERSICOLOR ROOT (UNII: X43D4L3DQC)
LEONTOPODIUM NIVALE SUBSP. ALPINUM FLOWERING TOP (UNII: QQC1AK06RK)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
SORBITAN OLIVATE (UNII: MDL271E3GR)
HYALURONIC ACID (UNII: S270N0TRQY)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
DIMETHICONE (UNII: 92RU3N3Y1O)
CALCIUM STEARATE (UNII: 776XM7047L)
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)
GLYCERIN (UNII: PDC6A3C0OX)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
TROLAMINE (UNII: 9O3K93S3TK)
ADENOSINE (UNII: K72T3FS567)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)
ZEIN (UNII: 80N308T1NN)
STARCH, CORN (UNII: O8232NY3SJ)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81186-000-01	1 in 1 BOX	01/20/2021	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	01/20/2021		

Labeler - Perbelle Cosmetics Global Ltd. (522003003)

Revised: 12/2023

Perbelle Cosmetics Global Ltd.