

CARBON DIOXIDE OXYGEN MIX- carbon dioxide oxygen mix gas
Linde Gas & Equipment Inc.

Carbon Dioxide/Oxygen mixture

UN3156

COMPRESSED GAS,

OXIDIZING, N.O.S.

(OXYGEN, CARBON DIOXIDE)

% CARBON DIOXIDE USP CAS: 124-38-9

% OXYGEN USP CAS: 7782-44-7

NET CONTENTS

LOT NUMBER

WARNING! HIGH-PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES
COMBUSTION. CAN INCREASE RESPIRATION

AND HEART RATE. MAY CAUSE NERVOUS SYSTEM DAMAGE. MAY CAUSE DIZZINESS
AND DROWSINESS.

TLV-TWA: 5,000 PPM CARBON DIOXIDE (ACGIH 2007).

Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use a backflow prevention device in any piping. Use per MSDS provided and Praxair safety booklets P-3499, P-14-153, and

P-15-073; obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

RX ONLY

WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed

practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods and

frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633

Copyright © 1997-1998, 2003, 2005, 2007, 2008 Praxair Technology, Inc.

DO NOT REMOVE THIS LABEL MMG-2-0 (06/08)

Praxair, the flowing airstream design and Medipure are trademarks of Praxair

UN3156
COMPRESSED GAS,
OXIDIZING, N.O.S.
(OXYGEN,
CARBON DIOXIDE)

Components:


_____ % CARBON DIOXIDE USP CAS: 124-38-9


_____ % OXYGEN USP CAS: 7782-44-7

LOT NUMBER _____

NET CONTENTS _____

IN CASE OF EMERGENCY: CALL 1-800-645-4633





WARNING: HIGH-PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN INCREASE RESPIRATION AND HEART RATE. MAY CAUSE NERVOUS SYSTEM DAMAGE. MAY CAUSE DIZZINESS AND DROWSINESS. TLV-TWA: 5,000 PPM, CARBON DIOXIDE (ACGIH 2007).

Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use a backflow prevention device in any piping. Use per MSDS provided and Praxair safety booklets P-3499, P-14-153, and P-15-073; obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

Rx ONLY.

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

DO NOT REMOVE THIS LABEL

MMG-2-O (06/08)
MADE IN USA

Copyright © 1997-1998, 2003, 2005, 2007, 2008, Praxair Technology, Inc. All rights reserved.
Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc.

DISTRIBUTED BY PRAXAIR, INC.
DANBURY, CT 06810-5113

CARBON DIOXIDE OXYGEN MIX

carbon dioxide oxygen mix gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59579-008
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBON DIOXIDE (UNII: 142M471B3J) (CARBON DIOXIDE - UNII:142M471B3J)	CARBON DIOXIDE	300 mL in 1 L
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	700 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59579-008-01	18068 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
2	NDC:59579-008-02	15840 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
3	NDC:59579-008-03	12375 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
4	NDC:59579-008-04	9653 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
	NDC:59579-008-05	7000 L in 1 CYLINDER; Type 0: Not a Combination Product		

5	NDC:59579-008-05	7920 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
6	NDC:59579-008-06	4950 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
7	NDC:59579-008-07	2475 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
8	NDC:59579-008-08	1733 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
9	NDC:59579-008-09	990 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
10	NDC:59579-008-10	495 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
11	NDC:59579-008-11	17325 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
12	NDC:59579-008-12	1980 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	10/01/2007	

Labeler - Linde Gas & Equipment Inc. (042845636)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		196953322	manufacture(59579-008)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		161317490	manufacture(59579-008)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		044574523	manufacture(59579-008)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		045252439	manufacture(59579-008)