

**COPPERTONE GLOW HYDRAGEL SPF 50- avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% gel**  
**Beiersdorf Inc**

-----  
**Glow Hydragel Sunscreen SPF 50**

***Drug Facts***

***Drug Facts***

***Active Ingredients***

Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

- **For external use only**
- **Flammable.** Keep away from fire or flame.

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before each use
- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other Information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive Ingredients***

SD alcohol 40-B (57.4% v/v), butyloctyl salicylate, dicaprylyl ether, ethylhexyl isononanoate, PVP, dimethicone/vinyl dimethicone crosspolymer, polyester-27, silica dimethicone silylate, acrylates/C12-22 alkyl methacrylate copolymer, calcium starch octenylsuccinate, fragrance, silica, synthetic fluorophlogopite, iron oxides

### ***Questions?***

1-866-288-3330

Coppertone Sunscreen Gel

Glow Hydragel

SPF 50

Shimmery, Cool & Hydrating

Broad Spectrum SPF 50

Water Resistant (80 Minutes)

Free of oxybenzone, octinoxate, PABA & parabens

4.5 FL OZ (133 mL)

**Coppertone**  
SUNSCREEN GEL

**Glow**  
Hydragel

SHIMMERY, COOL  
& HYDRATING

**50**  
SPF

BROAD SPECTRUM SPF 50  
WATER RESISTANT (80 MINUTES)

Free of oxybenzone, octinoxate,  
PARA, & parabens

4.5 FL OZ (133 mL)

For use on body. For face, we recommend Coppertone® Glow Face.

**Drug Facts**

**Active ingredients** **Purpose**  
Avobenzone 3%, Homosalate 9%,  
Octisalate 4.5%, Octocrylene 9%..... Sunscreen

**Uses**  

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**Flammable.** Keep away from fire or flame.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  

- shake well before each use
- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

**Other information**  

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

**Inactive ingredients** SD alcohol 40-8 (57.4% w/v), butyloctyl salicylate, dicaprylyl ether, ethylhexyl isonanoate, PVP, dimethicone/vinyl dimethicone crosspolymer, polyester-27, silica dimethicone silylate, acrylates/C12-22 alkyl methacrylate copolymer, calcium starch octenylsuccinate, fragrance, silica, synthetic fluorophlogopite, iron oxides

**Questions?** 1-866-288-3330

**Beiersdorf**

Beiersdorf Inc., Wilton, CT 06897  
© Reg. TM of Beiersdorf AG, Germany



**COPPERTONE GLOW HYDRAGEL SPF 50**

avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-4473
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	90 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL

**OCTISALATE** (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)

OCTISALATE

45 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>DICAPRYLYL ETHER</b> (UNII: 77JZM5516Z)	
<b>ETHYLHEXYL ISONONANOATE</b> (UNII: I6KB4GE3K4)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>ALUMINUM MAGNESIUM HYDROXIDE CARBONATE</b> (UNII: RFJ7QXF345)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>BUTYL ACRYLATE/C16-C20 ALKYL METHACRYLATE/METHACRYLIC ACID/METHYL METHACRYLATE COPOLYMER</b> (UNII: 7K68DGG29P)	
<b>FRAGRANCE FRESH CITRUS FLORAL ORC1501495</b> (UNII: OU4GI2R2WB)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>OCTENYLSUCCINIC ACID</b> (UNII: 12UZE4X73L)	
<b>MODIFIED CORN STARCH (1-OCTENYL SUCCINIC ANHYDRIDE)</b> (UNII: 461P5CJN6T)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4473-4	133 mL in 1 TUBE; Type 0: Not a Combination Product	11/02/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/02/2020	

**Labeler** - Beiersdort Inc (001177906)