

**HYDROGEN PEROXIDE- hydrogen peroxide liquid**  
**UBQ Industries, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Hydrogen Peroxide 3%**

**Hydrogen Peroxide 3%**

Hydrogen Peroxide 3% v/v First aid antiseptic debriding agent

**First aid antiseptic debriding agent**

First aid antiseptic debriding agent

**Indications and usage section**

- First aid to help prevent the risk of infection in minor cuts, scrapes and burns
- Aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth

**Warnings Section**

For external use only

**Do not use**

- In the eyes or apply over large areas of the body
- Longer than one week

**Ask a doctor before use if you have**

- Deep puncture wounds, animal bites or serious burns

**Stop use and ask a doctor if**

- Swelling, rash, or fever develops
- The condition persists or gets worse
- Sore mouth symptoms do not improve in 7 days
- Irritation, pain, or redness persists or worsens

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222)

right away.

**Directions For use as a first aid antiseptic:**

- Clean affected area
- If bandaged, let dry first
- Apply small amount of product on affected area 1 - 3 times a day
- May be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

Adults and children 2 years of age

- Mix with equal amount of water
- Swish around in the mouth over affect area for at least 1 minute and then spit out. Do not swallow
- Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- Children under 12 years: should be supervised in the use of this product
- Children under 2 years of age: consult a doctor or dentist

**Other Information**

- Keep tightly closed and in a dark place at room temperature
- Do not shake bottle. Hold away from face when opening

**Inactive Ingredients**

Purified water

**Package Label - Principal Display Panel**

236 ml NDC 80668-313-04

NDC 80668-313-04



## Hydrogen Peroxide 3%USP

For treatment of minor cuts and abrasions

For use as a gargle or rinse

Oral debriding agent  
First aid antiseptic



UBQ Industries, LLC  
515 Academy Dr  
Rogersville MO 65742  
417-753-9431  
UBQind.com  
RusticStrength.com

8oz (236 ml)

Drug Facts	
Active Ingredient	Purpose
Hydrogen Peroxide 3%.....	First aid antiseptic debriding agent
<b>Uses</b>	
• First aid to help prevent the risk of infection in minor cuts, scrapes and burns • Aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth	
<b>Warnings • For external use only</b>	
<b>Do not use</b>	
• In the eyes or apply over large areas of the body • Longer than one week	
<b>Ask a doctor before use if you have</b>	
• Deep puncture wounds, animal bites or serious burns	
<b>Stop use and ask a doctor if</b>	
• Swelling, rash, or fever develops • The condition persists or gets worse • Sore mouth symptoms do not improve in 7 days • Irritation, pain, or redness persists or worsens	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Directions For use as a first aid antiseptic:</b>	
• Clean affected area • If bandaged, let dry first • Apply small amount of product on affected area 1 – 3 times a day • May be covered with a sterile bandage	
<b>For use as an oral debriding agent (oral rinse):</b>	
<b>Adults and children 2 years of age</b>	
• Mix with equal amount of water • Swish around in the mouth over affect area for at least 1 minute and then spit out. Do not swallow • Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor	
• <b>Children under 12 years:</b> should be supervised in the use of this product	
• <b>Children under 2 years of age:</b> consult a doctor or dentist	
<b>Other Information</b>	
• Keep tightly closed and in a dark place at room temperature • Do not shake bottle. Hold away from face when opening	
<b>Inactive Ingredient</b>	purified water

473.2 ml NDC 80668-313-03

NDC 80668-313-03



## Hydrogen Peroxide 3%USP

For treatment of minor cuts and abrasions

For use as a gargle or rinse

Oral debriding agent  
First aid antiseptic



UBQ Industries, LLC  
515 Academy Dr  
Rogersville MO 65742  
417-753-9431  
UBQind.com  
RusticStrength.com

16oz (473.2 ml)

Drug Facts	
Active Ingredient	Purpose
Hydrogen Peroxide 3%.....	First aid antiseptic debriding agent
<b>Uses</b>	
• First aid to help prevent the risk of infection in minor cuts, scrapes and burns • Aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth	
<b>Warnings • For external use only</b>	
<b>Do not use</b>	
• In the eyes or apply over large areas of the body • Longer than one week	
<b>Ask a doctor before use if you have</b>	
• Deep puncture wounds, animal bites or serious burns	
<b>Stop use and ask a doctor if</b>	
• Swelling, rash, or fever develops • The condition persists or gets worse • Sore mouth symptoms do not improve in 7 days • Irritation, pain, or redness persists or worsens	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Directions For use as a first aid antiseptic:</b>	
• Clean affected area • If bandaged, let dry first • Apply small amount of product on affected area 1 – 3 times a day • May be covered with a sterile bandage	
<b>For use as an oral debriding agent (oral rinse):</b>	
<b>Adults and children 2 years of age</b>	
• Mix with equal amount of water • Swish around in the mouth over affect area for at least 1 minute and then spit out. Do not swallow • Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor	
• <b>Children under 12 years:</b> should be supervised in the use of this product	
• <b>Children under 2 years of age:</b> consult a doctor or dentist	
<b>Other Information</b>	
• Keep tightly closed and in a dark place at room temperature • Do not shake bottle. Hold away from face when opening	
<b>Inactive Ingredient</b>	purified water

18927 ml NDC 80668-313-01

NDC 80668-313-01



cost/ounce

# Hydrogen Peroxide 3%<sub>USP</sub>

For treatment of minor cuts and abrasions

For use as a gargle or rinse

Oral debriding agent  
First aid antiseptic

5 gallon (18.93 L)

Drug Facts	
Active Ingredient	Purpose
Hydrogen Peroxide 3%...	First aid antiseptic debriding agent
<b>Uses</b>	
<ul style="list-style-type: none"> <li>• First aid to help prevent the risk of infection in minor cuts, scrapes and burns</li> <li>• Aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth</li> </ul>	
<b>Warnings</b>	
<b>For external use only</b>	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>• In the eyes or apply over large areas of the body</li> <li>• Longer than one week</li> </ul>	
<b>Ask a doctor before use if you have</b>	
<ul style="list-style-type: none"> <li>• Deep puncture wounds, animal bites or serious burns</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>• Swelling, rash, or fever develops</li> <li>• The condition persists or gets worse</li> <li>• Sore mouth symptoms do not improve in 7 days</li> <li>• Irritation, pain, or redness persists or worsens</li> </ul>	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Directions For use as a first aid antiseptic:</b>	
<ul style="list-style-type: none"> <li>• Clean affected area</li> <li>• If bandaged, let dry first</li> <li>• Apply small amount of product on affected area 1 – 3 times a day</li> <li>• May be covered with a sterile bandage</li> </ul>	
<b>For use as an oral debriding agent (oral rinse):</b>	
<b>Adults and children 2 years of age</b>	
<ul style="list-style-type: none"> <li>• Mix with equal amount of water</li> <li>• Swish around in the mouth over affect area for at least 1 minute and then spit out. Do not swallow</li> <li>• Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor</li> <li>• Children under 12 years: should be supervised in the use of this product</li> <li>• Children under 2 years of age: consult a doctor or dentist</li> </ul>	
<b>Other Information</b>	
<ul style="list-style-type: none"> <li>• Keep tightly closed and in a dark place at room temperature</li> <li>• Do not shake bottle. Hold away from face when opening</li> </ul>	
<b>Inactive Ingredient</b>	purified water



UBQ Industries, LLC  
 515 Academy Dr.  
 Rogersville MO 65742  
 417-753-9431  
 UBQind.com  
 RusticStrength.com



946.4 ml NDC 80668-313-02

NDC 80668-313-02



## Hydrogen Peroxide 3%USP

For treatment of minor cuts and abrasions

For use as a gargle or rinse

Oral debriding agent  
First aid antiseptic



UBQ Industries, LLC  
515 Academy Dr  
Rogersville MO 65742  
417-753-9431  
UBQind.com  
RusticStrength.com

32oz (946.4 ml)

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Hydrogen Peroxide 3%.....	First aid antiseptic debriding agent
<b>Uses</b>	
• First aid to help prevent the risk of infection in minor cuts, scrapes and burns • Aids in the removal of phlegm, mucus or other secretions associated with occasional sore mouth	
<b>Warnings • For external use only</b>	
<b>Do not use</b>	
• In the eyes or apply over large areas of the body • Longer than one week	
<b>Ask a doctor before use if you have</b>	
• Deep puncture wounds, animal bites or serious burns	
<b>Stop use and ask a doctor if</b>	
• Swelling, rash, or fever develops • The condition persists or gets worse • Sore mouth symptoms do not improve in 7 days • Irritation, pain, or redness persists or worsens	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Directions For use as a first aid antiseptic:</b>	
• Clean affected area • If bandaged, let dry first • Apply small amount of product on affected area 1 – 3 times a day • May be covered with a sterile bandage	
<b>For use as an oral debriding agent (oral rinse):</b>	
<b>Adults and children 2 years of age</b>	
• Mix with equal amount of water • Swish around in the mouth over affect area for at least 1 minute and then spit out. Do not swallow • Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor	
• <b>Children under 12 years:</b> should be supervised in the use of this product	
• <b>Children under 2 years of age:</b> consult a doctor or dentist	
<b>Other Information</b>	
• Keep tightly closed and in a dark place at room temperature • Do not shake bottle. Hold away from face when opening	
<b>Inactive Ingredient</b>	purified water

## HYDROGEN PEROXIDE

hydrogen peroxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:80668-313
<b>Route of Administration</b>	DENTAL, ORAL, TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	0.03 mL in 100 mL

### Inactive Ingredients

Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80668-313-01	18927 mL in 1 PAIL; Type 0: Not a Combination Product	03/20/2020	
2	NDC:80668-313-02	946.4 mL in 1 JUG; Type 0: Not a Combination Product	03/20/2020	
3	NDC:80668-313-03	473.2 mL in 1 JUG; Type 0: Not a Combination Product	03/20/2020	
4	NDC:80668-313-04	236 mL in 1 JUG; Type 0: Not a Combination Product	03/20/2020	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	03/20/2020		

**Labeler** - UBQ Industries, LLC (069021187)

**Registrant** - UBQ Industries, LLC (069021187)

### Establishment

Name	Address	ID/FEI	Business Operations
UBQ Industries, LLC		069021187	manufacture(80668-313) , relabel(80668-313) , repack(80668-313)

Revised: 11/2021

UBQ Industries, LLC