

**TARGET UP AND UP REEF CONSCIOUS FORMULA SPF 50 SPORT SUNSCREEN-
avobenzene, homosalate, octocrylene lotion
TARGET CORPORATION**

**Target Up and Up Sport Sunscreen Reef Conscious Formula Lotion Broad
Spectrum SPF 50**

Active ingredients

Avobenzene 3.0%, Homosalate 10.0%, Octocrylene 6.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure
• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, cetearyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, ceteth-10 phosphate, dicetyl phosphate, cocoglucoside, xanthan gum, disodium EDTA, methyl dihydroabietate, lauryl PEG-8 dimethicone, phenylisopropyl dimethicone, polyglyceryl-3 stearate/isostearate/dimer dilinoleate crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxyethanol, triethanolamine, propylene glycol, hydroxyacetophenone

Label

Drug Facts	Purpose
Active Ingredients Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only. Do not use • on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • apply liberally 15 minutes before sun exposure • reapply • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients acrylates/C12-22 alkyl methacrylate copolymer, aloe barbadensis leaf juice, carbomer, ceteth-10 phosphate, cetyl alcohol, cocoglucoside, dicetyl phosphate, disodium EDTA, glycerin, hydroxyacetophenone, lauryl PEG-8 dimethicone, methyl dihydroabietate, phenoxyethanol, polyglyceryl-3 stearate/isostearate/dimer dilinoleate crosspolymer, propylene glycol, sodium ascorbyl phosphate, tocopheryl acetate, triethanolamine, water, xanthan gum.	
Questions? Call 1-800-410-6874	

The Skin Cancer Foundation recommends the product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possible precancerous signs. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
 Minneapolis, MN 55403
 TM & ©2024 Target Brands, Inc.

037 11 0001 R00 C-002262-01-453-0000

3 71661 82963 8

*This product is not manufactured or distributed by Edgewood Personal Care Brands, LLC, distributor of Banana Boat®.



Drug Facts

Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use • on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if • rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

Inactive ingredients acrylates/C12-22 alky methacrylate copolymer, aloe barbadensis leaf juice, carbomer, cetearyl alcohol, cetyl-10 phosphate, cetyl alcohol, coco-glucoside, diethyl phosphate, disodium EDTA, glycerin, hydroxyacetophenone, lauryl PEG-8 dimethicone, methyl dihydroabietate, phenoxethanol, phenylpropyl dimethicone, polyglyceryl-3 stearate/stearyl dimethylsiloxane crosspolymer, propylene glycol, sodium ascorbyl phosphate, stearyl alcohol, tocopheryl acetate, triethanolamine, water, xanthan gum.

Questions? Call 1-800-910-8874

100% satisfaction guaranteed or your money back.

037 11 0001 R00
C-002262-01-058
Dist. by Target Corp.
Mpls., MN 55403
TM & ©2024
Target Brands, Inc.



*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, distributor of Banana Boat®.

Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50
10.4 fl oz (307.5 mL)
NDC 11673-938-40

SPF
50

sport sunscreen lotion

broad spectrum SPF 50

Compare to Banana Boat®
Sport Performance®
SPF 50 Sunscreen Lotion*

water resistant (80 minutes)
non-greasy
fragrance free
UVA/UVB protection



10.4 FL OZ (307.5 ML)

Drug Facts

Active ingredients

Avobenzone 3.0%
Homosalate 10.0%
Octocrylene 6.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

Inactive ingredients acrylates/C12-22 alkyl methacrylate copolymer, albe bartadiensis leaf juice, carbomer, cetearyl alcohol, ceteth-10 phosphate, cetyl alcohol, coco-glucoside, dicetyl phosphate, disodium EDTA, glycerin, hydroxyacetophenone, lauryl PEG-8 dimethicone, methyl dihydroxyacetate, phenoxyethanol, phenylisopropyl dimethicone, polyglyceryl-3 stearate/isosteate/dimer diinoleate crosspolymer, propylene glycol, sodium ascorbyl phosphate, stearyl alcohol, tocopheryl acetate, triethanolamine, water, xanthan gum.

Questions? Call 1-800-910-6874

**100% satisfaction guaranteed
or your money back.**

037 11 5463 R00
C-002016-01-016
Dist. by Target Corp.
Mpls., MN 55403
TM & ©2023
Target Brands, Inc.



*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, distributor of Banana Boat®.

Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

20.8 fl oz (615 mL)

NDC 11673-938-41

SPF 50

sport sunscreen lotion

broad spectrum SPF 50

Compare to Banana Boat®
Sport Performance®
SPF 50 Sunscreen Lotion*

reef-conscious formula†

water resistant (80 minutes)
non-greasy
fragrance free
UVA/UVB protection



10.4 FL OZ (307.5 mL)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure

• reapply:

• after 80 minutes of swimming or sweating

• immediately after towel drying

• at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10 a.m. – 2 p.m.

• wear long-sleeve shirts, pants, hats, and sunglasses

Other information

• protect this product from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, cetylalcohol, stearylalcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, ceteth-10 phosphate, dicetyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydroxyethylate, butyl PEG-8 dimethicone, phenylsopropyl dimethicone, polyglyceryl-3 stearate/isostearate/dimer oil/noleste crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxyethanol, triethanolamine, propylene glycol, hydroxyacetophenone

Questions?

Call 1-800-910-6874

037 11 0891 R01

C-000973-01-019

Dist. by Target Corporation

Minneapolis, MN 55403

TM & ©2019 Target Brands, Inc.

*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, distributor of Banana Boat®.

†Formula is compliant with H1 SB2571.

Empty and
Replace Cap



PLASTIC
BOTTLE

how2recycle.info



0 71661 82950 7

Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

10.4 fl oz (307.5 mL)

NDC 11673-938-40



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active ingredients	Purpose
Avezone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only Do not use • on damaged or broken skin. When using this product • keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients water, cetyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, cetyl-10 phosphate, dicetyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydrobisulfate, lauryl PEG-8 dimethicone, phenylisopropyl dimethicone, polyglyceryl-3 stearate/isostearate/olimer dimaleate crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxyethanol, triethanolamine, propylene glycol, hydroxycyclohexanone	
Questions? Call 1-800-910-8874	

100% satisfaction guaranteed or your money back.




C-001226-01-005 R01
Dist. by Target Corp.
Mpls., MN 55403
TM & ©2020
Target Brands, Inc.

*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, distributor of Banana Boat®.

¹Formula is compliant with HI SB2571.

Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50
10.4 fl oz (307.5 mL)
NDC 11673-938-40



SPF 50

sport sunscreen lotion

broad spectrum SPF 50

Compare to Banana Boat® Sport Performance® Sunscreen Lotion*

water resistant (80 minutes)
non-greasy
fragrance free
UVA/UVB protection



10.4 FL OZ (307.5 mL)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings	
For external use only	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• apply liberally 15 minutes before sun exposure	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
Other information	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
Inactive ingredients	
water, cetearyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, ceteath-10 phosphate, dicetyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydrobisulfate, lauryl PEG-8 dimethicone, phenylisopropyl dimethicone, polyglyceryl-3 stearate/isostearate/dimer dimaleate crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenylethanol, triethanolamine, propylene glycol, hydroxyacetophenone	
Questions? Call 1-800-910-6874	

100% satisfaction guaranteed or your money back.

Dist. by Target Corporation
Minneapolis, MN 55403
TM & ©2018 Target Brands, Inc.

*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, distributor of Banana Boat®.

037 11 2009 R00 C-000703-01-056



Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

10.4 fl oz (307.5 mL)

NDC 11673-938-40



sport
sunscreen lotion

broad spectrum SPF 50

Compare to Banana Boat®
Sport Performance®
SPF 50 Sunscreen Lotion*

reef-conscious formula†

water resistant (80 minutes)
non-greasy
fragrance free
UVA/UVB protection



10.4 FL OZ (307.5 mL)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen
Uses • help prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings	
For external use only	
Do not use • on damaged or broken skin,	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• apply liberally 15 minutes before sun exposure	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
Other information	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
Inactive ingredients	
water, cetyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, ceteth-10 phosphate, dicetyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydroabietate, lauryl PEG-8 dimethicone, phenylsopropyl dimethicone, polyglyceryl-3 stearate/isostearate/dimer dilinolate crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxethanol, triethanolamine, propylene glycol, hydroxyacetophenone	
Questions?	
Call 1-800-910-6674	

100% satisfaction
guaranteed
or your money back.

037 11 0880 R00
C-000973-01-008
Dist. by Target Corp.
Mpls., MN 55403
TM & ©2019
Target Brands, Inc.



*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, distributor of Banana Boat®.

†Formula is compliant with H1 SB2571.

Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

10.4 fl oz (307.5 mL)

NDC 11673-938-40



sport sunscreen lotion

broad spectrum SPF 50

Compare to Banana Boat®
Sport Performance®
Sunscreen Lotion*

water resistant (80 minutes)
non-greasy
fragrance free
UVA/UVB protection



10.4 FL OZ (307.5 mL)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings	
For external use only	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• apply liberally 15 minutes before sun exposure	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
• children under 6 months: ask a doctor	
Other information	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
Inactive ingredients	
water, cetearyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, ceteth-10 phosphate, dicetyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydrobisulfate, lauryl PEG-8 dimethicone, phenylisopropyl dimethicone, polyglyceryl-3 stearate/isostearate/dimer dimaleate crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenacetylalcohol, triethanolamine, propylene glycol, hydroxyacetophenone	
Questions or comments?	
Call toll free 1-800-910-6874	

*This product is not manufactured or distributed by Playtex Products, LLC, distributor of Banana Boat®.

037 11 0436 R00
IDC-000450-01-064
Dist. by Target Corp.
Minneapolis, MN 55403
Made in U.S.A. with U.S.
and foreign parts
©2017 Target Brands, Inc.



Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

16 fl oz (473.1 mL)

NDC 11673-938-14

value size

SPF 50

sport

sunscreen lotion

broad spectrum SPF 50



Compare to Banana Boat® Sport Performance® SPF 50 Sunscreen Lotion*

reef-conscious formula†

water resistant (80 minutes)
non-greasy
fragrance free
UVA/UVB protection



16 FL OZ (473.1 mL)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, cetearyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, ceteth-10 phosphate, dicetyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydroabietate, lauryl PEG-8 dimethicone, phenylsopropyl dimethicone, polyglyceryl-3 stearate/isostearate/dimer dimoleate crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxyethanol, triethanolamine, propylene glycol, hydroxyacetophenone

Questions?

Call 1-800-810-6874

100% satisfaction guaranteed or your money back.

037 11 0539 R01
IDC-284485
Dist. by Target Corporation
Minneapolis, MN 55403
TM & ©2020 Target Brands, Inc.



*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, the owner of the registered trademark Banana Boat®.


†Formula is compliant with H1 SB2571.



Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

20.8 fl oz (615 mL)


NDC 11673-938-41



Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

20.8 fl oz (615 mL)


NDC 11673-938-41



Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

20.8 fl oz (615 mL)

NDC 11673-938-41



Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

20.8 fl oz (615 mL)

NDC 11673-938-41



Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50

10.4 fl oz (307.5 mL)

NDC 11673-938-40



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients water, cetearyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, ceteth-10 phosphate, dicetyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydroxyethylate, lauryl PEG-8 dimethicone, phenylsopropyl dimethicone, polyglyceryl-3 stearate/isostearate/dimer dilinoleate copolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxethanol, triethanolamine, propylene glycol, hydroxyacetophenone	
Questions or comments? Call toll free 1-800-910-6674	

037 11 0920 R01 J0334461
Dist. by Target Corporation
Minneapolis, MN 55403
TM & ©2018 Target Brands, Inc.

*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, distributor of Banana Boat®.



how2recycle.info



Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50
10.4 fl oz (307.5 mL)
NDC 11673-938-40



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active Ingredients	Purpose
Azobenzene 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, cetyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, ceteth-10 phosphate, dicetyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydroabietate, lauryl PEG-8 dimethicone, phenylisopropyl dimethicone, polyglyceryl-3 stearate/isooleate/dimer dimaleate crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, phenoxyethanol, triethanolamine, propylene glycol, hydroxyacetophenone

Questions?

Call 1-800-910-6874

037 11 2713 R02
C-000973-01-019
Dist. by Target Corporation
Minneapolis, MN 55403
TM & ©2020 Target Brands, Inc.

*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, distributor of Banana Boat®.

†Formula is compliant with H1 SB2571.



3 71661 82958 4

Target Up&Up Sport Sunscreen Lotion Broad Spectrum SPF 50
16 fl oz (473.1 mL)
NDC 11673-938-14

value size

SPF 50

sport

sunscreen lotion

broad spectrum SPF 50



Compare to Banana Boat® Sport Performance® SPF 50 Sunscreen Lotion*

reef-conscious formula†

water resistant (80 minutes)
non-greasy
fragrance free
UVA/UVB protection



16 FL OZ (473.1 mL)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octocrylene 6.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
Do not use • on damaged or broken skin	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if • rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• apply liberally 15 minutes before sun exposure	
• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours	
• children under 6 months of age ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information	
• protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients water, cetyl alcohol, stearyl alcohol, glycerin, acrylates/C12-22 alkyl methacrylate copolymer, cetyl alcohol, carbomer, octen-10 phosphate, diethyl phosphate, coco-glucoside, xanthan gum, disodium EDTA, methyl dihydroxyethyl, lauryl PEG-9 dimethicone, phenylpropyl dimethicone, polyacrylate-3 stearylacrylate/dimer dimethacrylate crosspolymer, sodium ascorbyl phosphate, tocopheryl acetate, aloe barbadensis leaf juice, aloe barbadensis leaf extract, hydroxyethylcellulose	
Questions? Call 1-800-410-8874	

100% satisfaction guaranteed or your money back.

037 11 7151 R00
IDC-284485
Dist. by Target Corporation
Minneapolis, MN 55403
TM & ©2019 Target Brands, Inc.



*This product is not manufactured or distributed by Edgewell Personal Care Brands, LLC, the owner of the registered trademark Banana Boat®.

†Formula is compliant with HSB2571.



TARGET UP AND UP REEF CONSCIOUS FORMULA SPF 50 SPORT SUNSCREEN

avobenzone, homosalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-938
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
GLYCERIN (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
COCO GLUCOSIDE (UNII: ICS790225B)	
BUTYL ACRYLATE/C16-C20 ALKYL METHACRYLATE/METHACRYLIC ACID/METHYL METHACRYLATE COPOLYMER (UNII: 7K68DGG29P)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CETYL ALCOHOL (UNII: 936JST6JCN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-938-41	2 in 1 PACKAGE	03/01/2018	
1	NDC:11673-938-40	308 g in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11673-938-14	474 g in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2018	
3	NDC:11673-938-79	3 in 1 PACKAGE	03/01/2018	
3	NDC:11673-938-40	308 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2018	

Revised: 3/2024

TARGET CORPORATION