

**CARDINAL HEALTH LEADER GENERAL PROTECTION SPF 70 SUNSCREEN-  
avobenzene, homosalate, octisalate, octcrylene spray  
CARDINAL HEALTH, INC.**

-----  
**Cardinal Health Leader General Protection SPF 70 Sunscreen Clear  
Continuous Spray**

**Active ingredients**

Avobenzene 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Flammable:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

**Stop use and ask a doctor if**

- rash occurs.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

## **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## **Inactive ingredients**

SD alcohol 40-B, tridecyl salicylate, acrylates/octylacrylamide copolymer, butyloctyl salicylate, caprylic/capric triglyceride, fragrance, glycerin

## **Label**



**LEADER<sup>™</sup>**

NDC 70000-0072-1

**General Protection  
Sunscreen**  
Clear Continuous Spray

**70**  
Broad Spectrum  
SPF 70

Reef-Conscious Formula<sup>†</sup>  
Water Resistant (80 Minutes)  
Octinoxate, Oxybenzone  
& Paraben-Free<sup>\*\*</sup>  
UVA/UVB Protection

100% Money  
Back Guarantee

NET WT 5.5 OZ (156 g)

<b>Drug Facts</b>	
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 15.0% Octisalate 5.0% Octocrylene 10.0%	<b>Purpose</b> Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>Flammable:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> SD alcohol 40-8, triethyl salicylate, acrylates/octylacrylamide copolymer, butylcetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin	
<b>Questions?</b> Call 1-800-527-7731	

<sup>†</sup>Formula is compliant with H1 SB2571.

<sup>\*\*</sup>No parabens separately added to preserve this product

©2020 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health.

 All LEADER<sup>™</sup> Brand Products Have A  
100% Money Back Guarantee



Return to place of purchase if not satisfied.

 CardinalHealth<sup>™</sup>

CIN 5683198 REV. 11/20

DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43017  
www.myleader.com 1-800-200-6313  
Essential to Care<sup>™</sup> since 1979



## CARDINAL HEALTH LEADER GENERAL PROTECTION SPF 70 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0072
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g

<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>TRIDECYL SALICYLATE</b> (UNII: AZQ08K38Z1)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0072-1	156 g in 1 CAN; Type 0: Not a Combination Product	12/09/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/09/2020	

**Labeler** - CARDINAL HEALTH, INC. (063997360)

Revised: 12/2025

CARDINAL HEALTH, INC.