CARDINAL HEALTH LEADER GENERAL PROTECTION SPF 70 SUNSCREENavobenzone, homosalate, octisalate, octcrylene spray CARDINAL HEALTH, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cardinal Health Leader General Protection SPF 70 Sunscreen Clear Continuous Spray

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

• on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

SD alcohol 40-B, tridecyl salicylate, acrylates/octylacrylamide copolymer, butyloctyl salicylate, caprylic/capric triglyceride, fragrance, glycerin

Label



NDC 70000-0072-1

General Protection Sunscreen

Clear Continuous Spray

Broad Spectrum **SPF 70**

Reef-Conscious Formulat Water Resistant (80 Minutes) Octinoxate, Oxybenzone & Paraben-Free* UVA/UVB Protection

100% Money **Back Guarantee**

NET WT 5.5 OZ (156 g)

Drug Facts

Active ingredients Avobenzone 3.0% Homosalate 15.0% Octisalate 5.0% Octocrylene 10.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

Flammable:

• do not use near heat, flame or while smoking
• avoid long term storage above 104°F (40°C)

Do not use • on damaged or brokenjskin.

When using this product • keep out of eyes. Rinse with water to remove.
• Keep away from face to avoid breathing it. • do not puncture or incinerate.
Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if * rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right alway.

- Directions

 Spray liberally and spread evenly by hand 15 minutes before sun exposure

 Hold can 4-6 inches away from the skin to apply

 Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
 Use in a well-ventilated area

- reapply:
 after 80 minutes of swimming or sweating
 immediately after towel drying
 - at least every 2 hours
- Aski a doctor
 Children under 6 months of age: Askia doctor
 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other
- sun protection measures including:
 imit time in the sun, especially from 10 a.m. 2 p.m.
 wear long-sleeved shirts, pants, hats, and sunglasses

Other information

• protect the product in this container from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

Inactive ingredients SD alcohol 40-8, tridecyl salicylate, acrylates/octylacrylamide copolymer, butylbotyl salicylate, capylic/capric triglyceride, fragrance, glycerin

Questions? Call 1-800-527-7731

†Formula is compliant with HI SB2571.

**No parabens separately added to preserve this product

02.021 Cardinal Health, All Rights Reserved, CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health.





Return to place of purchase if not satisfied.



DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017 www.myleader.com 1-800-200-6313 Essential to Care¹¹ since 1979



CARDINAL HEALTH LEADER GENERAL PROTECTION SPF 70 SUNSCREEN

avobenzone, homosalate, octisalate, octorylene spray

Product Information

HUMAN OTC DRUG NDC:70000-0072 **Product Type Item Code (Source)**

TOPICAL **Route of Administration**

Active Ingredient/Active Meiety

Active ingredient/Active Molety			
Ingredient Name	Basis of Strength	Strength	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 ma in 1 a	

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIDECYL SALICYLATE (UNII: AZ Q08K38Z1)	
GLYCERIN (UNII: PDC6A3C0OX)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

F	ackaging			
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000- 0072-1	156 g in 1 CAN; Type 0: Not a Combination Product	12/09/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/09/2020	
final	i'		

Labeler - CARDINAL HEALTH, INC. (063997360)

Revised: 8/2022 CARDINAL HEALTH, INC.