

**CARDINAL HEALTH LEADER GENERAL PROTECTION SUNSCREEN SPF 30-
avobenzene, homosalate, octisalate, octocrylene spray
CARDINAL HEALTH, INC.**

**Cardinal Health Leader General Protection Sunscreen SPF 30 Clear Continuous
Spray**

Active ingredients

Avobenzene 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 2.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

SD alcohol 40-B, butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol, fragrance, stearyoxytrimethylsilane, caprylic/capric triglyceride, glycerin

Label

Cardinal Health Leader General Protection Sunscreen SPF 30 Clear Continuous Spray

5.5 oz (156 g)

NDC 70000-0073-1

LEADER[™]

NDC 70000-0073-1

General Protection Sunscreen

Clear Continuous Spray

30

**Broad Spectrum
SPF 30**

Reef-Conscious Formula†
Water Resistant (80 Minutes)
Octinoxate, Oxybenzone
& Paraben-Free**
UVA/UVB Protection

**COMPARE TO
COPPERTONE[®]
ULTRA GUARD[®]
SPF 30
active ingredients***

**100% Money
Back Guarantee**

NET WT 5.5 OZ (156 g)

Drug Facts	Purpose
Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 2.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
Flammable: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients SD alcohol 40-B, butyloctyl salicylate, acrylates/cyclohexylamide copolymer, penthenol, tocopherol, fragrance, stearytrimethylsilane, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-527-7731	

*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Ultra Guard®.

†Formula is compliant with H1 SB2571.

**No parabens separately added to preserve this product

©2021 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health 1060, ESSENTIAL TO CARE, LEADER, and the Leader 1060 are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

100% Money Back Guarantee

Return to place of purchase if not satisfied.



CardinalHealth[™]

CIN 5683206 REV. 12/20

DISTRIBUTED BY CARDINAL HEALTH
 DUBLIN, OHIO 43017
 www.myleader.com 1-800-200-6313
 Essential to Care[™] since 1979



CARDINAL HEALTH LEADER GENERAL PROTECTION SUNSCREEN SPF 30

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0073
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PANTHENOL (UNII: WW9CM0067Z)	
GLYCERIN (UNII: PDC6A3C00X)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
ALCOHOL (UNII: 3K9958V90M)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0073-1	156 g in 1 CAN; Type 0: Not a Combination Product	12/09/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/09/2020	

Labeler - CARDINAL HEALTH, INC. (063997360)

Revised: 12/2025

CARDINAL HEALTH, INC.