

**MEDIQUE DIPHEN- diphenhydramine hydrochloride tablet, film coated**  
**Unifirst First Aid Corporation**

-----  
**Medique Diphen**

***Drug Facts***

***Active ingredient (in each caplet)***

Diphenhydramine HCl 25 mg

***Purpose***

Antihistamine

***Uses***

Temporarily relieves these symptoms due to hay fever or other respiratory allergies

- runny nose
- sneezing
- itching of the nose or throat
- itchy-watery eyes

Temporarily relieves these symptoms due to the common cold

- runny nose
- sneezing

***Warnings***

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one that is used on skin.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcohol beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast feeding,** ask a health professional before use.

## **Keep out of the reach of children.**

In case of overdose, contact a physician or poison control center right away (1-800-222-1222).

### ***Directions***

- take every 4-6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

**Adults and children: (12 years and over)** 1 to 2 caplets

**Children under 12 years:** do not use

### ***Other information***

- store at room temperature 68°-77°F (20°-25°C)
- protect from light
- tamper-evident sealed packets
- do not use any opened or torn packets

### ***Inactive ingredients***

croscarmellose sodium, D&C red #27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide

***Questions or comments?*** 1-800- 634-7680

## **184R Medique Diphen Label**

Collect MediBucks See inside flap for more details

Medique®

Diphen

Hay Fever / Allergies

Fiebre del Heno / Alergias

This Package is for Households without Young Children.

Este Paquete Es Para Hogares Sin Ninos Pequenos.

Antihistamine • Diphenhydramine HCl 25 mg

Antihistaminico • Hidrocloruro de Difenhidramina 25mg

200 Caplets

(200 x 1)

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each caplet)</b> Diphenhydramine hydrochloride 25 mg Antihistamine</p> <p><b>Purpose</b> Antihistamine</p> <p><b>Uses</b> Temporarily relieves these symptoms due to hay fever or other respiratory allergies:  <ul style="list-style-type: none"> <li>runny nose</li> <li>itching</li> <li>itching of the nose or throat</li> <li>itchy watery eyes</li> </ul> Temporarily relieves these symptoms due to the common cold:  <ul style="list-style-type: none"> <li>runny nose</li> <li>itching</li> </ul> <p><b>Warnings</b> Do not use:  <ul style="list-style-type: none"> <li>to make a child sleepy</li> <li>with any other product containing diphenhydramine, even one that is used on skin.</li> </ul> <p><b>Ask a doctor before use if you have:</b>  <ul style="list-style-type: none"> <li>a breathing problem such as emphysema or chronic bronchitis</li> <li>trouble urinating due to an enlarged prostate gland</li> <li>glaucoma</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are:</b>  <ul style="list-style-type: none"> <li>taking sedatives or tranquilizers</li> </ul> <p><b>When using this product:</b>  <ul style="list-style-type: none"> <li>marked drowsiness may occur</li> <li>avoid alcoholic drinks</li> <li>alcohol, sedatives and tranquilizers may increase drowsiness</li> </ul> </p></p></p></p></p>	<p><b>Drug Facts (continued)</b></p> <p>use caution when driving a motor vehicle or operating machinery; excitability may occur, especially in children</p> <p>If pregnant or breast feeding, ask a health professional before use.</p> <p>Keep out of the reach of children. In case of overdose, contact a physician or poison control center right away (1-800-222-1222).</p> <p><b>Directions</b>  <ul style="list-style-type: none"> <li>take every 4-6 hours, or as directed by a doctor</li> <li>do not take more than 6 times in 24 hours</li> </ul> <p><b>Adults and children:</b> 1 to 2 caplets (12 years and over)</p> <p><b>Children under 12:</b> do not use</p> <p><b>Other information</b>  <ul style="list-style-type: none"> <li>store at room temperature 68°-77°F (20°-25°C)</li> <li>larger evident sealed packets</li> <li>do not use any opened or torn packets</li> </ul> <p><b>Inactive ingredients</b>  crosscarmellose sodium, D4C red #47 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide</p> <p><b>Questions or comments?</b> 1-800-634-7680</p> </p></p>	<p><b>Medique®</b></p> <p><b>Diphen</b></p> <p><b>Hay Fever / Allergies</b> <b>Fiebre del Heno / Alergias</b></p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN. ESTE PAQUETE ES PARA HOGARES SIN NIÑOS PEQUEÑOS.</p> <p>200 Caplets (200 x 1)</p> <p>Antihistamine • Diphenhydramine HCl 25 mg Antihistaminico • Hidrocloruro de Difenhidramina 25 mg</p> <p>200 Caplets (200 x 1)</p> <p>Tamper Evident Unit Dose Packets Empaquetado con Sellado Evidente en Dosis Unitarias</p>	<p><b>Información del Medicamento</b></p> <p><b>Ingrediente activo (en cada comprimido ovalado)</b> Diphenhidramina 25 mg Antihistaminico</p> <p><b>Propiedad</b> Antihistaminico</p> <p><b>Usos</b> Alivio temporal a los siguientes síntomas causados por la fiebre del heno u otras alergias de las vías respiratorias:  <ul style="list-style-type: none"> <li>goteo de la nariz</li> <li>estornudos</li> <li>constricción de la nariz o garganta</li> <li>ojos con concheción o lacrimos</li> </ul> Alivio temporal a los síntomas causados por un resfriado común:  <ul style="list-style-type: none"> <li>goteo de la nariz</li> <li>estornudos</li> </ul> <p><b>Advertencias</b> No se administre:  <ul style="list-style-type: none"> <li>para hacer un niño con sueño</li> <li>con ningún otro producto que contenga difenhidramina, aun cuando este otro sea para administrarse sobre la piel</li> </ul> <p>Consulte con el médico antes de usarlo, si usted tiene:  <ul style="list-style-type: none"> <li>problema al respirar como asma o bronquitis crónica</li> <li>glaucoma</li> <li>dificultad al orinar debido al crecimiento de la glándula prostática</li> </ul> <p>Consulte con su médico o farmacéutico antes de administrarle, si usted está:  <ul style="list-style-type: none"> <li>tomando sedantes o tranquilizantes</li> </ul> <p>Cuando usted consume este producto puede sentir mareado</p> <p>Evite el consumo de bebidas alcohólicas</p> <p>Los sedantes y tranquilizantes pueden incrementar los efectos de mareo</p> <p>Sea cuidadoso al manejar un vehículo motorizado o al operar maquinaria</p> </p></p></p></p>	<p><b>Información del Medicamento (continuación)</b></p> <p>Si está usted embarazada o en periodo de lactancia, consulte la opinión de un médico antes de consumir este producto.</p> <p><b>Mantenga aleja y todos los medicamentos fuera del alcance de los niños.</b> En caso de ocurrir una sobredosis, comuníquese de inmediato con un médico o llame a un centro de control de envenenamiento (1-800-222-1222).</p> <p><b>Instrucciones</b>  <ul style="list-style-type: none"> <li>tome cada 4 ó 6 horas, o como lo indique un médico</li> <li>no consuma más de 6 veces en 24 horas</li> </ul> <p><b>Adultos y niños (para mayores de 12 años):</b> 1 ó 2 comprimidos ovalados</p> <p><b>Niños menores de 12 años:</b> no se administran</p> <p><b>Otra información</b>  <ul style="list-style-type: none"> <li>no lo exponga a la luz</li> <li>Anteponiendo, considere a temperatura ambiente 68°-77°F (20°-25°C)</li> <li>empaquetado con sellado evidente</li> <li>no use ningún paquete abierto o roto</li> </ul> <p><b>Ingredientes inactivos</b>  crosscarmellose sódica, rojo D y C #47 taca de aluminio, hipromelosa, lactosa, estearato de magnesio, celulosa microcristalina, polietilenglicol, óxido de silicio, óxido de titanio</p> <p><b>¿Tiene alguna pregunta o comentario?</b> Lláme al 1-800-634-7680</p> </p></p>	<p><b>Medique®</b></p> <p><b>Diphen</b></p> <p><b>Hay Fever / Allergies</b> <b>Fiebre del Heno / Alergias</b></p> <p>Reorder #18447 Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7680 www.mediqueproducts.com</p> <p>3 47682 18447 6</p>
--	---	--	--	---	--

## Medique 167 Diphen Principal Display Panel

Collect MediBucks See inside flap for more details

Medique®

Diphen

Hay Fever / Allergies

Fiebre del Heno / Alergias

This Package is for Households without Young Children.

Este Paquete Es Para Hogares Sin Niños Pequeños.

Antihistamine • Diphenhydramine HCl 25 mg

Antihistaminico • Hidrocloruro de Difenhidramina 25mg

200 Caplets

(200 x 1)

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each caplet)</b> Diphenhydramine hydrochloride 25 mg Antihistamine</p> <p><b>Purpose</b> Antihistamine</p> <p><b>Uses</b> Temporarily relieves these symptoms due to hay fever or other respiratory allergies:  <ul style="list-style-type: none"> <li>runny nose</li> <li>itching</li> <li>itching of the nose or throat</li> <li>itchy watery eyes</li> </ul> Temporarily relieves these symptoms due to the common cold:  <ul style="list-style-type: none"> <li>runny nose</li> <li>itching</li> </ul> <p><b>Warnings</b> Do not use:  <ul style="list-style-type: none"> <li>to make a child sleepy</li> <li>with any other product containing diphenhydramine, even one that is used on skin.</li> </ul> <p><b>Ask a doctor before use if you have:</b>  <ul style="list-style-type: none"> <li>a breathing problem such as emphysema or chronic bronchitis</li> <li>trouble urinating due to an enlarged prostate gland</li> <li>glaucoma</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are:</b>  <ul style="list-style-type: none"> <li>taking sedatives or tranquilizers</li> </ul> <p><b>When using this product:</b>  <ul style="list-style-type: none"> <li>marked drowsiness may occur</li> <li>avoid alcoholic drinks</li> <li>alcohol, sedatives and tranquilizers may increase drowsiness</li> </ul> </p></p></p></p></p>	<p><b>Drug Facts (continued)</b></p> <p>use caution when driving a motor vehicle or operating machinery; excitability may occur, especially in children</p> <p>If pregnant or breast feeding, ask a health professional before use.</p> <p>Keep out of the reach of children. In case of overdose, contact a physician or poison control center right away (1-800-222-1222).</p> <p><b>Directions</b>  <ul style="list-style-type: none"> <li>take every 4-6 hours, or as directed by a doctor</li> <li>do not take more than 6 times in 24 hours</li> </ul> <p><b>Adults and children:</b> 1 to 2 caplets (12 years and over)</p> <p><b>Children under 12:</b> do not use</p> <p><b>Other information</b>  <ul style="list-style-type: none"> <li>store at room temperature 68°-77°F (20°-25°C)</li> <li>larger evident sealed packets</li> <li>do not use any opened or torn packets</li> </ul> <p><b>Inactive ingredients</b>  crosscarmellose sodium, D4C red #47 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide</p> <p><b>Questions or comments?</b> 1-800-634-7680</p> </p></p>	<p><b>Medique®</b></p> <p><b>Diphen</b></p> <p><b>Hay Fever / Allergies</b> <b>Fiebre del Heno / Alergias</b></p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN. ESTE PAQUETE ES PARA HOGARES SIN NIÑOS PEQUEÑOS.</p> <p>200 Caplets (200 x 1)</p> <p>Antihistamine • Diphenhydramine HCl 25 mg Antihistaminico • Hidrocloruro de Difenhidramina 25 mg</p> <p>200 Caplets (200 x 1)</p> <p>Tamper Evident Unit Dose Packets Empaquetado con Sellado Evidente en Dosis Unitarias</p>	<p><b>Información del Medicamento</b></p> <p><b>Ingrediente activo (en cada comprimido ovalado)</b> Diphenhidramina 25 mg Antihistaminico</p> <p><b>Propiedad</b> Antihistaminico</p> <p><b>Usos</b> Alivio temporal a los siguientes síntomas causados por la fiebre del heno u otras alergias de las vías respiratorias:  <ul style="list-style-type: none"> <li>goteo de la nariz</li> <li>estornudos</li> <li>constricción de la nariz o garganta</li> <li>ojos con concheción o lacrimos</li> </ul> Alivio temporal a los síntomas causados por un resfriado común:  <ul style="list-style-type: none"> <li>goteo de la nariz</li> <li>estornudos</li> </ul> <p><b>Advertencias</b> No se administre:  <ul style="list-style-type: none"> <li>para hacer un niño con sueño</li> <li>con ningún otro producto que contenga difenhidramina, aun cuando este otro sea para administrarse sobre la piel</li> </ul> <p>Consulte con el médico antes de usarlo, si usted tiene:  <ul style="list-style-type: none"> <li>problema al respirar como asma o bronquitis crónica</li> <li>glaucoma</li> <li>dificultad al orinar debido al crecimiento de la glándula prostática</li> </ul> <p>Consulte con su médico o farmacéutico antes de administrarle, si usted está:  <ul style="list-style-type: none"> <li>tomando sedantes o tranquilizantes</li> </ul> <p>Cuando usted consume este producto puede sentir mareado</p> <p>Evite el consumo de bebidas alcohólicas</p> <p>Los sedantes y tranquilizantes pueden incrementar los efectos de mareo</p> <p>Sea cuidadoso al manejar un vehículo motorizado o al operar maquinaria</p> </p></p></p></p>	<p><b>Información del Medicamento (continuación)</b></p> <p>Si está usted embarazada o en periodo de lactancia, consulte la opinión de un médico antes de consumir este producto.</p> <p><b>Mantenga aleja y todos los medicamentos fuera del alcance de los niños.</b> En caso de ocurrir una sobredosis, comuníquese de inmediato con un médico o llame a un centro de control de envenenamiento (1-800-222-1222).</p> <p><b>Instrucciones</b>  <ul style="list-style-type: none"> <li>tome cada 4 ó 6 horas, o como lo indique un médico</li> <li>no consuma más de 6 veces en 24 horas</li> </ul> <p><b>Adultos y niños (para mayores de 12 años):</b> 1 ó 2 comprimidos ovalados</p> <p><b>Niños menores de 12 años:</b> no se administran</p> <p><b>Otra información</b>  <ul style="list-style-type: none"> <li>no lo exponga a la luz</li> <li>Anteponiendo, considere a temperatura ambiente 68°-77°F (20°-25°C)</li> <li>empaquetado con sellado evidente</li> <li>no use ningún paquete abierto o roto</li> </ul> <p><b>Ingredientes inactivos</b>  crosscarmellose sódica, rojo D y C #47 taca de aluminio, hipromelosa, lactosa, estearato de magnesio, celulosa microcristalina, polietilenglicol, óxido de silicio, óxido de titanio</p> <p><b>¿Tiene alguna pregunta o comentario?</b> Lláme al 1-800-634-7680</p> </p></p>	<p><b>Medique®</b></p> <p><b>Diphen</b></p> <p><b>Hay Fever / Allergies</b> <b>Fiebre del Heno / Alergias</b></p> <p>Reorder #18447 Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7680 www.mediqueproducts.com</p> <p>3 47682 18447 6</p>
--	---	--	--	---	--

diphenhydramine hydrochloride tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-167
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	pink (pink)	<b>Score</b>	no score
<b>Shape</b>	OVAL (OVAL)	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	048;D
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-167-32	12 in 1 BOX	01/01/2012	11/01/2012
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-167-64	24 in 1 BOX	01/01/2012	
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-167-47	200 in 1 BOX	01/01/2012	
3	NDC:47682-167-46	1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-167-46	1 in 1 PACKET; Type 0: Not a Combination Product	01/01/2012	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2012	

## MEDIQUE DIPHEN

diphenhydramine hydrochloride tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-184
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	pink (pink)	Score	no score
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	061;T
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 47682-184			

1	NDC:47682-184-32	12 in 1 BOX	01/01/2012	11/01/2012
1	NDC:47682-184-46	1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-184-64	24 in 1 BOX	01/01/2012	08/01/2023
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-184-47	200 in 1 BOX	01/01/2012	08/01/2023
3		1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-184-46	1 in 1 PACKET; Type 0: Not a Combination Product	01/01/2012	08/01/2023

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2012	08/01/2023

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation