

MEDIQUE DIPHEN- diphenhydramine hydrochloride tablet, film coated
Unifirst First Aid Corporation

Medique Diphen

Drug Facts

Active ingredient (in each caplet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other respiratory allergies

- runny nose
- sneezing
- itching of the nose or throat
- itchy-watery eyes

Temporarily relieves these symptoms due to the common cold

- runny nose
- sneezing

Warnings

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one that is used on skin.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcohol beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast feeding, ask a health professional before use.

Keep out of the reach of children.

In case of overdose, contact a physician or poison control center right away (1-800-222-1222).

Directions

- take every 4-6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Adults and children: (12 years and over) 1 to 2 caplets

Children under 12 years: do not use

Other information

- store at room temperature 68°-77°F (20°-25°C)
- protect from light
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

croscarmellose sodium, D&C red #27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide

Questions or comments? 1-800- 634-7680

184R Medique Diphen Label

Collect MediBucks See inside flap for more details

Medique®

Diphen

Hay Fever / Allergies

Fiebre del Heno / Alergias

This Package is for Households without Young Children.

Este Paquete Es Para Hogares Sin Ninos Pequenos.

Antihistamine • Diphenhydramine HCl 25 mg

Antihistaminico • Hidrocloruro de Difenhidramina 25mg

200 Caplets

(200 x 1)

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

Drug Facts	Drug Facts (continued)
Active ingredient (in each caplet) Diphenhydramine hydrochloride 25 mg Antihistamine	Purpose Temporarily relieves these symptoms due to hay fever or other respiratory allergies: ● runny nose ● sneezing ● itching of the nose or throat ● itchy watery eyes Temporarily relieves these symptoms due to the common cold: ● runny nose ● sneezing
Uses Temporarily relieves these symptoms due to hay fever or other respiratory allergies: ● runny nose ● sneezing ● itching of the nose or throat ● itchy watery eyes Temporarily relieves these symptoms due to the common cold: ● runny nose ● sneezing	Directions ● take every 4-6 hours, or as directed by a doctor ● do not take more than 6 times in 24 hours Adults and children: 1 to 2 caplets (12 years and over) Children under 12 do not use years
Warnings Do not use: ● to make a child sleepy ● with any other product containing diphenhydramine, even one that is used on skin. Ask a doctor before use if you have: ● a breathing problem such as emphysema or chronic bronchitis ● trouble urinating due to an enlarged prostate gland ● glaucoma Ask a doctor or pharmacist before use if you are: ● taking sedatives or tranquilizers When using this product: ● marked drowsiness may occur ● avoid alcoholic drinks ● alcohol, sedatives and tranquilizers may increase drowsiness	Other information ● protect from light ● store at room temperature 68°-77°F (20°-25°C) ● larger evident sealed packets ● do not use any opened or torn packets Inactive ingredients croscarmellose sodium, D4C red #47 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide
Questions or comments? 1-800-634-7680	



Medique®
Diphen
Hay Fever / Allergies
Fiebre del Heno / Alergias

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.
ESTE PAQUETE ES PARA HOGARES SIN NIÑOS PEQUEÑOS.

✓ **Antihistamine • Diphenhydramine HCl 25 mg**
Antihistaminico • Hidrocloruro de Difenhidramina 25 mg

200 Caplets (200 x 1)

Tamper Evident Unit Dose Packets
Empaquetado con Sellado Evidente en Dosis Unitarias

Información del Medicamento	Propiedad
Ingrediente activo (en cada comprimido ovalado) Difenhidramina 25 mg Antihistaminico	
Usos Alivio temporal a los siguientes síntomas causados por la fiebre del heno u otras alergias de las vías respiratorias: ● goteo de la nariz ● estornudos ● comezón de la nariz o garganta ● ojos con comezón o lagrimeo Alivio temporal a los síntomas causados por un resfriado común: ● goteo de la nariz ● estornudos	
Advertencias No se administre: ● para hacer el niño con sueño ● con ningún otro producto que contenga difenhidramina, aun cuando este otro sea para administrarse sobre la piel Consulte con su médico antes de usarlo, si usted tiene: ● problemas al respirar como asma o bronquitis crónica ● glaucoma ● dificultad al orinar debido al crecimiento de la glándula prostática Consulte con su médico o farmacéutico antes de administrarle, si usted está: ● tomando sedantes o tranquilizantes Cuando usted consume este producto puede sentir mareado ● evite el consumo de bebidas alcohólicas ● alcohol, los sedantes y tranquilizantes pueden incrementar los efectos de mareo ● sea cuidadoso al manejar un vehículo motorizado o al operar maquinaria	
Si está usted embarazada o en periodo de lactancia, consulte la opinión de un médico antes de consumir este producto. Mantenga éste y todos los medicamentos fuera del alcance de los niños. En caso de ocurrir una sobredosis, comuníquese de inmediato con un médico o llame a un centro de control de envenenamiento (1-800-222-1222). Instrucciones ● tome cada 4 ó 6 horas, o como lo indique un médico ● no consuma más de 6 veces en 24 horas Adultos y niños (para mayores de 12 años): 1 ó 2 comprimidos ovalados Niños menores de 12 años: no se administra	
Otra información ● no lo exponga a la luz ● almacenamiento: conserve a temperatura ambiente 68°-77°F (20°-25°C) ● empaquetado con sellado evidente ● no use ningún paquete abierto o roto Ingredientes inactivos croscarmelosa sódica, rojo D y C #47 taca de aluminio, hipromelosa, lactosa, estearato de magnesio, celulosa microcristalina, polietilenglicol, óxido de silicio, óxido de titanio	
¿Tiene alguna pregunta o comentario? Lláme al 1-800-634-7680	



Reorder #18447
Manufactured for
Medique Products
Fort Myers, FL 33967
1-800-634-7680
www.mediqueproducts.com

Medique 167 Diphen Principal Display Panel
Collect MediBucks® See inside flap for more details
Medique®
Diphen
Hay Fever / Allergies
Fiebre del Heno / Alergias
This Package is for Households without Young Children.
Este Paquete Es Para Hogares Sin Niños Pequeños.
Antihistamine • Diphenhydramine HCl 25 mg
Antihistaminico • Hidrocloruro de Difenhidramina 25mg
200 Caplets
(200 x 1)
Tamper Evident Unit Dose Packets
Empaquetado con Sellado Evidente en Dosis Unitarias

Drug Facts	Drug Facts (continued)
Active ingredient (in each caplet) Diphenhydramine hydrochloride 25 mg Antihistamine	Purpose Temporarily relieves these symptoms due to hay fever or other respiratory allergies: ● runny nose ● sneezing ● itching of the nose or throat ● itchy watery eyes Temporarily relieves these symptoms due to the common cold: ● runny nose ● sneezing
Uses Temporarily relieves these symptoms due to hay fever or other respiratory allergies: ● runny nose ● sneezing ● itching of the nose or throat ● itchy watery eyes Temporarily relieves these symptoms due to the common cold: ● runny nose ● sneezing	Directions ● take every 4-6 hours, or as directed by a doctor ● do not take more than 6 times in 24 hours Adults and children: 1 to 2 caplets (12 years and over) Children under 12 do not use years
Warnings Do not use: ● to make a child sleepy ● with any other product containing diphenhydramine, even one that is used on skin. Ask a doctor before use if you have: ● a breathing problem such as emphysema or chronic bronchitis ● trouble urinating due to an enlarged prostate gland ● glaucoma Ask a doctor or pharmacist before use if you are: ● taking sedatives or tranquilizers When using this product: ● marked drowsiness may occur ● avoid alcoholic drinks ● alcohol, sedatives and tranquilizers may increase drowsiness	Other information ● protect from light ● store at room temperature 68°-77°F (20°-25°C) ● larger evident sealed packets ● do not use any opened or torn packets Inactive ingredients croscarmellose sodium, D4C red #47 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide
Questions or comments? 1-800-634-7680	



Medique®
Diphen
Hay Fever / Allergies
Fiebre del Heno / Alergias

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.
ESTE PAQUETE ES PARA HOGARES SIN NIÑOS PEQUEÑOS.

✓ **Antihistamine • Diphenhydramine HCl 25 mg**
Antihistaminico • Hidrocloruro de Difenhidramina 25 mg

200 Caplets (200 x 1)

Tamper Evident Unit Dose Packets
Empaquetado con Sellado Evidente en Dosis Unitarias

Información del Medicamento	Propiedad
Ingrediente activo (en cada comprimido ovalado) Difenhidramina 25 mg Antihistaminico	
Usos Alivio temporal a los siguientes síntomas causados por la fiebre del heno u otras alergias de las vías respiratorias: ● goteo de la nariz ● estornudos ● comezón de la nariz o garganta ● ojos con comezón o lagrimeo Alivio temporal a los síntomas causados por un resfriado común: ● goteo de la nariz ● estornudos	
Advertencias No se administre: ● para hacer el niño con sueño ● con ningún otro producto que contenga difenhidramina, aun cuando este otro sea para administrarse sobre la piel Consulte con su médico antes de usarlo, si usted tiene: ● problemas al respirar como asma o bronquitis crónica ● glaucoma ● dificultad al orinar debido al crecimiento de la glándula prostática Consulte con su médico o farmacéutico antes de administrarle, si usted está: ● tomando sedantes o tranquilizantes Cuando usted consume este producto puede sentir mareado ● evite el consumo de bebidas alcohólicas ● alcohol, los sedantes y tranquilizantes pueden incrementar los efectos de mareo ● sea cuidadoso al manejar un vehículo motorizado o al operar maquinaria	
Si está usted embarazada o en periodo de lactancia, consulte la opinión de un médico antes de consumir este producto. Mantenga éste y todos los medicamentos fuera del alcance de los niños. En caso de ocurrir una sobredosis, comuníquese de inmediato con un médico o llame a un centro de control de envenenamiento (1-800-222-1222). Instrucciones ● tome cada 4 ó 6 horas, o como lo indique un médico ● no consuma más de 6 veces en 24 horas Adultos y niños (para mayores de 12 años): 1 ó 2 comprimidos ovalados Niños menores de 12 años: no se administra	
Otra información ● no lo exponga a la luz ● almacenamiento: conserve a temperatura ambiente 68°-77°F (20°-25°C) ● empaquetado con sellado evidente ● no use ningún paquete abierto o roto Ingredientes inactivos croscarmelosa sódica, rojo D y C #47 taca de aluminio, hipromelosa, lactosa, estearato de magnesio, celulosa microcristalina, polietilenglicol, óxido de silicio, óxido de titanio	
¿Tiene alguna pregunta o comentario? Lláme al 1-800-634-7680	



Reorder #18447
Manufactured for
Medique Products
Fort Myers, FL 33967
1-800-634-7680
www.mediqueproducts.com

MEDIQUE DIPHEN

diphenhydramine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-184
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink (pink)	Score	no score
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	061;T
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-184-32	12 in 1 BOX	01/01/2012	11/01/2012
1	NDC:47682-184-46	1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-184-64	24 in 1 BOX	01/01/2012	08/01/2023
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-184-47	200 in 1 BOX	01/01/2012	08/01/2023
3		1 in 1 PACKET; Type 0: Not a Combination Product		

4	NDC:47682-184-46	1 in 1 PACKET; Type 0: Not a Combination Product	01/01/2012	08/01/2023
---	------------------	--	------------	------------

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2012	08/01/2023

MEDIQUE DIPHEN

diphenhydramine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-167
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink (pink)	Score	no score
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	048;D
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:47682-167			

1	NDC:47682-167-32	12 in 1 BOX	01/01/2012	11/01/2012
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-167-64	24 in 1 BOX	01/01/2012	
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-167-47	200 in 1 BOX	01/01/2012	
3	NDC:47682-167-46	1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-167-46	1 in 1 PACKET; Type 0: Not a Combination Product	01/01/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2012	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 11/2024

Unifirst First Aid Corporation