HAND SANITIZER- alcohol aerosol, foam EPOXEMEX, S.A. DE C.V.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Aquagel Plus

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (70%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Aloe Barbadensis Leaf Extract
- c. Fragance
- d. Glyceryn
- e. Lactic Acid
- f. PEG 400
- g. TEA
- h. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Active Ingredient(s)

Alcohol 70% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- On children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-35C (59-95F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

Aloe barbadensis leaf extract, fragance, glycerin, lactic acid, PEG 400, TEA, purified water USP

Package Label - Principal Display Panel

50 mL NDC: 79996-600-03





PLUS+ Antibacterial Foam Hand Sanitizer

Kills 99.99% of Germs*

50 mL (1.7 FL OZ)



ANTISEPTIC HAND SANITIZER FOR EXTERNAL USE when acces to soap and water is not avalible

Drug Facts

Active ingredient Ethyl alcohol 70% v/v . .

Purpose Antiseptic

Hand sanitizer to help decrease bacteria that protentially can cause disease. For use when soap and water are not availble

Warnings

For external use only.

Flamable. Keep away from heat and flame

Do not use

- On children less than 2 months of age
 On open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rise eyes throroughly with water.

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, gel medical help or contact a Poison Control Center right away.

Directions - Place enough product on hands to cover all surfaces. Rub hands together until dry . Supervise children under 6 years of age when using this product to avoid swallowing.

Other information: Store between 15 - 35°C, (59-95°F) Avoid freezing and excessive heat above 40°C (104°F)

inactive ingredients:
Aloe Barbadensis Leaf Extract, Fragance, Glycerin, Lactic Acid, PEG 400, TEA Water

Questions? Call 01-800-714-9531 Email: ventas@epoxemex.com

Manufactured by:

Epoxemex S.A de C.V.

Benito Juarez No. 735 Col. Santa Maria Aztahuacan Alcaldia iztapalapa, Mexico City, C.P. 09500

MADE IN MEXICO

Imported/Distributed by:



bacteria and germs common harmful 15 seconds. many le as 1 66 eliminating at Effective

160 mL NDC: 79996-600-02





Kills 99.99% of Germs*

160 mL (5.4 FL OZ)



ANTISEPTIC HAND SANITIZER FOR EXTERNAL USE when acces to soap and water is not avalible

Drug Facts

Active ingredient

Purpose

Ethyl alcohol 70% v/v . . .

Antiseptic

Hand sanitizer to help decrease bacteria that protentially can cause disease. For use when soap and water are not availble

Warnings

For external use only.

Flamable. Keep away from heat and flame

Do not use

- On children less than 2 months of age
 On open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eves, rise eves throroughly with water.

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, gel medical help or contact a Poison Control Center right away.

Directions ■ Place enough product on hands to cover all surfaces. Rub hands together until dry
Supervise children under 6 years of age when using this product to avoid swallowing.

Other information: Store between 15 - 35°C, (59-95°F) Avoid freezing and excessive heat above 40°C (104°F)

inactive ingredients: Aloe Barbadensis Leaf Extract, Fragance, Glycerin, Lactic Acid, PEG 400, TEA

Questions? Call 01-800-714-9531 Email: ventas@epoxemex.com

Manufactured by:

Epoxemex S.A de C.V.

Benito Juarez No. 735 Col. Santa Maria Aztahuacan Alcaldia iztapalapa, Mexico City, C.P. 09500

Mexico

MADE IN MEXICO Imported/Distributed by:



bacteria and germs many common harmful le as 15 seconds. to≣ 9% as eliminating at Effective

230 mL NDC: 79996-600-01





Antibacterial Foam Hand Sanitizer

Kills 99.99% of Germs*

230 mL (7.7 FL OZ)



ANTISEPTIC HAND SANITIZER FOR EXTERNAL USE when acces to soap and water is not avalible

Drug Facts

Active ingredient Ethyl alcohol 70% v/v

Purpose Antiseptic

Hand sanitizer to help decrease bacteria that protentially can cause disease. For use when soap and water are not availble

Warnings

For external use only.

Flamable. Keep away from heat and flame

Do not use

- On children less than 2 months of age
 On open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eves, rise eves throroughly with water.

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, gel medical help or contact a Poison Control Center right away.

Directions ■ Place enough product on hands to cover all surfaces. Rub hands together until dry
Supervise children under 6 years of age when using this product to avoid swallowing.

Other information: Store between 15 - 35°C, (59-95°F) Avoid freezing and excessive heat above 40°C (104°F)

inactive ingredients: Aloe Barbadensis Leaf Extract, Fragance, Glycerin, Lactic Acid, PEG 400, TEA

Questions? Call 01-800-714-9531 Email: ventas@epoxemex.com

Manufactured by:

Epoxemex S.A de C.V.

Benito Juarez No. 735 Col. Santa Maria Aztahuacan Alcaldia iztapalapa, Mexico City, C.P. 09500

Mexico

MADE IN MEXICO

Imported/Distributed by:



and germs many common harmful le as 15 seconds. to≣ 9% as eliminating

at

Effective

bacteria

HAND SANITIZER

alcohol aerosol, foam

| Prod | uct | Inform | ation |
|------|-----|--------|-------|

Product Type HUMAN OTC DRUG Item Code (Source) NDC:79996-600

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| TROLAMINE (UNII: 903K93S3TK) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| WATER (UNII: 059QF0KO0R) | |
| LACTIC ACID (UNII: 33X04XA5AT) | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:79996- 600-01 | 230 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 03/30/2020 | | |
| 2 | NDC:79996- 600-02 | 160 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 03/30/2020 | | |
| 3 | NDC:79996- 600-03 | 50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 03/30/2020 | | |

| Marketing Information | | | | |
|-------------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph not final | part333A | 03/30/2020 | | |
| | | | | |

Labeler - EPOXEMEX, S.A. DE C.V. (814573127)

Registrant - AY CONSULTING SERVICES, LLC (078311971)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|----------------------------|
| EPOXEMEX, S.A. DE C.V. | | 814573127 | manufacture(79996-600) |

Revised: 6/2022 EPOXEMEX, S.A. DE C.V.