

AKIN EXPECTORANT FORMULA STRAWBERRY BANANA- guaifenesin liquid
Southern Sales & Service, Inc.

Akin Expectorant Formula (Strawberry - Banana)

Drug Facts

Active ingredient (in each 5ml tsp.)

Guaifenesin USP 100 mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not take this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm(mucus) unless direct by a doctor."

Stop use and ask a doctor if

- cough persists for more than a week, tends to recur, or is accompanied by a fever, rash or persistent headache, consult a doctor. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not take more than 6 doses in any 24 hours period

Adults and children 12 years and over
Children under 12 years

Take 2-4 teaspoonful (5mL) every 4 hours
Consult a physician

Other information

- store at room temperature • 15°-30°C (59°-86°F)

Do not use if seal under cap is torn, broken or missing. **TAMPER-EVIDENT:**

Inactive ingredients

Citric acid, FD&C yellow #5, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, strawberry-banana flavor, sucralose.

Package Labeling:


Drug Facts	
Active ingredient (in each 5ml tsp.)	Purpose
Guaifenesin USP 100 mg.....	Expectorant
Uses • helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive	
Warnings Do not take this product for persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm(mucus) unless directed by a doctor”	
Stop use and ask a doctor if • cough persists for more than a week, tends to recur, or is accompanied by a fever, rash or persistent headache, consult a doctor. A persistent cough may be a sign of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	

Sugar Free
Alcohol Free
 4 FL OZ (118 mL)

Congestion
Mucus Relief

Guaifenesin

EXPECTORANT FORMULA



69822-212-04



af & in ANT

Lot:
Exp.:

Directions

Do not take more than 6 doses in any 24 hours period

Adults and children 12 years and over	Take 2-4 teaspoonful (5mL) every 4 hours
---------------------------------------	------------------------------------------

children under 12 years	Consult a physician
-------------------------	---------------------

Other information

- store at room temperature • 15°- 30°C (59°-86°F)
- **TAMPER-EVIDENT:** Do not use if seal under cap is torn, broken or missing.

Inactive ingredients

Citric acid, FD&C yellow #5, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, strawberry-banana flavor, sucralose.

DISTRIBUTED BY:

Southern Sales Services Inc.
Pembroke Pines, FL 33332
Questions or Comments?
Call 1800.213.9370
southernsalesgrp.com



8 50011 55791 4

AKIN EXPECTORANT FORMULA STRAWBERRY BANANA

guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69822-212
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69822-212-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2023	

Labeler - Southern Sales & Service, Inc. (013114906)

Revised: 11/2023

Southern Sales & Service, Inc.