

**SKIN LONG-WEAR WEIGHTLESS FOUNDATION BROAD SPECTRUM SPF 15-  
octinoxate and titanium dioxide lotion  
Bobbi Brown Professional Cosmetics Inc.**

-----  
**SKIN LONG-WEAR WEIGHTLESS FOUNDATION BROAD SPECTRUM SPF 15**

***Drug Facts***

**Active Ingredients**

Octinoxate 3.0%  
Titanium Dioxide 1.6%

**Purpose**

Sunscreen

**Use**

Helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

## **Inactive ingredients**

water\aquaeau • dimethicone • trimethylsiloxysilicate • cetyl peg/ppg-10/1 dimethicone • butylene glycol • glycerin • disteardimonium hectorite • polyglyceryl-3 diisostearate • sodium chloride • laminaria saccharina extract • butyrospermum parkii (shea butter) • fragrance (parfum) • ascorbyl palmitate • tocopherol • dimethicone crosspolymer • methicone • stearic acid • tocopheryl acetate • glyceryl oleate • lecithin • glyceryl stearate • citric acid • aluminum hydroxide • talc • disodium edta • linalool • sodium dehydroacetate • phenoxyethanol • [+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77492) • iron oxides (ci 77491) • iron oxides (ci 77499)] <iln44078>

## **Other information**

protect the product in this container from excessive heat and direct sun


## **PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton**

**BOBBI  
BROWN**

**Skin Long-Wear Weightless  
Foundation  
Broad Spectrum SPF 15**

**Full Cover  
Oil-Free Shine Control**

1 FL. OZ./30 ml e



B O B B I  
B R O W N

**Skin Long-Wear Weightless  
Foundation  
Broad Spectrum SPF 15**

**Full Cover  
Oil-Free Shine Control**

1 FL. OZ./30 ml e

**Drug Facts**

**Active Ingredients**

Octinoxate 3.0%  
Titanium Dioxide 1.6%

**Purpose**  
Sunscreen

**Use**

Helps prevent sunburn

Helps prevent sunburn

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply **liberally** 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, **regularly** use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses


- children under 6 months of age: ask a doctor

### Inactive ingredients

water/aqua/eau • dimethicone • trimethylsiloxysilicate • cetyl peg/ppg-10/1 dimethicone • butylene glycol • glycerin • disteardimonium hectorite • polyglyceryl-3 diisostearate • sodium chloride • laminaria saccharina extract • butyrospermum parkii (shea butter) • fragrance (parfum) • ascorbyl palmitate • tocopherol • dimethicone crosspolymer • methicone • stearic acid • tocopheryl acetate • glyceryl oleate • lecithin • glyceryl stearate • citric acid • aluminum hydroxide • talc • disodium edta • linalool • sodium dehydroacetate • phenoxyethanol • [+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77492) • iron oxides (ci 77491) • iron oxides (ci 77499)] <ln44078>

### Other information

protect the product in this container from excessive heat and direct sun



C-165080

## Skin Long-Wear Weightless Foundation Broad Spectrum SPF 15

Full, long-wear coverage that looks and feels like skin—not masky, heavy or cakey. This high-performance, oil-free formula creates a poreless, shine-free finish with incredibly comfortable day-to-night wear.

- Silky emulsion of true-to-skin pigments, hydrating emollients and wear-extending ingredients floats over skin and delivers flexible, breathable coverage.
- Instantly mattifies oily skin for a natural look that is never dry, dull or flat. It helps minimize oil throughout the day, and reduces the appearance of pores over time.
- Stays fresh all day—and into the night—with coverage that lasts even in hot and humid climates.

**Usage:** Prime skin with moisturizer, then apply foundation with brush, sponge or fingers. Shake well before use.

©Dist. Bobbi Brown Professional Cosmetics  
N.Y., N.Y. 10022 • WLB LTD, GU32 3DD, UK  
New York • London • Paris  
Made in Belgium [EGXR] [WWW.BOBBIBROWN.COM](http://WWW.BOBBIBROWN.COM)



**FPO/UPC**  
**1-5/16 x 17/32**

EGXR-01-1111



# SKIN LONG-WEAR WEIGHTLESS FOUNDATION BROAD SPECTRUM SPF 15

octinoxate and titanium dioxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64141-025
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	30 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	16 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>GLYCERYL OLEATE</b> (UNII: 4PC054V79P)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64141-025-01	1 in 1 CARTON	07/21/2017	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:64141-025-02	1 in 1 CARTON	12/22/2022	
2		13 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/21/2017	

**Labeler** - Bobbi Brown Professional Cosmetics Inc. (627131279)

**Registrant** - Estee Lauder Companies Inc. (790802086)

### Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(64141-025) , pack(64141-025) , label(64141-025)

Revised: 11/2024

Bobbi Brown Professional Cosmetics Inc.