

HYPOCHLOROUS ACID- hypochlorous acid liquid
GUANGZHOU YIQI TECHNOLOGY CO.,LTD

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

78295-007

Hypochlorous Acid

Active ingredient

ActiveIngredient□Hypochlorous Acid(0.02%)

□Purpose

Purpose□Antimicrobial

Usage

Application	Effective content, ppm	Dilution ratio	Usage mode	TIME
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

WARNINGS

[WARNINGS]

For external use only.

Electricshock equipment should be prevented.

/

When using this product

[When using this product]

When spraying it within a space□ high humidity which could cause short circuit to electrical equipment.

/

Keep out of reach for children.

If swallowed□ get medical help or contact a Poison Control Center right away.

Directions

[Directions]

Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

Other information

[Other information]

Store below 106F.(41℃)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient

Inactive ingredient

water 99.98%

Package Label - Principal Display Panel

Hypochlorous Acid (200PPM)

Drug Facts
Active Ingredient: Hypochlorous Acid(0.02%)
Purpose: Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.
Electric shock equipment should be prevented.
[When using this product]
When spraying it within a space, high humidity which could cause short circuit to electrical equipment.
Keep out of reach for children.
If swallowed, get medical help or contact a Poison Control Center right away.
[Directions] Children under 6 years of age should be supervised when using this product.
Keep away from sunlight and heat.

[Other information]
Store below 106°F.(41℃)
The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.
Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 0.026GAL/100ML

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 0.066GAL/250ML

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 0.13GAL/500ML

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 0.188GAL/710ML

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 0.26GAL/1L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 1.06GAL/4L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 1.06GAL/4L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



99.99% STERILIZING RATE

NET 1.32GAL/5L

ANTISEPTIC LIQUID GERMICIDE

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F.(41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 2.64GAL/10L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 5GAL/18.93L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



99.99% STERILIZING RATE

NET 5.28GAL/20L

ANTISEPTIC LIQUID GERMICIDE

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 6.60GAL/25L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 10GAL/37.9L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)

Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.

[When using this product]

When spraying it within a space, high humidity which could cause short circuit to electrical equipment.

Keep out of reach for children.

If swallowed, get medical help or contact a Poison Control Center right away.

[Directions] Children under 6 years of age should be supervised when using this product.

Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)

The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.

Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 55GAL/208.2L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
TEL: +86 - 020 - 32372559

Hypochlorous Acid (200PPM)

Drug Facts

Active Ingredient: Hypochlorous Acid(0.02%)
Purpose : Antimicrobial

USAGE

Application	Effective content, ppm	Dilution ratio	Usage mode	Time
Object Surface	40ppm	1:4	Spray and wipe	10minutes
The Air	33ppm	1:5	Spray	10minutes
Fruits Vegetables Seafood	40ppm	1:4	Spray, wipe or soak	10minutes
Fabric	40ppm	1:4	Spray	10minutes

[WARNINGS] For external use only.

Electric shock equipment should be prevented.
[When using this product]
 When spraying it within a space,high humidity which could cause short circuit to electrical equipment.
 Keep out of reach for children.
 If swallowed,get medical help or contact a Poison Control Center right away.
[Directions] Children under 6 years of age should be supervised when using this product.
 Keep away from sunlight and heat.

[Other information]

Store below 106°F (41°C)
 The effective sterilization concentration of slightly acidic hypochlorous acid is 30PPm-50PPm, high concentration use should be avoided as far as possible.
 Inactive ingredient: water 99.98%

MADE IN CHINA



SUPERACTIVE



**99.99%
STERILIZING RATE**

NET 264GAL/1000L

**ANTISEPTIC LIQUID
GERMICIDE**

- OBJECT SURFACE
- FRUITS VEGETABLES
- FABRIC
- THE AIR
- EXTERNAL

Manufacturer: Guangzhou YIQI Technology Co.,LTD
 ADD: #10, 12 Lixin Road, Xintang Town, Zengcheng District, Guangzhou.
 TEL: +86 - 020 - 32372559

HYPOCHLOROUS ACID

hypochlorous acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78295-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPOCHLOROUS ACID (UNII: 712K4CDC10) (HYPOCHLOROUS ACID - UNII:712K4CDC10)	HYPOCHLOROUS ACID	0.02 kg in 100 L

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78295-007-04	0.71 L in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2020	
2	NDC:78295-007-02	0.25 L in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2020	
3	NDC:78295-007-05	1 L in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2020	
4	NDC:78295-007-06	4 L in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2020	
5	NDC:78295-007-03	0.5 L in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2020	
6	NDC:78295-007-01	0.1 L in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2020	
7	NDC:78295-007-08	10 L in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2020	
8	NDC:78295-007-09	18.93 L in 1 DRUM; Type 0: Not a Combination Product	05/18/2020	
9	NDC:78295-007-11	25 L in 1 DRUM; Type 0: Not a Combination Product	05/18/2020	
10	NDC:78295-007-10	20 L in 1 DRUM; Type 0: Not a Combination Product	05/18/2020	
11	NDC:78295-007-12	37.9 L in 1 DRUM; Type 0: Not a Combination Product	05/18/2020	
12	NDC:78295-007-07	5 L in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2020	
13	NDC:78295-007-14	1000 L in 1 DRUM; Type 0: Not a Combination Product	05/18/2020	
14	NDC:78295-007-13	208.2 L in 1 DRUM; Type 0: Not a Combination Product	05/18/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/18/2020	

Labeler - GUANGZHOU YIQI TECHNOLOGY CO.,LTD (544707398)

Registrant - GUANGZHOU YIQI TECHNOLOGY CO.,LTD (544707398)

Establishment

Name	Address	ID/FEI	Business Operations
GUANGZHOU YIQI TECHNOLOGY CO.,LTD		544707398	manufacture(78295-007)

Revised: 12/2020

GUANGZHOU YIQI TECHNOLOGY CO.,LTD