

COPPERTONE SPORT MINERAL SUNSCREEN SPF 50- zinc oxide aerosol, spray
Beiersdorf Inc

Coppertone Sport Mineral Spray SPF 50

Drug Facts

Drug Facts

Active Ingredient

(To Deliver) Zinc Oxide 24.08%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Flammable:Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Keep out of reach of children.If product is swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if rash occurs

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other Information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive Ingredients

isobutane, water, C12-15 alkyl benzoate, isopropyl palmitate, butyloctyl salicylate, ethylhexyl isononanoate, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, dimethicone, ethylhexyl methoxycrylene, polyester-27, caprylyl methicone, triethoxycaprylylsilane, beeswax, hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, 1,2-hexanediol, caprylyl glycol, tocopherol, cetyl dimethicone

Questions?

1-866-288-3330

Coppertone® Sunscreen Spray

Sport Mineral

1 00% Naturally Sourced Zinc Oxide 50

Stays on Strong when you sweat

Free Of oxybenzone, octinoxate, PABA, parabens, phthalates

Water Resistant (80 minutes)

Broad Spectrum SPF 50

NET WT 5 OZ (142 g)



COPPERTONE SPORT MINERAL SUNSCREEN SPF 50

zinc oxide aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-4724
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	240.8 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER (UNII: TY3J98ZR7R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
POLYESTER-7 (UNII: 0841698D2F)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE 1000 (UNII: MCU2324216)	
CETYL DIMETHICONE 150 (UNII: 5L694Y0T22)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Product Characteristics

Color	white (off-white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4724-5	142 g in 1 CAN; Type 0: Not a Combination Product	01/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

Labeler - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc