

GLYTONE ACNE SELF-FOAMING CLEANSER- salicylic acid gel
Pierre Fabre USA Inc.

Glytone Acne Self-Foaming Cleanser

Water, Methyl Perfluoroisobutyl Ether, Butylene Glycol, Sorbitol, Methyl Perfluorobutyl Ether, Cocamidopropyl Betaine, Sodium Laureth Sulfate, Chondrus Crispus (Carrageenan), Cyclopentasiloxane, Cyclohexasiloxane, Sodium Cocamidopropyl PG-Dimonium Chloride Phosphate, Polyhydroxystearic acid, Isononyl Isononanoate, Ethylhexyl Isononanoate, Xanthan Gum, Sodium Hydroxide, Perfluorohexane, o-Cymen-5-ol, Tetrasodium EDTA, Cinnamomum Zeylanicum Bark Extract, Oryza Sativa (Rice) Bran Extract, Yeast Polysaccharides, Blue 1 (CI 42090)

Active ingredients Purpose

Salicylic Acid 0.5% Acne Treatment

Acne treatment

Use For the treatment of acne.

- Dries and clears acne blemishes and allows skin to heal.
- Penetrates pores to eliminate most acne blemishes, blackheads, and whiteheads.
- Helps prevent the development of new acne blemishes, blackheads, and whiteheads.

Warnings:

For external use only.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid contact with eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- At initial use, turn pump head counter-clockwise to unlock.
- Dispense a small amount into your hand and mix with a little water.
- Apply a thin layer over entire affected area in a circular motion and rinse thoroughly with warm water two times daily. For a mask-like effect, leave on for 30 seconds before rinsing.
- Because of excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

GLYTONE

Acne Self-Foaming Cleanser

ACNE THERAPY

0.5% Salicylic Acid

NON-IRRITATING FORMULA

180 mL / 6.1 FL. OZ.

Drug Facts

| Active Ingredients | Purpose |
|----------------------|----------------|
| Salicylic Acid 0.5 % | Acne Treatment |

Use For the treatment of acne.
 ■ Dries and clears acne blemishes and allows skin to heal. ■ Penetrates pores to eliminate most acne blemishes, blackheads and whiteheads. ■ Helps prevent the development of new acne blemishes, blackheads and whiteheads.

Warnings
 For external use only.

When using this product ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. ■ Irritation occurs, only use one topical acne medication at a time. ■ avoid contact with eyes. ■ eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions
 ■ At initial use, turn pump head counter-clockwise to unlock. ■ Dispense a small amount into your hand and mix with a little water. ■ Apply a thin layer over the entire affected area in a circular motion and rinse thoroughly with warm water two times daily. For a mask-like effect, leave on for 30 seconds before rinsing. ■ Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily if needed or as directed by a doctor. ■ If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Inactive Ingredients:
 WATER, COCAMIDOPROPYL BETAINE, SODIUM LAURETH SULFATE, ETHYL PERFLUOROBUTYL ETHER, ORYZA SATIVA (RICE) EXTRACT, PROPANEDIOL, ETHYL PERFLUOROBUTYL ETHER, PEG-8, CARRAGEENAN, GLYCERIN, XANTHAN GUM, POLYHYDROXYSTEARIC ACID, PHENOXYETHANOL, COCAMIDOPROPYL PG-DIMONIUM CHLORIDE, PHOSPHATE, ISONONYL ISONONANOATE, SODIUM CHLORIDE, ISOSTEARAMIDOPROPYL ETHYLDIMONIUM ETHOSULFATE, ISODODECANE, LINALOOL, ETHYLHEXYLGLYCERIN, POLYBUTYLENE, SODIUM HYDROXIDE, ISOHEXADECANE, SODIUM PHOSPHATE, CENTELLA ASIATICA EXTRACT, PROPYLENE GLYCOL, COCOS NUCIFERA (COCONUT) OIL, HYDROLYZED CORN STARCH, OLEA EUROPAEA (OLIVE) FRUIT EXTRACT, SODIUM LAUROYL GLUTAMATE, CITRUS GRANDIS (GRAPEFRUIT) PEEL OIL, CETEARYL ALCOHOL, GLYCERYL STEARATE, POTASSIUM CHLORIDE, POTASSIUM PHOSPHATE, SODIUM HYDROXYPROPYLSULFONATE, LAURYLGLUCOSIDE, CROSSPOLYMER, BUTYROSPERMUM PARKII (SHEA) BUTTER, STEARIC ACID, BUTYLENE GLYCOL, HYDROBENZOATED STARCH HYDROLYSATE, MALTOOLIGOSYL GLUCOSIDE, SODIUM OLIVAMIDOGlutAMIDE, LYSINE, CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL, OLEA EUROPAEA (OLIVE) FRUIT OIL, COCAMIDOPROPYL DIMETHYLAMINE, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, BLUE 1, ARGONINE, POLYGLUTAMIC ACID, DISODIUM EDTA, SODIUM PCA



Distributed by: Pierre Fabre USA Inc., Parsippany, NJ 07054 800-GLYTONE (439-6163) www.glytone.com

Pierre Fabre
Dermo-Cosmétique

93538

Glytone Acne Self-Foaming Cleanser
 0.5 salicylic acid
 non-irritating formula
 180 ml/6.1 fl oz

| GLYTONE ACNE SELF-FOAMING CLEANSER | | | |
|--|-------------------|--------------------|---------------|
| salicylic acid gel | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:64760-719 |
| Route of Administration | TOPICAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | Basis of Strength | Strength | |
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 5 mg in 1 mL | |
| Inactive Ingredients | | | |
| Ingredient Name | Strength | | |
| .BETA.-ELEOSTEARIC ACID (UNII: LA17B88161) | | | |

| |
|--|
| ORYZA SATIVA WHOLE (UNII: 84IVV0906Z) |
| CITRUS FRUIT (UNII: XDK00Z8012) |
| 1-CHLORO-2-METHYL-1-PROPENE (UNII: JP8N4M44OP) |
| LIMONENE DIEPOXIDE (UNII: M6TUW5WEJ9) |
| 2-PHENYLPROPANAL PROPYLENE GLYCOL ACETAL (UNII: 1ZRR9A405A) |
| SODIUM HYDROXYPROPYLSULFONATE LAURYLGLUCOSIDE-7 CROSSPOLYMER (UNII: K9R4VJQ1IB) |
| 1,3-PROPANEDIOL BIS(4-AMINO BENZOATE) (UNII: 8860R9ORQR) |
| ISOSTEARAMIDOPROPYL ETHYLDIMONIUM ETHOSULFATE (UNII: U059JNZ17L) |
| ISOEICOSANE (UNII: AR294KAG3T) |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) |
| DICLOFENAC SODIUM (UNII: QTG126297Q) |
| ACRYLATES CROSSPOLYMER-6 (UNII: 4GXD0Q3OS3) |
| POLYGLUCOSE SORBITOL CARBOXYMETHYL ETHER (UNII: Y8P5S7CF2S) |
| CARBAZOCHROME SODIUM SULFONATE HYDRATE (UNII: Y6G4426VGB) |
| BUTYROSPERMUM PARKII (SHEA) BUTTER UNSAPONIFIABLES (UNII: 0C9AC7D6XU) |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) |
| WATER (UNII: 059QF0KO0R) |
| SODIUM LAURETH SULFATE (UNII: BPV390UAP0) |
| CARRAGEENAN (UNII: 5C69YCD2YJ) |
| COCAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4) |
| ISONONYL ISONONANOATE (UNII: S4V5BS6GCX) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| XANTHAN GUM (UNII: TTV12P4NEE) |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) |
| COCOS NUCIFERA WHOLE (UNII: 245J88W96L) |
| OLEA EUROPAEA FLOWER (UNII: 498M34P1VZ) |
| ETHYL PERFLUOROISOBUTYL ETHER (UNII: G60AS00TNS) |
| DIMETHICONE PEG-8 ADIPATE (UNII: 09Y0SJ39VP) |
| CARTHAMUS TINCTORIUS (SAFFLOWER) OLEOSOMES (UNII: 9S60Q72309) |
| ACETYL ARGININE (UNII: TQ7DL04CAE) |
| ETHYL PERFLUROBUTYL ETHER (UNII: 520BW6FQ5U) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| 1,3-BUTYLENE GLYCOL 1-PROPIONATE (UNII: 17U77WTV66) |
| MALTOOLIGOSYL GLUCOSIDE (UNII: N91S91EFOG) |
| INDOL-3-YL SODIUM PHOSPHATE (UNII: P1W2D6403E) |
| CENTELLA ASIATICA (UNII: 7M867G6T1U) |
| LAMINARIA DIGITATA HYDROLYZED ALGINIC ACID (UNII: 9E3P882579) |
| DISODIUM LAUROYL GLUTAMATE (UNII: O99ROV57IA) |
| CETEARYL METHICONE (15000 MW) (UNII: VY9RTR7MSY) |
| PEG-120 GLYCERYL STEARATE (UNII: 6941286E4I) |
| POTASSIUM CHLORIDE (UNII: 660YQ98I10) |
| DIBASIC POTASSIUM PHOSPHATE (UNII: CI71S98N1Z) |
| HYDROGENATED STARCH HYDROLYSATE (UNII: 27F77DSJ5V) |
| DISODIUM ASCORBYL SITOSTANOL PHOSPHATE (UNII: 3H8J8917AA) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:64760-719-01 | 1 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 11/09/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M006 | 11/09/2020 | 01/22/2025 |

Labeler - Pierre Fabre USA Inc. (117196928)

Registrant - Pierre Fabre USA Inc. (117196928)

Revised: 1/2024

Pierre Fabre USA Inc.