

**TOPCARE CHEST CONGESTION AND SINUS CONGESTION RELIEF PE-
guaifenesin/phenylephrine tablet
TOPCO ASSOCIATES LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient - (per tablet)

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

Purpose

Guaifenesin.....Expectorant

Phenylephrine HCl.....Nasal decongestant

Uses

Temporarily relieves symptoms associated with a cough ,the common cold,hay fever or other upper respiratory allergies.

- helps loosen phlegm (mucus)
- clear nasal passageways
- loosens nasal congestion
- drain bronchial tubes
- shrinks swollen membranes
- clears stuffy nose
- makes coughs more productive

Warnings

Do not exceed recommended dosage

Do not use

■ this product if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription drug contains an MAOI, ask a

health
professional.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- excessive phlegm;mucus
- difficulty in urination due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking,asthma,chronic bronchitis or emphysema

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occurs
- symptoms are accompanied by fever, rash, persistent headache or excessive phlegm (mucus)
- cough and congestion do not improve within 7 days or tend to recur.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions


- adults and children 12 years and over:
take 1 caplet every 4 hours as needed
- children 6 to under 12 years:
take 1/2 caplet every 4 hours as needed
- children under 6 years: consult a doctor

Do not exceed 6 doses in a 24 hour period or as directed by a doctor.

Inactive ingredients

lactose, magnesium silicate,
croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin,

microcrystalline cellulose, mineral oil, povidone, silica, sodium lauryl sulfate, stearic acid, titanium dioxide and triacetin



TopCare
health™

Chest Congestion & Sinus Congestion Relief PE

EXPECTORANT - GUAIFENESIN 400 mg
NASAL DECONGESTANT - PHENYLEPHRINE HCl 10 mg

TopCare
health™

IMMEDIATE RELEASE CAPLETS

Chest Congestion & Sinus Congestion Relief PE

EXPECTORANT - GUAIFENESIN 400 mg
NASAL DECONGESTANT - PHENYLEPHRINE HCl 10 mg

- Relieves Chest & Sinus Congestion
- Thins & Loosens Mucus
- Dye Free



50 CAPLETS



TopCare
health™

IMMEDIATE RELEASE CAPLETS

Chest Congestion & Sinus Congestion Relief PE

EXPECTORANT - GUAIFENESIN 400 mg
NASAL DECONGESTANT - PHENYLEPHRINE HCl 10 mg

- Relieves Chest & Sinus Congestion
- Thins & Loosens Mucus
- Dye Free



50 CAPLETS



NDC 36800-14767-50

Drug Facts (continued)

Directions

■ adults and children 12 years and over:

Take 1 caplet every 4 hours as needed.

■ children 6 to under 12 years:

Take 1/2 caplet every 4 hours as needed.

■ children under 6 years: consult a doctor.

Do not exceed 6 doses in a 24 hour period or as directed by a doctor.

■ **Other information** ■ store at 15°-30°C (59°-86°F).

■ **caution:** do not use if imprinted seal under cap is broken or missing.

Inactive ingredients

croscarmellose sodium, hypromellose, lactose, magnesium silicate, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, povidone, silicon dioxide, sodium lauryl sulfate, stearic acid, titanium dioxide and triacetin.

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELV GROVE VILLAGE, IL 60007 © TOPCO PSEK1117

QUESTIONS? 1-888-428-0139

topcare@topco.com www.topcarebrand.com



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

PARENTS:
Learn about your child's disease.
www.StopMedicineAbuse.org

Retain carton for complete product information

Drug Facts

Active ingredients (in each caplet)	Purpose
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

Uses temporarily relieves symptoms associated with a cough, the common cold, hay fever, or other upper respiratory allergies

- helps loosen phlegm (mucus)
- shrinks swollen membranes
- thins bronchial secretions
- clears nasal passageways
- loosens nasal congestion
- drains bronchial tubes
- makes coughs more productive
- clears stuffy nose

Warnings

Do not exceed recommended dosage.

Do not use ■ this product if you are now taking a prescription Monoamine Oxidase Inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription drug contains an MAOI, ask a health professional.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- excessive phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- high blood pressure
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occurs
- symptoms are accompanied by fever, rash, persistent headache or excessive phlegm (mucus)
- cough and congestion do not improve within 7 days or tend to recur.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

REV 2/10 01FTEC

No Varnish in this area
DO NOT PRINT BOX



TOPCARE CHEST CONGESTION AND SINUS CONGESTION RELIEF PE

guaifenesin/phenylephrine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-989
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	400 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE (UNII: J2B2A4N98G)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
POVIDONE (UNII: FZ989GH94E)	
MAGNESIUM SILICATE (UNII: 9B9691B2N9)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	17mm
Flavor		Imprint Code	PH043
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-989-50	1 in 1 CARTON	06/05/2006	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/05/2006	

Labeler - TOPCO ASSOCIATES LLC (006935977)

Registrant - Reese Pharmaceutical Co (004172052)

Revised: 12/2022

TOPCO ASSOCIATES LLC