EQUALINE OMEPRAZOLE- omeprazole tablet, delayed release United Natural Foods, Inc. dba UNFI

SuperValu Inc. Omeprazole Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- do not use if you are allergic to omeprazole.
- omeprazole may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn

- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets.

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

read the directions and warnings before use

- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-855-423-2630

Principal Display Panel

EQUALINE®

compare to Prilosec OTC®

24 HR

omeprazole

delayed release tablets 20mg

acid reducer

treats frequent heartburn!

actual size

14 tablets

ONE 14-DAY COURSE OF TREATMENT

MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT





Distributed by UNFI, Providence, RI 02908 USA 100% Quality Like it or let us make it right.
That's our quality promise.
855-423-2630



Purpose

Drug Facts

Oneprazole 20 mg.

Warning.

■ rash

Do not use if you have:

Active ingredient (in each tablet)

Drug Facts (continued)

Ask a doctor before use if you have:

In the aberthum over 3 morths. This may be a sign of a more serious condition

In requent wheeping particularly with hearthum

In requent wheeping particularly with hearthum

In unexplained weight loss In nauses or voniting In stomach pain

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

your hearfourn continues or worse re

m you need to take this product for more than 14 days

u need to take more than 1 course of treatment every 4 months ou get diarrhea myou develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions in for adults 18 years of age and older in firs product is to be used once a day (every 24 hours), every day for 14 days with may take 1 to 4 days for full effect; some people get complete relief of

- 3/Injustice that it can be also as the state of the state

- Repeated 14-Day Courses (if needed) m you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

m children under 18 years of age: usk a doctor. Heartburn in children may sometimes be caused by a serious condition.

Drug Facts (continued)

Other information

mread the directions and warnings before use

keep the carton. It contains important information. store at 20-25°C (68-77°F) and protect from

Inactive ingredients camauta wax, ferric coide red, ferric coide yellow, hypromellose, water etc. earlie water years, information and hyprometose ucetale succinate, lactose monohydrate, inonoethundumine, propylene glycol, sodium sturyl sulfate, sodium sterch glycolate, sodium sterate,

oodium stearyl furnarate, talc, filanium diccide, Questions or comments? 1-855-423-2630

- Tips for Managing Hearthum 1 Bottle inside

 Do not leftat or bend over after eating

 Do not wear fight-fitting drifting around the stornach

 Do not each before bedfire

 Raise the head of your bel

 Avoid hearthur-causing frods such as rich, apicy,
 faitly or fitted from the control of the certain fruits and vegetable

 Eatl solvely and visid big meals


 If overweight, lose weight will under the certain force of the certain force

SAFETY FEATURE - DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

"This product is not manufactured or distributed by the owner of the registered trademark Prilosec OTC®

EQUALINE®

NDC 41163-915-01



24 HR omeprazole

delayed release tablets 20mg acid reducer

treats frequent heartburn!

14 tablets

ONE 14-DAY COURSE OF TREATMENT MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT



blood, or bloody or black stools hearform with lighthe adedness, s chest pain or shoulder pain with shortness of

breath; aweating; pain apreading to arms, neck or shoulders; or lightheadedness m frequent chest pain These may be signs of a serious condition. See

Allergy alert: m do not use if you are allergic to omeprazole.


omeprazole may cause severe skin reactions.
 Symptoms may include:

If an allergic reaction occurs, stop use and seek medical help right away.

m trouble or pain swallowing food, vomiting with

miskin reddening im blisters

wour doctor







EQUALINE OMEPRAZOLE

omeprazole tablet, delayed release

Product Information

HUMAN OTC DRUG Item Code (Source) **Product Type** NDC:41163-915

Route of Administration ORAL

Active Ingredient/Active Moiety

Basis of Strength Strength **Ingredient Name**

OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - UNII: KG60484QX9) **OMEPRAZOLE** 20 mg

Inactive Ingredients

Ingredient Name Strength

CARNAUBA WAX (UNII: R12CBM0EIZ)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX43802MRT)

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)

MONOETHANOLAMINE (UNII: 5KV86114PT)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

SODIUM LAURYL SULFATE (UNII: 368GB5141J)

SODIUM STEARATE (UNII: QU7E2XA9TG)

SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

TRIETHYL CITRATE (UNII: 8Z96QXD6UM)

HYPROMELLOSE ACETATE SUCCINATE 12070923 (3 MM2/S) (UNII: 36BGF0E889)

Product Characteristics						
Color	BROWN	Score	no score			
Shape	OVAL	Size	12mm			
Flavor		Imprint Code	20			
Contains						

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:41163-915- 74	14 in 1 CARTON	02/22/2008			
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				
2	NDC:41163-915- 30	2 in 1 CARTON	02/22/2008			
2		14 in 1 CARTON				
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				
3	NDC:41163-915- 55	3 in 1 CARTON	02/25/2008			
3		14 in 1 CARTON				
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				
4	NDC:41163-915- 01	1 in 1 CARTON	09/27/2011			
4		14 in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
NDA	NDA022032	02/22/2008			

Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 8/2023 United Natural Foods, Inc. dba UNFI