MAG AL PLUS- aluminum hydroxide, magnesium hydroxide, and dimethicone suspension McKesson Corporation dba SKY Packaging

Mag-AL Plus

Drug Facts

Active ingredients (in each 5 mL = 1 teaspoonful)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 200 mg	Antacid
Magnesium hydroxide 200 mg	Antacid
Simethicone 20 mg	Antigas

Uses

for the relief of:

- acid indigestion
- heartburn
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Do not take more than 16 teaspoonfuls in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

Keep out of reach of children.

Directions

- shake well before using
- do not take more than 16 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks

Other information

- each 5 mL contains: magnesium 83 mg, sodium 1.34 mg
- store at controlled room temperature 20° 25°C (68° 77°F)
- protect from freezing
- White colored, peppermint flavored liquid supplied in the following oral dosage form:

NDC 63739-159-77	30 mL unit dose cup. Case contains 100 unit dose cups of 30
	mL packaged in 10 trays of 10 unit dose cups each.

Inactive ingredients

Butylparaben, hydroxypropyl methylcellulose, flavoring, propylene glycol, propylparaben, purified water, sodium saccharin, and sorbitol solution.

Questions or comments?

Call 1-800-845-8210

PRINCIPAL DISPLAY PANEL - 30 mL Unit-Dose Cup Tray Label

Delivers 30 mL

NDC 63739-159-77

MAG-AL PLUS

Each 30 mL contains:

Aluminum Hydroxide 1200 mg

Magnesium Hydroxide 1200 mg

Simethicone 120 mg

SHAKE WELL

USUAL DOSAGE: See attached Drug Facts

Package Not Child-Resistant

DISTRIBUTIONED BY

SKY Packaging

Memphis, TN 38141

see insert



MAG AL PLUS

aluminum hydroxide, magnesium hydroxide, and dimethicone suspension

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:6373	39-159
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
In	gredient Name			sis of ength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)				NUM XIDE	200 mg in 5 mL
MAGNESIUM HYDROXIDE (UNII: N UNII:T6V3LHY838, HYDROXIDE ION -		CATION -	MAGNE HYDRO		200 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y10	DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)		DIMETHICONE		20 mg in 5 mL
Inactive Ingredients					
	Ingredient Name			St	rength
BUTYLPARABEN (UNII: 3QPI1U3FV8	3)				
PROPYLPARABEN (UNII: Z8IX2SC1	OH)				
HYPROMELLOSE 2910 (4000 MP	A.S) (UNII: RN31520P35)				
PROPYLENE GLYCOL (UNII: 6DC90	Q167V3)				
SORBITOL (UNII: 506T60A25R)					

PE	PPERMINT OIL	(UNII: AV092	2KU4JH)				
w	ATER (UNII: 059	QF0KO0R)					
	roduct Char						
_		acteristi		-			
	olor		white	Score	2		
	паре			Size			
	avor		PEPPERMINT	Impri	nt Code		
С	ontains						
	I						
Pa	ackaging						
	ackaging Item Code		Package Description		Marketing Start Date	Marketin Dat	-
#		10 in 1 CAS			-		-
# 1	Item Code NDC:63739-	10 in 1 CAS 10 in 1 TRA	E		Date		-
# 1 1	Item Code NDC:63739-	10 in 1 TRA	E Y CUP, UNIT-DOSE; Type 0: Not a		Date		-
# 1 1	Item Code NDC:63739- 159-10 NDC:63739-	10 in 1 TRA 30 mL in 1	E Y CUP, UNIT-DOSE; Type 0: Not a		Date		-
P: # 1 1	Item Code NDC:63739- 159-10 NDC:63739-	10 in 1 TRA 30 mL in 1	E Y CUP, UNIT-DOSE; Type 0: Not a		Date		-
# 1 1	Item Code NDC:63739- 159-10 NDC:63739-	10 in 1 TRA 30 mL in 1 Combinatio	E Y CUP, UNIT-DOSE; Type 0: Not a n Product		Date		-
# 1 1	Item Code NDC:63739- 159-10 NDC:63739- 159-77	10 in 1 TRA 30 mL in 1 Combinatio	E Y CUP, UNIT-DOSE; Type 0: Not a n Product	raph	Date		e g End

Labeler - McKesson Corporation dba SKY Packaging (140529962)

Revised: 1/2024

McKesson Corporation dba SKY Packaging