

STELLALIFE VEGA ORAL CARE GEL- gel gel
STELLALIFE VEGA ORAL CARE RECOVERY KIT- kit
STELLALIFE VEGA ORAL CARE- spray spray
Homeocare Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

StellaLife Product Listing

StellaLife VEGA Oral Care Spray

Drug Facts

Contains 7.14% each of the following HPUS Ingredients

<u>Active Ingredients</u>	<u>Purpose</u>
Arnica 3X, 6X, 18X	Bruising, swelling
Calendula 3X	Antiseptic
Chamomilla 5X	Swelling
Echinacea Angustifolia 3X	Antiseptic
Echinacea Purpurea 3X	Antiseptic
Hepar Sulph Calc 8X	Antiseptic
Hypericum 10X	Bruising, wound healing
Ignata 30X	Soothing
Ledum Palustre 6X	Analgesic, antiseptic
Ruta 12X	Bruising
Silicea 8X	Analgesic, antiseptic
Staphysagria 8X	Analgesic, soothing

Usage

Pain and swelling relief

Promotes Healing

Reduces Bruising

Uses

Temporarily

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.

Warnings

- Do not use if you have a known allergy or sensitivity to any of the following

ingredients

- Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.
- As with any drug, if you are pregnant or nursing a baby, seek the advise of a healthcare professional before using this product.
- Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact poison control center immediately.
- If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Keep Out of Reach of Children

Keep this and all drugs out of reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

Directions

Adults and children over 6 years of age: **Shake well.** Spray 4 times per application **under the tongue.** Repeat 3-4 times per day or as directed by your doctor. Consult a healthcare professional for use in children under 6 years of age.

Other information

For your protection, this bottle has a full body seal. Do not use if this tamper evident seal is broken or missing.

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients, color may vary over time.
- Use within 60 days of opening.

Inactive Ingredients

Citric acid, Glycerin, Potassium sorbate, Purified water.

StellaLife VEGA Oral Care Gel

Drug Facts

Contains 0.0714% of each of the following HPUS ingredients:

Active Ingredients	Purpose
Arnica 3X, 6X, 18X	Bruising, swelling
Calendula 3X	Antiseptic
Chamomilla 5X	Swelling
Echinacea angustifolia 3X	Antiseptic
Echinacea purpurea 3X	Antiseptic
Hepar sulph calc 8X	Antiseptic

Hypericum 10X	Bruising, would healing
Ignata 30X	Soothing
Ledum palustre 6X	Analgesic
Ruta 12X	Bruising
Silicea 8X	Analgesic, antiseptic
Staphysagria 8X	Analgesic, soothing

Usage

Promotes healing

Reduces bruising

Relieves oral ulcers

Hydrates oral cavity

Uses

Temporarily

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.
- Relieves oral ulcers.
- Hydrates oral cavity.

Warnings

- Do not use if you have a known allergy or sensitivity to any of the following ingredients
- Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.
- As with any drug, if you are pregnant or nursing a baby, seek the advise of a healthcare professional before using this product.
- Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact poison control center immediately.
- If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Keep Out of Reach of Children

Keep this and all drugs out of reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

Directions

Adults and children over the age of 6 years: Wash hands. Apply to the **gum at the surgical or affected area** with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under 6 years of age.

Other information

For your protection, this bottle has a full body seal. Do not use if this tamper evident seal is broken or missing.

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients, color may vary over time.
- Use within 60 days of opening.

Inactive Ingredients

Allantoin, Hydroxyethylcellulose, Peppermint oil, Purified water, Sodium benzoate, Xylitol

StellaLife VEGA Oral Care Rinse

Drug Facts

Contains 0.55% of each of the following HPUS ingredients:

Active Ingredient	Purpose
Azadirachta Indica 1X	Antigenivitis, swelling
Calendula 1X	Antiseptic
Echinacea Purpurea 1X	Antiseptic
Plantago Major 1X	Antiseptic

Uses

Promotes oral health

Hydrates oral cavity

Supports healthy gums

Freshens breath

Usage

- Antimicrobial
- Promotes oral health
- Hydrates oral cavity
- Supports healthy gums
- Freshens breath.

Warnings

- Do not use if you have a known allergy or sensitivity to any of the following ingredients
- Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.
- As with any drug, if you are pregnant or nursing a baby, seek the advise of a healthcare professional before using this product.
- Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact poison control center immediately.
- If pain, swelling or other related symptoms persist for more than 7 days of use,

contact a dental professional.

Keep Out of Reach of Children

Keep this and all drugs out of reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

Directions

Adults and children over the age of 6 years: Shake well. Use 3/4 tablespoon (10 ml) per application 3 times a day. Swish in the mouth for 1-2 minutes and then spit out. Do not swallow. Refrain from eating or drinking for at least 20 minutes after use. Consult your healthcare professional for use in children under 6 years of age.

Other information

For your protection, this bottle has a full body seal. Do not use if this tamper evident seal is broken or missing.

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients, color may vary over time.
- Use within 60 days of opening.

Inactive Ingredients

Allantoin, Citric acid, Glycerin, Peppermint flavor, Peppermint oil, Polysorbate 20, Potassium sorbate, Propolis, Purified water, Xylitol

Rinse Principal Display Panel

Drug Facts (continued)

Inactive Ingredients

Allantoin, Citric acid, Glycerin, Peppermint flavor, Peppermint oil, Polysorbate 20, Potassium sorbate, Propolis, Purified water, Xylitol.

Questions?

1-800-828-7265 or support@StellaLife.com



Made in U.S.A.

Distributed by:
StellaLife®
P.O. Box 1204
Northbrook, IL 60065, USA
support@StellaLife.com
1-800-828-7265

StellaLife.com

VEGA® and Intelligent Healing® are trademarks of StellaLife®, Inc. All rights reserved.

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Homeopathic NDC 69685-103-16



DENTIST RECOMMENDED



ADVANCED FORMULA
Peppermint

Promotes oral health*
Hydrates oral cavity*
Supports healthy gums*
Freshens breath*

VEGA® Oral Care

 **Rinse**
Antimicrobial

16 fl oz (473ml)
Alcohol 1.8%

Drug Facts

Active ingredients Purpose

Contains 0.55% of each of the following HPUS ingredients:
Azadirachta indica 1X Antigingivitis, swelling
Calendula 1X Antiseptic
Echinacea purpurea 1X Antiseptic
Plantago major 1X Antiseptic

Uses

- Antimicrobial.
- Promotes oral health.
- Hydrates oral cavity.
- Supports healthy gums.
- Freshens breath.

Warnings

- Do not use if you have a known allergy or sensitivity to any of the ingredients.
- Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.
- As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.
- Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.
- If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Directions

Adults and children over the age of 6 years: **Shake well.** Use 3/4 tablespoon (10 ml) per application 3 times a day. Swish in the mouth for 1-2 minutes and then spit out. Do not swallow. Refrain from eating or drinking for at least 20 minutes after use. Consult your healthcare professional for use in children under 6 years of age.

Other information

- For your protection this bottle has an inner seal under the cap. Do not use if tamper evident cap seal is broken or missing.
- Store at room temperature.
 - Keep away from direct heat or sunlight.
 - Because of natural ingredients, color may vary over time.
 - Use within 60 days of opening. ➔

Recovery Kit Principal Display Panel

<p>VEGA® Oral Care Rinse</p> <p>Drug Facts</p> <p>Active Ingredients Contains 0.55% of each of the following HPUS ingredients: Azadirachta indica 1X..... Antigingivitis, swelling Calendula 1X..... Antiseptic Echinacea purpurea 1X..... Antiseptic Plantago major 1X..... Antiseptic</p> <p>Purpose</p> <p>Uses</p> <ul style="list-style-type: none"> Antimicrobial. Promotes oral health. Hydrates oral cavity. Promotes healthy gums. Freshens breath. <p>Warnings</p> <ul style="list-style-type: none"> Do not use if you have a known allergy or sensitivity to any of the ingredients. Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash. As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product. Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately. If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional. <p>Directions</p> <p>Adults and children over the age of 6 years: Shake well. Use 3/4 Tablespoonful (10 ml) per application 3 times a day. Swish in the mouth for at least 1 minute and then spit out. Do not swallow. Refrain from eating or drinking for at least 20 minutes after use. Consult your healthcare professional for use in children under 6 years of age.</p> <p>Other information</p> <p>For your protection this bottle has an inner seal under the cap. Do not use if tamper evident cap seal is broken or missing.</p> <ul style="list-style-type: none"> Store at room temperature. Keep away from direct heat or sunlight. Because of natural ingredients, color may vary over time. Use within 60 days of opening. <p>Inactive ingredients</p> <p>Allantoin, Citric acid, Glycerin, Peppermint flavor, Peppermint oil, Polysorbate 20, Potassium sorbate, Propolis, Purified water, Xylitol.</p> <p>Questions? 1-800-828-7265 support@StellaLife.com</p> <p><small>*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</small></p>	<p>STELLALIFE® Intelligent Healing®</p> <p>2020 DA WINNER</p> <p>2019 DA WINNER</p> <p>3 • 3 • 3 StellaLife® Program</p> <ul style="list-style-type: none"> Start 3 DAYS before the surgery or procedure to increase therapeutic levels. Apply 3 TIMES per day, preferably after meals. Use all 3 PRODUCTS at the same time in the order outlined. <p>Directions</p> <p>STEP 1 VEGA Oral Care Rinse Shake well. Swish 3/4 tablespoon (10 ml) for 1-2 minutes, spit out.</p> <p>STEP 2 VEGA Oral Care Spray Spray 4 times under the tongue.</p> <p>STEP 3 VEGA Oral Care Gel Apply to the gum at the affected area with a cotton swab.</p> <p>Continue using all 3 products after the surgery or procedure. Refrain from drinking and eating for at least 20 minutes after application. Consult your healthcare professional for use in children under 6 years of age.</p> <p>Includes:</p> <table border="1"> <tr> <td>Homeopathic NDC 69685-113-16</td> <td>Homeopathic NDC 69685-111-01</td> <td>Homeopathic NDC 69685-112-01</td> </tr> <tr> <td>Rinse ADVANCED FORMULA Antimicrobial* Promotes oral health* Hydrates oral cavity* Promotes healthy gums* Freshens breath* Alcohol 1.8%</td> <td>Spray Pain and swelling relief* Promotes healing* Reduces bruising*</td> <td>Gel Pain and swelling relief* Promotes healing* Reduces bruising* Relieves oral ulcers* Hydrates oral cavity*</td> </tr> <tr> <td>16 fl oz (473 ml)</td> <td>1 fl oz (30 ml)</td> <td>1 fl oz (30 ml)</td> </tr> </table>	Homeopathic NDC 69685-113-16	Homeopathic NDC 69685-111-01	Homeopathic NDC 69685-112-01	Rinse ADVANCED FORMULA Antimicrobial* Promotes oral health* Hydrates oral cavity* Promotes healthy gums* Freshens breath* Alcohol 1.8%	Spray Pain and swelling relief* Promotes healing* Reduces bruising*	Gel Pain and swelling relief* Promotes healing* Reduces bruising* Relieves oral ulcers* Hydrates oral cavity*	16 fl oz (473 ml)	1 fl oz (30 ml)	1 fl oz (30 ml)	<p>STELLALIFE® Intelligent Healing®</p> <p>3 • 3 • 3 StellaLife® Program</p> <ul style="list-style-type: none"> Start 3 DAYS before the surgery or procedure to increase therapeutic levels. Apply 3 TIMES per day, preferably after meals. Use all 3 PRODUCTS at the same time in the order outlined. <p>Directions</p> <p>STEP 1 VEGA Oral Care Rinse Shake well. Swish 3/4 tablespoon (10 ml) for 1-2 minutes, spit out.</p> <p>STEP 2 VEGA Oral Care Spray Spray 4 times under the tongue.</p> <p>STEP 3 VEGA Oral Care Gel Apply to the gum at the affected area with a cotton swab.</p> <p>Continue using all 3 products after the surgery or procedure. Refrain from drinking and eating for at least 20 minutes after application. Consult your healthcare professional for use in children under 6 years of age.</p> <p>Other information</p> <p>For your protection this bottle has a full body seal. Do not use if this tamper evident seal around bottle is broken or missing.</p> <ul style="list-style-type: none"> Store at room temperature. Keep away from direct heat or sunlight. Because of natural ingredients, color may vary over time. Use within 60 days of opening. <p>Inactive ingredients</p> <p>Citric acid, Glycerin, Potassium sorbate, Purified water.</p> <p>Questions? 1-800-828-7265 support@StellaLife.com</p> <p><small>*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</small></p>	<p>VEGA® Oral Care Spray</p> <p>Drug Facts</p> <p>Active Ingredients Contains 7.14% of each of the following HPUS ingredients: Arnica 3X, 6X, 18X..... Bruising, swelling Calendula 3X..... Antiseptic Chamomilla 5X..... Swelling Echinacea angustifolia 3X..... Antiseptic Echinacea purpurea 3X..... Antiseptic Hepar sulph calc 8X..... Antiseptic Hypericum 10X..... Bruising, wound healing Ignatia 30X..... Soothing Ledum palustre 6X..... Analgesic Ruta 12X..... Bruising Silicea 8X..... Analgesic, antiseptic Staphysagria 8X..... Analgesic, soothing</p> <p>Purpose</p> <p>Uses Temporarily</p> <ul style="list-style-type: none"> Relieves pain and swelling. Promotes healing. Reduces bruising. <p>Warnings</p> <ul style="list-style-type: none"> Do not use if you have a known allergy or sensitivity to any of the ingredients. Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash. As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product. Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately. If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional. <p>Directions</p> <p>Adults and children over 6 years of age: Shake well. Spray 4 times under the tongue. Repeat 3-4 times per day or as directed by your doctor. Consult a healthcare professional for use in children under 6 years of age.</p> <p>Other information</p> <p>For your protection this container has a seal. Do not use if this tamper evident seal is broken or missing.</p> <ul style="list-style-type: none"> Store at room temperature. Keep away from direct heat or sunlight. Because of natural ingredients, color may vary over time. Use within 60 days of opening. <p>Inactive ingredients</p> <p>Citric acid, Glycerin, Potassium sorbate, Purified water.</p> <p>Questions? 1-800-828-7265 support@StellaLife.com</p> <p><small>*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</small></p>
Homeopathic NDC 69685-113-16	Homeopathic NDC 69685-111-01	Homeopathic NDC 69685-112-01										
Rinse ADVANCED FORMULA Antimicrobial* Promotes oral health* Hydrates oral cavity* Promotes healthy gums* Freshens breath* Alcohol 1.8%	Spray Pain and swelling relief* Promotes healing* Reduces bruising*	Gel Pain and swelling relief* Promotes healing* Reduces bruising* Relieves oral ulcers* Hydrates oral cavity*										
16 fl oz (473 ml)	1 fl oz (30 ml)	1 fl oz (30 ml)										

Spray Principal Display Panel

<p>Homeopathic NDC 69685-111-01</p> <p>STELLALIFE® Intelligent Healing®</p> <p>Pain and swelling relief* Promotes healing* Reduces bruising*</p> <p>VEGA® Oral Care</p> <p>Spray 1 fl oz (30 ml)</p>	<p>Drug Facts</p> <p>Active ingredients Purpose</p> <p>Contains 7.14% each of the following HPUS ingredients:</p> <table border="1"> <tr><td>Arnica 3X, 6X, 18X</td><td>Bruising, swelling</td></tr> <tr><td>Calendula 3X</td><td>Antiseptic</td></tr> <tr><td>Chamomilla 5X</td><td>Swelling</td></tr> <tr><td>Echinacea angustifolia 3X</td><td>Antiseptic</td></tr> <tr><td>Echinacea purpurea 3X</td><td>Antiseptic</td></tr> <tr><td>Hepar sulph calc 8X</td><td>Antiseptic</td></tr> <tr><td>Hypericum 10X</td><td>Bruising, wound healing</td></tr> <tr><td>Ignatia 30X</td><td>Soothing</td></tr> <tr><td>Ledum palustre 6X</td><td>Analgesic</td></tr> <tr><td>Ruta 12X</td><td>Bruising</td></tr> <tr><td>Silicea 8X</td><td>Analgesic, antiseptic</td></tr> <tr><td>Staphysagria 8X</td><td>Analgesic, soothing</td></tr> </table> <p>peel here</p>	Arnica 3X, 6X, 18X	Bruising, swelling	Calendula 3X	Antiseptic	Chamomilla 5X	Swelling	Echinacea angustifolia 3X	Antiseptic	Echinacea purpurea 3X	Antiseptic	Hepar sulph calc 8X	Antiseptic	Hypericum 10X	Bruising, wound healing	Ignatia 30X	Soothing	Ledum palustre 6X	Analgesic	Ruta 12X	Bruising	Silicea 8X	Analgesic, antiseptic	Staphysagria 8X	Analgesic, soothing
Arnica 3X, 6X, 18X	Bruising, swelling																								
Calendula 3X	Antiseptic																								
Chamomilla 5X	Swelling																								
Echinacea angustifolia 3X	Antiseptic																								
Echinacea purpurea 3X	Antiseptic																								
Hepar sulph calc 8X	Antiseptic																								
Hypericum 10X	Bruising, wound healing																								
Ignatia 30X	Soothing																								
Ledum palustre 6X	Analgesic																								
Ruta 12X	Bruising																								
Silicea 8X	Analgesic, antiseptic																								
Staphysagria 8X	Analgesic, soothing																								

Gel Principal Display Panel

Drug Facts

Active ingredients Purpose
 Contains 0.0714% of each of the following HPUS ingredients:
 Arnica 3X, 6X, 18X..... Bruising, swelling
 Calendula 3X.....Antiseptic
 Chamomilla 5X.....Swelling
 Echinacea angustifolia 3X.....Antiseptic
 Echinacea purpurea 3X.....Antiseptic
 Hepar sulph calc 8X.....Antiseptic
 Hypericum 10X.....Bruising, wound healing
 Ignatia 30X.....Soothing
 Ledum palustre 6X.....Analgesic
 Ruta 12X.....Bruising
 Silicea 8X.....Analgesic, antiseptic
 Staphysagria 8X.....Analgesic, soothing

Uses Temporarily
 ■ Relieves pain and swelling.
 ■ Promotes healing.
 ■ Reduces bruising.
 ■ Relieves oral ulcers.
 ■ Hydrates oral cavity.

Warnings
 ■ Do not use if you have a known allergy or sensitivity to any of the ingredients.
 ■ Stop use and consult a health professional if you experience irritation or unusual sensitivity, or develop a rash.
 ■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.
 ■ Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.
 ■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional. →

Drug Facts (continued)

Directions
 Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under 6 years of age.

Other information
 For your protection, this container has a seal. Do not use if this tamper evident seal is broken or missing.
 ■ Store at room temperature.
 ■ Keep away from direct heat or sunlight.
 ■ Because of natural ingredients, color may vary over time.
 ■ Use within 60 days of opening.

Inactive ingredients
 Allantoin, Hydroxyethylcellulose, Peppermint oil, Purified water, Sodium benzoate, Xylitol.

Questions?
 1-800-828-7265 or support@StellaLife.com

Homeopathic NDC 69685-112-01

STELLALIFE®
 Intelligent Healing®

DENTIST RECOMMENDED

Pain and swelling relief*

Promotes healing*
 Reduces bruising*
 Relieves oral ulcers*
 Hydrates oral cavity*

VEGA® Oral Care

Gel

Peppermint 1 fl oz (30 ml)

EDITORS' CHOICE
 THE DENTAL ADVISOR

STELLALIFE®
 Intelligent Healing®

Distributed by:
 StellaLife®
 P.O. Box 1204
 Northbrook
 IL 60065, USA

Awarded Editors' Choice, the highest distinction given by the Dental Advisor™.

StellaLife.com

Made in U.S.A.
 VEGA® and Intelligent Healing® are trademarks of StellaLife®, Inc. All rights reserved.

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

SCAN ME

STELLALIFE VEGA ORAL CARE GEL			
gel gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61727-117
Route of Administration	TOPICAL, DENTAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)		CALCIUM SULFIDE	8 [hp_X] in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)		STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)		DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)		ARNICA MONTANA	18 [hp_X] in 1 mL
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)		MATRICARIA RECUTITA	5 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)		RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)		HYPERICUM PERFORATUM	10 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)		ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)		SILICON DIOXIDE	8 [hp_X] in 1 mL
ECHINACEA PURPUREA (UNII: Q17G114Y98) (ECHINACEA PURPUREA - UNII:Q17G114Y98)		ECHINACEA PURPUREA	3 [hp_X] in 1 mL

LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	6 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)	
ALLANTOIN (UNII: 344S277G0Z)	
XYLITOL (UNII: VCQ006KQ1E)	
PEPPERMINT OIL (UNII: AV092KU4JH)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61727-117-01	1 in 1 BOX	01/08/2021	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

STELLALIFE VEGA ORAL CARE RECOVERY KIT

kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61727-115
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:61727-115-01	1 in 1 BOX; Type 1: Convenience Kit of Co-Package	01/08/2021
---	------------------	---	------------

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1		1
Part 2		1
Part 3		1

Part 1 of 3

STELLALIFE VEGA ORAL CARE

spray spray

Product Information

Item Code (Source)	NDC:61727-118
Route of Administration	SUBLINGUAL, DENTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	6 [hp_X] in 1 mL
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W)	ARNICA MONTANA	18 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

Part 2 of 3

STELLALIFE VEGA ORAL CARE GEL

gel gel

Product Information

Item Code (Source)	NDC:61727-117
Route of Administration	TOPICAL, DENTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWG	6 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	18 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA	RUTA GRAVEOLENS	12 [hp_X]

GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	FLOWERING TOP	in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ALLANTOIN (UNII: 344S277G0Z)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
XYLITOL (UNII: VCQ006KQ1E)	
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

Part 3 of 3

STELLALIFE VEGA ORAL CARE RINSE

rinse rinse

Product Information

Item Code (Source)	NDC:61727-103
Route of Administration	DENTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	1 [hp_X] in 1 mL

AZADIRACHTA INDICA BARK (UNII: G580B439YI) (AZADIRACHTA INDICA BARK - UNII:G580B439YI)	AZADIRACHTA INDICA BARK	1 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD) (CALENDULA OFFICINALIS FLOWER - UNII:P0M7O4Y7YD)	CALENDULA OFFICINALIS FLOWER	1 [hp_X] in 1 mL
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)	PLANTAGO MAJOR	1 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
ALLANTOIN (UNII: 344S277G0Z)	
MENTHA PIPERITA LEAF (UNII: A389O33LX6)	
XYLITOL (UNII: VCQ006KQ1E)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor	PEPPERMINT	Imprint Code	
Contains			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

STELLALIFE VEGA ORAL CARE

spray spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61727-118
Route of Administration	SUBLINGUAL, DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	18 [hp_X] in 1 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	6 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61727-118-01	1 in 1 BOX	01/08/2021	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/08/2021	

Labeler - Homeocare Laboratories, Inc. (088248828)

Registrant - Homeocare Laboratories, Inc. (088248828)

Establishment

Name	Address	ID/FEI	Business Operations
Homeocare Laboratories Inc		088248828	manufacture(61727-117, 61727-115, 61727-118)

Revised: 12/2025

Homeocare Laboratories, Inc.