

**FIFTHPULSE MICONAZOLE NITRATE ANTIFUNGAL- miconazole
nitrate ointment
WeCare Products LLC**

FifthPulse Miconazole Nitrate 2% Antifungal Cream

Drug Facts

Active ingredients

Miconazole Nitrate 2%

Purpose

Anti-Fungal

Uses

- Proven clinically effective in the treatment of most athlete's foot (tinea pedis) , jock itch (tinea cruris), and ringworm (tinea corporis)
- Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.

Warnings

For external use only.

Do not use

if the safety-sealed tube is punctured or damaged.

Do not use on children 2 years of age unless directed by a doctor.

When using this product

avoid contact with eyes.

Stop use and ask a doctor if

- Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks (for jock itch).
- Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Clean the affected area and dry thoroughly.
- Apply a thin layer of the product over

affected area twice daily (morning and night), or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot: Pay special attention to the spaces between the toes; • Wear well-fitting ventilated shoes • Change socks at least once daily.

For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor.

For jock itch: Use daily for 2 weeks. If condition persists longer, consult a doctor. • This product is not effective on the scalp or nails.

Other information:

• Store at 15° to 30° C (59° to 86°F) • Lot number and expiration date see crimp of tube or see box. • To open: Unscrew cap, tear safety seal off.

Inactive ingredients

Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono-and-di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

Questions or Comments?

Please call 1-888-209-5201

Package Labeling:

<p>Drug Facts (continued)</p> <p>Directions</p> <p>■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product.</p> <p>For athlete's foot: ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily.</p> <p>For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor.</p> <p>For jock itch: Use daily for 2 weeks. If condition persists longer, ▶</p>		<p>Drug Facts (continued)</p> <p>consult a doctor. ■ This product is not effective on the scalp or nails.</p> <p>Other information: ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear safety seal off.</p> <p>Inactive ingredients: Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono-and-di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.</p> <p>Questions or Comments? Please call 1-888-209-5201</p>		<p>FifthPulse</p> <p>LOT: EXP:</p>				
<p>NDC: 69571-016-01</p>  <p>8 40331 60528 0</p>		<p>FifthPulse</p> <p>Manufactured for:</p> <p>WeCare Products LLC 20000 NE 15th CT, Miami, FL 33179</p> <p>Made in China</p>						
<p>Relieves:</p> <ul style="list-style-type: none"> • Itching • Burning • Redness • Chafing 		<p>Miconazole Nitrate 2% Antifungal Cream</p> <p>2% USP Cures Most Athlete's Foot, Jock Itch & Ringworm</p> <p>FifthPulse</p> <p>Net wt. 1oz (28.4g)</p>						
<p>Drug Facts</p> <table border="1"> <tr> <th>Active Ingredient</th> <th>Purpose</th> </tr> <tr> <td>Miconazole Nitrate 2%</td> <td>Anti-Fungal</td> </tr> </table> <p>Uses</p> <p>■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)</p> <p>■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.</p> <p>Warnings For external use only. ▶</p>		Active Ingredient	Purpose	Miconazole Nitrate 2%	Anti-Fungal	<p>Drug Facts (continued)</p> <p>Do not use if the safety-sealed tube is punctured or damaged.</p> <p>Do not use on children under 2 years of age unless directed by a doctor.</p> <p>When using this product avoid contact with eyes.</p> <p>Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. ▼</p>		
Active Ingredient	Purpose							
Miconazole Nitrate 2%	Anti-Fungal							



Miconazole Nitrate 2% Antifungal Cream

NDC:69571-016-01

Net wt. 1oz (28.4g)



Cures Most Athlete's Foot,
Jock Itch & Ringworm

DO NOT USE IF SAFETY-SEALED TUBE IS PUNCTURED OR DAMAGED.

Active ingredient

Miconazole Nitrate 2%

Purpose

Anti-Fungal

Uses ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.

Warnings: For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. **For athlete's foot:** ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. **For ringworm:** Use daily for 4 weeks. If condition persists, consult a doctor. **For jock itch:** Use daily for 2 weeks. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails.

Other information: ■ Store at 15° - 30°C (59° - 86° F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear foil safety seal off. **Inactive ingredients** Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono- and di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

Questions or Comments?
Please call 1-888-209-5201

Manufactured for:
WeCare Products LLC
20000 NE 15th Ct.
Miami, FL 33179

Package Labeling:

Drug Facts		Drug Facts (continued)	
Active Ingredient Miconazole Nitrate 2%	Purpose Anti-Fungal	Do not use if the safety-sealed tube is punctured or damaged. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with eyes.	
Uses ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.		Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).	
Warnings For external use only.		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.	

Drug Facts (continued)		Drug Facts (continued)	
Directions ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. For athlete's foot: ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor. For jock itch: Use daily for 2 weeks. If condition persists longer,		consult a doctor. ■ This product is not effective on the scalp or nails. Other information: ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear safety seal off.	
		Inactive ingredients: Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono-and-di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.	
		Questions or Comments? Please call 1-888-209-5201	

FifthPulse

LOT:
EXP.



NDC: 69571-017-01



Manufactured for:

WeCare Products LLC
20000 NE 15th CT.
Miami, FL 33179

Made in China

- Relieves:**
- Itching
 - Burning
 - Redness
 - Chafing

Miconazole Nitrate 2% Antifungal Cream

2%
USP

Cures Most Athlete's Foot,
Jock Itch & Ringworm



Net wt. 4oz (113.4g)



Miconazole Nitrate 2% Antifungal Cream

NDC:69571-017-01

Net wt. 4oz (113.4g)



Cures Most Athlete's Foot,
Jock Itch & Ringworm

DO NOT USE IF SAFETY-SEALED TUBE IS PUNCTURED OR DAMAGED.

Active ingredient

Miconazole Nitrate 2% Anti-Fungal

Purpose

Uses ■ Proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) ■ Relieves itching, scaling, cracking, burning and discomfort associated with these conditions.

Warnings: For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ Irritation occurs or if there is no improvement within 4 weeks (for athlete's foot and ringworm) ■ Irritation occurs, or if there is no improvement within 2 weeks (for jock itch).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor ■ Supervise children in the use of this product. For athlete's foot: ■ Use daily for 4 weeks. If condition persists, consult a doctor. ■ Pay special attention to the spaces between the toes ■ Wear well fitting, ventilated shoes ■ Change socks at least once daily. For ringworm: Use daily for 4 weeks. If condition persists, consult a doctor. For jock itch: Use daily for 2 weeks. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails.

Other Information: ■ Store at 15° - 30°C (59° - 86°F) ■ Lot number and expiration date see crimp of tube or see box. ■ To open: Unscrew cap, tear foil safety seal off. **Inactive ingredients** Alcohol, Carbomer, Cetostearyl alcohol, Dimethyl sulfoxide, Edetate disodium, Ethylparaben, Glycerol, Mineral oil, Mono-and di-glycerides, Petrolatum, Polyoxyethylene lauryl ether, Purified water, Stearic acid, Triethanolamine.

Manufactured for:
WeCare Products LLC
20000 NE 15th CT,
Miami, FL 33179

Questions or Comments?
Please call 1-888-209-5201

FIFTHPULSE MICONAZOLE NITRATE ANTIFUNGAL

miconazole nitrate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87525-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLPARABEN (UNII: 14255EXE39)	
GLYCERIN (UNII: PDC6A3C0OX)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87525-004-01	1 in 1 BOX	04/30/2026	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:87525-004-02	1 in 1 BOX	04/30/2026	
2		113.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	04/30/2026	

Labeler - WeCare Products LLC (085508446)

Registrant - WeCare Products LLC (085508446)

Revised: 4/2026

WeCare Products LLC