

**HYDRATE II- berberis aquifolium, beta vulgaris, boldo, chelidonium majus, hordeum vulgare, iris versicolor, rosmarinus officinale, carduus marianus, taraxacum officinale, avena sativa, eleutherococcus senticosus, xanthoxylum fraxineum, equisetum hyemale, hypericum perforatum, ulmus fulva, gettysburg aqua, glycyrrhiza glabra, wildbad aqua, carlsbad aqua, atp, hydrogen, natrum muriaticum, oxygen, silicea, wiesbaden aqua. liquid
OHM PHARMA INC.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hydrate II

ACTIVE INGREDIENTS: Berber Aqu 8X, Beta Vulg 8X, Boldo 8X, Carduus Mar 8X, Chelidonium Maj 8X, Hordeum Vulgare 8X, Iris Vers 8X, Rosmarinus 8X, Taraxacum 8X, Avena 8X, Eleutherococcus Senticosus 8X, Xanthoxylum 8X, Equisetum Hyem 8X, Hypericum 8X, Ulmus Fulv 8X, Gettysburg Aqua 12X, Glycyrrhiza 12X, Wildbad Aqua 6C, Carlsbad Aqua 12C, ATP 30C, Hydrogen 30C, Nat Mur 30C, Oxygen 30C, Silicea 30C, Wiesbaden Aqua 30C.

USES: Temporarily relieves low energy, circulatory disorders, digestive upset, &/or symptoms related to poor cellular hydration.**

**These statements have not been reviewed by the FDA. They are based on traditional homeopathic practice.

DIRECTIONS: Adults & children above 12 years: Mix 3 parts water to 1 part juice. Add 6 drops of Hydrate II to 8 oz mixture or add 30 drops to a quart mixture. Drink 4 - 8 oz glasses daily in between meals. Drink Hydrate II/water mixture for 6 days and then only water for 1 day. Repeat. After 8 weeks begin drinking more pure water and less Hydrate II/water mixture.

WARNINGS: ☐

- Consult a physician for use in children under 12 years of age.
- **IF PREGNANT OR BREAST-FEEDING**, ask a health professional before use.
- **KEEP OUT OF THE REACH OF CHILDREN.** In case of overdose (or accidental ingestion) get medical help or contact a Poison Control Center right away.
- Do not use if TAMPER EVIDENT seal is broken or missing.

Keep out of reach of children.

INACTIVE INGREDIENTS: Purified Water, USP Ethyl Alcohol.

Zorex International - PO Box 57, Lowell, MI 49931 Telephone: 616-558-4929

MFG FOR: Viotron International LTD., 800-437-1298

and D.S.D. International LTD., 800-232-3183

Cell Hydration

ZOREX


NDC: 66096-716-02

HYDRATE II

Cell Hydration

HOMEOPATHIC

1 fl oz (30 mL) / 20% Alcohol

 NDC: 66096-716-02 HYDRATE II Cell Hydration HOMEOPATHIC 1 fl oz (30 mL) / 20% Alcohol	ACTIVE INGREDIENTS: Berber Aquifolium 8X, Beta Vulg 8X, Boldo 8X, Carduus Mar 8X, Chelidonium Maj 8X, Hordeum Vulgare 8X, Iris Vers 8X, Rosmarinus 8X, Taraxacum 8X, Avena 8X, Eleutherococcus Senticosus 8X, Xanthoxylum 8X, Equisetum Hyem 8X, Hypericum 8X, Ulmus Fulv 8X, Gettysburg Aqua 12X, Glycyrrhiza 12X, Wildbad Aqua 6C, Carlsbad Aqua 12C, ATP 30C, Hydrogen 30C, Nat Mur 30C, Oxygen 30C, Silicea 30C, Wiesbaden Aqua 30C.
	USES: Temporarily relieves low energy, circulatory disorders, digestive upset, &/or symptoms related to poor cellular hydration.**
	DIRECTIONS: Adults & children above 12 years: Mix 3 parts water to 1 part juice. Add 6 drops of Hydrate II to 8 oz mixture or add 30 drops to a quart mixture. Drink 4 – 8 oz glasses daily in between meals. Drink Hydrate II/water mixture for 6 days and then only water for 1 day. Repeat. After 8 weeks begin drinking more pure water and less Hydrate II/water mixture.
	WARNINGS: <ul style="list-style-type: none">• Consult a physician for use in children under 12 years of age.• IF PREGNANT OR BREAST-FEEDING, ask a health professional before use.• KEEP OUT OF THE REACH OF CHILDREN. In case of overdose (or accidental ingestion) get medical help or contact a Poison Control Center right away.• Do not use if TAMPER EVIDENT seal is broken or missing.
	INACTIVE INGREDIENTS: Purified Water, USP Ethyl Alcohol. Zorex International – PO Box 57, Lowell, MI 49931 Telephone: 616-558-4929 MFG FOR: Viotron International LTD., 800-437-1298 and D.S.D. International LTD., 800-232-3183 ** These statements have not been reviewed by the FDA. They are based on traditional homeopathic practice.

HYDRATE II

berberis aquifolium, beta vulgaris, boldo, chelidonium majus, hordeum vulgare, iris versicolor, rosmarinus officinale, carduus marianus, taraxacum officinale, avena sativa, eleutherococcus senticosus, xanthoxylum fraxineum, equisetum hyemale, hypericum perforatum, ulmus fulva, gettysburg aqua, glycyrrhiza glabra, wildbad aqua, carlsbad aqua, atp, hydrogen, natrum muriaticum, oxygen, silicea, wiesbaden aqua. liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66096-716
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BERBERIS AQUIFOLIUM ROOT BARK (UNII: VZJ9F3C3SB) (BERBERIS AQUIFOLIUM ROOT BARK - UNII:VZJ9F3C3SB)	BERBERIS AQUIFOLIUM ROOT BARK	8 [hp_X] in 30 mL
BETA VULGARIS (UNII: 4G174V5051) (BETA VULGARIS - UNII:4G174V5051)	BETA VULGARIS	8 [hp_X] in 30 mL
PEUMUS BOLDUS LEAF (UNII: Q4EWM09M3O) (PEUMUS BOLDUS LEAF - UNII:Q4EWM09M3O)	PEUMUS BOLDUS LEAF	8 [hp_X] in 30 mL
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	8 [hp_X] in 30 mL
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	8 [hp_X] in 30 mL

BARLEY (UNII: 5PWM7YLI7R) (BARLEY - UNII:5PWM7YLI7R)	BARLEY	8 [hp_X] in 30 mL
IRIS VERSICOLOR ROOT (UNII: X43D4L3DQC) (IRIS VERSICOLOR ROOT - UNII:X43D4L3DQC)	IRIS VERSICOLOR ROOT	8 [hp_X] in 30 mL
ROSMARINUS OFFICINALIS FLOWERING TOP (UNII: 8JM482TI79) (ROSMARINUS OFFICINALIS FLOWERING TOP - UNII:8JM482TI79)	ROSMARINUS OFFICINALIS FLOWERING TOP	8 [hp_X] in 30 mL
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	8 [hp_X] in 30 mL
AVENA SATIVA FLOWERING TOP (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	8 [hp_X] in 30 mL
ELEUTHERO (UNII: ZQH6VH092Z) (ELEUTHERO - UNII:ZQH6VH092Z)	ELEUTHERO	8 [hp_X] in 30 mL
ZANTHOXYLUM AMERICANUM BARK (UNII: A4KL1HMZ7T) (ZANTHOXYLUM AMERICANUM BARK - UNII:A4KL1HMZ7T)	ZANTHOXYLUM AMERICANUM BARK	8 [hp_X] in 30 mL
EQUISETUM HYEMALE (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	8 [hp_X] in 30 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	8 [hp_X] in 30 mL
ULMUS RUBRA BARK (UNII: 91QY4PXU8Q) (ULMUS RUBRA BARK - UNII:91QY4PXU8Q)	ULMUS RUBRA BARK	8 [hp_X] in 30 mL
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	12 [hp_X] in 30 mL
ADENOSINE TRIPHOSPHATE (UNII: 8L70Q75FXE) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE	30 [hp_C] in 30 mL
HYDROGEN (UNII: 7YNJ3PO35Z) (HYDROGEN - UNII:7YNJ3PO35Z)	HYDROGEN	30 [hp_C] in 30 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	30 [hp_C] in 30 mL
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	30 [hp_C] in 30 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	30 [hp_C] in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66096-716-02	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	03/14/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/14/2017	

Registrant - OHM PHARMA INC. (030572478)

Establishment

Name	Address	ID/FEI	Business Operations
OHM PHARMA INC.		030572478	manufacture(66096-716)

Revised: 3/2017

OHM PHARMA INC.