QUALITY CHOICE TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Chain Drug Marketing Association Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

QC Triple Antibiotic Ointment 0.5 oz 99196, 2019

Uses

first aid to help prevent infection in mirror:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over the large areas of the body

Ask doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20° to 25°C (68° to 77°F)
- Lot & Exp. Date: see box or see crimp of tube

Inactive ingredients

liquid paraffin, methylparaben, polyoxyl 40 stearate, propylparaben, white petrolatum DISTRIBUTED BY:

C.D.M.A., INC.

43157 W. NINE MILE

NOVI, MI 48376-0995

www.qualitychoice.com

MADE IN KOREA



Warnings For external use only.	у, дие роду
USes first aid to help prevent infection in minor: cuts scrapes burns	
stineiberigni evitis. Bacitracin zinc 400 unita Bacitracin zinc 400 unita. Meomycin sulfate 3.000 unita.	ottoiditns bis triff
Drug Facts	



*Compare to the active ingredients in NEOSPORIN®

Triple Antibiotic Ointment

First Aid Antibiotic

Bacitracin Zinc | Neomycin Sulfate | Polymyxin B Sulfate

First Aid to Help Prevent Infection in:

Minor Cuts | Scrapes | Burns



Triple Antibiotic Ointment

First Aid Antibiotic

Bacitracin Zinc | Neomycin Sulfate | Polymyxin B Sulfate

1 oz NET WT (28g)

*This product is not manufactured or distributed by Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Neosporin®.

Made in Korea







liquid paraffin, methylparaben, polyoxyl 40 stearate, propylparaben, white petrolatum Inactive ingredients

- store at 20° to 25°C (68° to 77°F) Lot & Exp. Date: See box or see crimp of tube
 - Other information
- wash as awall amount of this broduct (an amount edual to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - clean the affected area

Directions

LOT & EXP.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- rash or other allergic reaction develops
- condition persists or gets worse ■ you need to use longer than 1 week
- Stop use and ask a doctor if

Ask a doctor before use if you have - deep or puncture wounds - animal bites - serious burns Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body

For external use only Warnings

tirst sid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns

Polymyxin is suitate 5,000 units. . FIRST AID ARUDIOUC Neomycin sulfate 3.5 mg First aid antibiotic First aid antibiotic Bacitracin zinc 400 units. əsodınd Active ingredients

Drug Facts

QUALITY CHOICE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-356
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO 52I)	BACITRACIN	400 [USP'U] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	3.5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
PARAFFIN (UNII: 19 O 0 E 3 H 2 Z E)		
METHYLPARABEN (UNII: A2I8 C7HI9 T)		
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
PETROLATUM (UNII: 4T6H12BN9U)		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-356-14	1 in 1 CARTON	0 1/16/20 15	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:63868-356-28	1 in 1 CARTON	0 1/16/20 15	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	0 1/15/20 15	

Labeler - Chain Drug Marketing Association Inc (011920774)

Revised: 12/2019 Chain Drug Marketing Association Inc