#### RECHARGE REGIMEN FOR BALANCING, BOOSTING AND DEFENDING HEALTHY-LOOKING SKIN- titanium dioxide, zinc oxide cream Rodan & Fields

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

## **Active Ingredient**

Titanium Dioxide 3.2% Zinc Oxide 7.7%

## Purpose

Sunscreen

Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

## Warnings

- For external use only
- **Do not use** on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- After moisturizing, apply generously at least 15 minutes before sun exposure using fingertips. Smooth and blend evenly over entire face in an outward direction.
- Wear alone or under makeup to prime skin.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Children under 6 months of age: ask a doctor.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.

## **Other Information**

Protect the product in this container from excessive heat and direct sun.

## **Inactive Ingredients**

Isododecane, Cyclopentasiloxane, Dimethicone Crosspolymer, Calcium Sodium Borosilicate, Butyloctyl Salicylate, Jojoba Esters, Dimethicone, Glycerin, Sea Water/Maris Aqua/Eau De Mer, Hexyl Laurate, Acrylates/Dimethicone Copolymer, Water, Vaccinium Angustifolium (Blueberry) Fruit Extract, Carnosine, Sclareolide, Zinc PCA, Fragrance/Parfum, Silica, Dimethicone/Polyglycerin-3 Crosspolymer, Polyglyceryl-4 Isostearate, PEG-10 Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Stearic Acid, Biosaccharide Gum-4, Methyl Carboxymethylphenyl Aminocarboxypropylphosphonate, Isopropyl Titanium Triisostearate, Tocopherol, Sodium Citrate, Butylene Glycol, Propanediol, Dipropylene Glycol, Phenoxyethanol, Hexyl Cinnamal, Limonene, Linalool, Alumina, Iron Oxides (Cl 77499).

## **Questions**

1-888-995-5656

## Principal Display Panel - Carton Label

RODAN + FIELDS RECHARGE


Regimen for Balancing, Boosting and Defending

Healthy-Looking Skin

Based on Multi-Med Therapy, RECHARGE is a multitasking skincare system that acts like a nutrientrich super vitamin to balance and boost skin's defenses — visibly improving skin with the first use. Each step is clinically tested so they work together to defend against premature aging and repair skin's moisture barrier.

This 3-step Regimen was developed by Stanford-trained Dermatologists Dr. Katie Rodan and Dr. Kathy Fields.

RDDAN + FIELDS 3-in-1 Super Cleanser 125 mL / 4.2 Fl. Oz. U.S. Ultra Boost Moisturizing Treatment 50 mL / 1.7 Fl. Oz. U.S. Protect + Blur Broad Spectrum SPF 30 Sunscreen 40 mL / 1.35 Fl. Oz. U.S.



# **RECHARGE REGIMEN FOR BALANCING, BOOSTING AND DEFENDING HEALTHY-LOOKING SKIN**

titanium dioxide, zinc oxide cream

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-8000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	$0.032\;g\;\;in\;1mL$			
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	$0.077\;g~in\;1mL$			

Inactive Ingredients				
Ingredient Name	Strength			
ISO DO DECANE (UNII: A8289P68Y2)				
CYCLOMETHICONE 5 (UNII: 0 THT5PCI0 R)				
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)				
HYDRO GENATED JO JO BA O IL, RANDO MIZED (UNII: Q47ST02F58)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
GLYCERIN (UNII: PDC6A3C0OX)				

HEXYL LAURATE (UI	NII: 4CG9	F9W01Q)					
WATER (UNII: 059QF	0KO0R)						
BLUEBERRY (UNII: 25	53RUG1X1	A)					
CARNOSINE (UNII: 8)	HO6PVN24	ŧW)					
SCLAREOLIDE (UNII:	: 37W4O0	D6E6)					
ZINC PIDOLATE (UN	II: C32PQ	36DH4)					
SILICON DIO XIDE (U	JNII: ETJ72	Z6XBU4)					
POLYGLYCERYL-4	ISOSTEA	RATE (UNII: 820DPX33S7)					
PEG-10 DIMETHICON	NE (600 C	ST) (UNII: 8PR7V1SVM0)					
CETYL PEG/PPG-10/1	1 DIMETH	ICONE (HLB 3) (UNII: G300307ZXP)					
STEARIC ACID (UNII:	4ELV7Z6	5AP)					
<b>BIOSACCHARIDE GU</b>	J <b>M-4</b> (UNI	I: 9XRL057X90)					
ISOPROPYL TITANI	UM TRIIS	OSTEARATE (UNII: 949E3KBJ1I)					
TOCOPHEROL (UNII:	: R0ZB255	698)					
SODIUM CITRATE, U	NSPECIF	IED FORM (UNII: 1Q73Q2JULR)					
BUTYLENE GLYCOL	. (UNII: 3X	US85K0RA)					
PROPANEDIOL (UNII: 5965N8W85T)							
DIPRO PYLENE GLYC	C <b>OL</b> (UNI	:E107L85C40)					
PHENOXYETHANOL (UNII: HIE492ZZ3T)							
LIMO NENE, (+)- (UNI	II: GFD7C8	86Q1W)					
LINALOOL, (+/-)- (U)	NII: D8 1Q	Y6 I8 8 E)					
.BETACITRONELLO	DL, (R)- (	UNII: P01OUT964K)					
GERANIOL (UNII: L83	37108USY	)					
FERRIC OXIDE RED (	(UNII: 1K0	9F3G675)					
Packaging							
# Item Code		Package Description		Marketing Start Date	Marketing End Date		
1 NDC:14222-8000-1	1 in 1 CA	RTON		09/20/2019			
1	30 mL ir	1 TUBE; Type 0: Not a Combination Produ	ct				
Markating Inf	o umo t	ion					
Marketing Inf							
Marketing Catego	-	plication Number or Monograph Cita	tion	Marketing Start Date	Marketing End Date		
OTC monograph not fin	nal part	352		09/20/2019			

Labeler - Rodan & Fields (051659584)

Revised: 10/2019

Rodan & Fields