

**75% ALCOHOL DISINFECTANT- 75% alcohol disinfectant liquid**  
**Dongyang Medical & Hygienic Articles Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**81276-013-01 150ml**

**Active Ingredient(s)**

ALCOHOL DENAT. 75%

**Purpose**

efficient to kill staphylococcus aureus,e. coil, pseudo-monas aeruginosa and candida albicans etc

**Use**

- 1.Hand disinfection:follow the standard method to use soap to wash hands,rinse with running water,dry with sterile towels,then direct spray this product on hands and forearms until moist,wait for 3 minutes, rub hands until dry.
- 2.General object surface disinfection:directly spray on the object surface for until moist,wait for 3-5 minutes.

**Warnings**

1.EXTREMELY FLAMMABLE.

pressurized container; protect from sunlight and don't expose to temperatures exceeding 50° . Don't pierce or burn, even after use. Don't spray on a naked flame or any incandescent material. Keep it away from the reach of children . Don't spray towards eyes.

2.External disinfectant should not be taken orally and kept out of reach of children.

3.Use with caution if allergic to alcohol.

4.It should not be used to disinfect fat-soluble surface.

5.This product is irritating to wounds and mucous membranes.

**Do not use**

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

away.

### Directions

- 1. Hand disinfection: follow the standard method to use soap to wash hands, rinse with running water, dry with sterile towels, then direct spray this product on hands and forearms until moist, wait for 3 minutes, rub hands until dry.
- 2. General object surface disinfection: directly spray on the object surface for until moist, wait for 3-5 minutes.

### Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive ingredients

Water

### Package Label - Principal Display Panel

150 ml in 1 bottle NDC:81276-013-01



### 75% DISINFECTANT

**Main active ingredients:** Ethanol 75%  $\pm$  5%

**Efficacy:** Efficient to kill Staphylococcus aureus, E. coli, Pseudo- monas aeruginosa and Candida albicans etc.

**Use range:** Hand disinfection, general object surface disinfection.

**Usage and dosage:**

1. Hand disinfection: follow the standard method to use soap to wash hands, rinse with running water, dry with sterile towels, then direct spray this product on hands and forearms until moist, wait for 3 minutes, rub hands until dry.
2. General object surface disinfection: directly spray on the object surface for until moist, wait for 3-5 minutes.

### CAUTION:

1. EXTREMELY FLAMMABLE. pressurized container; protect from sunlight and don't expose to temperatures exceeding 50 C. Don't pierce or burn, even after use. Don't spray on a naked flame or any incandescent material. Keep it away from the reach of children. Don't spray towards eyes.
2. External disinfectant should not be taken orally and kept out of reach of children.
3. Use with caution if allergic to alcohol.
4. It should not be used to disinfect fat-soluble surfaces.
5. This product is irritating to wounds and mucous membranes.

**MANUFACTURER:**

DONGYANG MEDICAL & HYGIENIC ARTICLES CO.,LTD.



# 75% ALCOHOL DISINFECTANT

75% alcohol disinfectant liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81276-013
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	112.5 mL in 150 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	

## Packaging

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:81276-013-01	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/06/2020	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part333A	03/30/2020	

**Labeler** - Dongyang Medical & Hygienic Articles Co., Ltd. (530310429)

**Registrant** - Dongyang Medical & Hygienic Articles Co., Ltd. (530310429)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Dongyang Medical & Hygienic Articles Co., Ltd.		530310429	manufacture(81276-013) , label(81276-013)

Revised: 12/2020

Dongyang Medical & Hygienic Articles Co., Ltd.