

INSTA-CHAR AQUEOUS- poison treatment adsorbent suspension
VistaPharm, LLC

INSTA-CHAR AQUEOUS

Active ingredient (in each 240 mL)

Activated charcoal, USP 25 g

Purpose

Poison adsorbent

Use

- for emergency use to adsorb swallowed poisons

Warnings

- **Do not give** activated charcoal until after patient has vomited unless directed by a health professional
- **Do not use** in persons who are not fully conscious
- **Do not use** this product unless directed by a health professional if turpentine, corrosives such as alkalis (lye) and strong acids or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish have been ingested

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- **SHAKE VIGOROUSLY TO SUSPEND CHARCOAL BEFORE USE**
- remove foil seal underneath cap and replace cap
- cut off delivery tip of bottle 3/4 inch from end for drinking
- administer entire bottle, 25 g of activated charcoal in 240 mL, or as directed by a health professional
- repeat dose immediately, if possible
- if previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying
- keep patient active and moving
- save the container of poison

Other information

- store at 20-25°C (68-77°F)

Inactive Ingredients

citric acid, glycerin, propylene glycol, purified water, sucrose

Questions?

1-888-655-1505

PRINCIPAL DISPLAY PANEL-LABEL

NDC 66689-113-08

INSTA-CHAR™
IN AN AQUEOUS BASE
Activated Charcoal Suspension
Poison Adsorbent

Distributed by:
VistaPharm Inc.
Parsippany, NJ 07054

Tamper Evident: Do not use if imprinted Protective Seal under the cap is broken or missing.

NDC 66689-113-08

Drug Facts

Active ingredient (in each 240 mL)	Purpose
Activated charcoal, USP 25 g	Poison adsorbent

Use

- for emergency use to adsorb swallowed poisons

Warnings

- Do not give activated charcoal until after patient has vomited unless directed by a health professional
- Do not use in persons who are not fully conscious
- Do not use this product unless directed by a health professional if turpentine, corrosives such as alkalis (lye) and strong acids or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish have been ingested

Rev: 06/24

Directions

- **SHAKE VIGOROUSLY TO SUSPEND CHARCOAL BEFORE USE**
- remove foil seal underneath cap and replace cap
- cut off delivery tip of bottle 3/4 inch from end for drinking
- administer entire bottle, 25 g of activated charcoal in 240 mL, or as directed by a health professional
- repeat dose immediately if possible
- if previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying
- keep patient active and moving
- save the container of poison

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients citric acid, glycerin, propylene glycol, purified water, sucrose

Questions? 1-888-655-1505

INSTA-CHAR™
IN AN AQUEOUS BASE

Activated Charcoal Suspension
Poison Adsorbent


25 Grams Activated Charcoal
in 240 mL (8 fl oz)

SHAKE VIGOROUSLY BEFORE USE

If possible call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow directions on this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space provided below on the label.

Emergency Phone No.:

Distributed by:
VistaPharm, LLC
Parsippany, NJ 07054



INSTA-CHAR AQUEOUS

poison treatment adsorbent suspension

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:66689-113

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	25 g in 240 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66689-113-08	240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/13/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M023	12/13/2024	

Labeler - VistaPharm, LLC (048458728)