

BUILDABLE BLUR CC BROAD SPECTRUM SPF 40 SUNSCREEN- homosalate, octisalate, and zinc oxide cream
Thrive Causemetics

Buildable Blur™ CC Cream Broad Spectrum SPF 40 Sunscreen

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Homosalate 9.0%	Sunscreen
Octisalate 4.5%	Sunscreen
Zinc Oxide 7.8%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk Skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am. - 2 pm.
 - Wear long-sleeved shirts, pants, and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect this product in this container from excessive heat and direct sun.

Inactive ingredients

AQUA/WATER/EAU, DIMETHICONE, BUTYLOCTYL SALICYLATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, GLYCERIN, PENTYLENE GLYCOL, SODIUM CHLORIDE, TRIBEHENIN, BUTYLENE GLYCOL, CETYL PEG/PPG-10/1 DIMETHICONE, METHYL METHACRYLATE CROSSPOLYMER, PHENYL TRIMETHICONE, TETRAHEXYLDECYL ASCORBATE, LINUM USITATISSIMUM (LINSEED) SEED EXTRACT, DICAPRYLYL CARBONATE, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL METHICONE, DIMETHICONE CROSSPOLYMER, ETHYLHEXYL PALMITATE, ALUMINUM HYDROXIDE, MICA, QUATERNIUM-90 BENTONITE, SODIUM PHYTATE, PROPYLENE CARBONATE, HYDROXYACETOPHENONE, CAPRYLYL GLYCOL, [+/- TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491, 77492, 77499), ULTRAMARINES (CI 77007)].

Questions?

Call (888) 804-4318 or visit www.thrivecausemetics.com

Dist. by Thrive Causemetics, Inc.
Los Angeles, CA 90045

PRINCIPAL DISPLAY PANEL - 30 mL Tube Box

thrive™
causemetics

buildable blur™
CC CREAM

Blur Effect Technology™

Broad Spectrum SPF 40
Sunscreen

1 fl oz / 30 mL

Drug Facts
(continued)

Inactive ingredients

AQUA/WATER/EAU, DIMETHICONE, BUTYLOCTYL SALICYLATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, GLYCERIN, PENTYLENE GLYCOL, SODIUM CHLORIDE, TRIBEHENIN, BUTYLENE GLYCOL, CETYL PEG/PPG-10/1 DIMETHICONE, METHYL METHACRYLATE CROSSPOLYMER, PHENYL TRIMETHICONE, TETRAHEXYLDECYL ASCORBATE, LINUM USITATISSIMUM (LINSEED) SEED EXTRACT, DICAPRYLYL CARBONATE, TRIETHOXYCAPRYLYLSILANE, CAPRYLYL METHICONE, DIMETHICONE CROSSPOLYMER, ETHYLHEXYL PALMITATE, ALUMINUM HYDROXIDE, MICA, QUATERNIUM-90 BENTONITE, SODIUM PHYTATE, PROPYLENE CARBONATE, HYDROXYACETOPHENONE, CAPRYLYL GLYCOL, (+/-) TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491, 77492, 77499), ULTRAMARINES (CI 77007).

Dermatologist Tested
Paraben and Sulfate-Free



thrive™
causemetics

buildable blur™
CC CREAM

Blur Effect Technology™

Broad Spectrum SPF 40
Sunscreen

1 fl oz / 30 mL

This multitasking color-correcting cream blurs and diffuses skin imperfections with buildable light to full coverage and Broad Spectrum SPF 40 protection.

Powered by Blur Effect Technology™, color-adjusting micropigments + vitamin C, this skin-loving formula helps conceal fine lines, pores and dark spots.

To Use: Apply a thin layer with fingertips all over face. Use a wet sponge to tap into skin and blend. Apply liberally 15 minutes before sun exposure. See Drug Facts for more information.

Bigger Than Beauty™

For every product you purchase, we donate to help a woman thrive.

See your impact:
thrivecausemetics.com
#thrivecausemetics

Drug Facts

Active ingredients Purpose

Homosalate 9.0%	Sunscreen
Octisalate 4.5%	Sunscreen
Zinc Oxide 7.8%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by sun

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- Apply liberally 15 minutes before sun exposure.
 - Reapply at least every 2 hours.
 - Use a water resistant sunscreen if swimming or sweating.
 - Children under 6 months of age: Ask a doctor.
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses.

Other information

Protect the product in this container from excessive heat and direct sun.

Questions? Call (888) 804-4318 or visit www.thrivecausemetics.com



T100689

Dist. by Thrive Causemetics, Inc.
Los Angeles, CA 90045 | Made in USA



BUILDABLE BLUR CC BROAD SPECTRUM SPF 40 SUNSCREEN

homosalate, octisalate, and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:77365-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	90 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	45 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	78 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4) (UNII: 8INO2K35FA)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
FLAX SEED (UNII: 4110YT348C)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
MICA (UNII: V8A1AW0880)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
PHYTATE SODIUM (UNII: 88496G1ERL)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ULTRAMARINE BLUE (UNII: I39WR998BI)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77365-005-01	1 in 1 BOX	09/07/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/07/2022	

Labeler - Thrive Causemetics (039299574)

Establishment

Name	Address	ID/FEI	Business Operations
COSMAX USA INC. (COSMAX USA, CORPORATION)		010990210	MANUFACTURE(77365-005)

Revised: 11/2024

Thrive Causemetics