

SHEER TINT SPF 45- broad spectrum lotion
CP Skin Health Group, Inc.

PCA Skincare Sheer Tint Broad Spectrum SPF 45

Active Ingredients

Titanium Dioxide (7.6%)

Zinc Oxide (8.0%)

Purpose

Sunscreen

Uses

Helps prevent sunburn

if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if skin rash occurs.

When using this product keep out of eyes. Rinse with water to remove

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure

Reapply:

-after 80 minutes of swimming or sweating

-immediately after towel drying

-at least every 2 hours

Children under 6 months: ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other skin protecting measures including:

-limit time in the sun, especially from 10 a.m. - 2 p.m.

-wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information

Protect this product from excessive heat and direct sun.

Questions?

Please call 877-722-7546

Inactive Ingredients

Alumina

Butyloctyl Salicylate

C12-15 Alkyl Benzoate

Caprylyl Glycol

Dimethicone

Dimethicone/PEG-10/15 Crosspolymer

Dimethicone/Vinyl Dimethicone Crosspolymer

Ethylhexylglycerin

Hexylene Glycol

Hydrogen Dimethicone

Iron Oxides

Isododecane

Jjoba Esters

Methyl Methacrylate/Glycol Dimethacrylate Crosspolymer

Octyldodecanol

PEG-9 Polydimethylsiloxyethyl Dimethicone

Phenoxyethanol

Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone

Polymethylsilsesquioxane

Sodium Chloride

Triethoxycaprylylsilane

Trihydroxystearin

Water

Sheet Tint

<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Titanium dioxide 7.8% Zinc oxide 8.0%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun <p>Warnings</p> <p>For external use only</p> <p>Do not use on broken or damaged skin</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> apply liberally 15 minutes before sun exposure reapply: <ul style="list-style-type: none"> after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours children under 6 months: ask a doctor <p>Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other skin protecting measures including:</p> <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. - 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses <p>Other information</p> <ul style="list-style-type: none"> protect this product from excessive heat and direct sun <p>Inactive ingredients</p> <p>Water, Dimethicone, Polyacrylate-3, Polydimethylsilyloxyethyl Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Butylacrylate/Sulfonate Alumina, Dimethicone/PEG-10/15 Crosspolymer, Polymethylsiloxysquarane, Sodium Chloride, PEG-9 Polydimethylsilyloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Iron Oxides, Ethylhexylglycerin, Isododecane, Octyl Methacrylate, Hydrogen Dimethicone, Capryl Glycol, Triethoxycarbonylcellulose, Methyl Methacrylate/Glycol Dimethacrylate Crosspolymer, Phenoxethanol, Hexylene Glycol, Jojoba Esters, Trihydroxystearin.</p> <p>Questions or comments? 877.722.7546</p>	Active ingredients	Purpose	Titanium dioxide 7.8% Zinc oxide 8.0%	Sunscreen	<p>sheer tint broad spectrum SPF 45 water resistant (80 minutes) tinted sunscreen</p> <p>for all skin types</p>
Active ingredients	Purpose				
Titanium dioxide 7.8% Zinc oxide 8.0%	Sunscreen				
<p>not for retail sale</p> <p>PCA skin®</p> <p>professional treatment</p> <p>Report serious adverse events to: 877.PCA.SKIN (877.722.7546) in US pcaskin.com ♻️ please recycle © 2022 CP Skin Health Group, Inc. Manufactured for CP Skin Health Group, Inc. Scottsdale, AZ 85251, USA</p>	<p>not for retail sale</p> <p>PCA skin®</p> <p>professional treatment</p> <p>formulated without: synthetic dyes synthetic fragrances</p> <p>6.5 fl oz (192 mL)</p>				



daily-use
sunscreen

SHEER TINT SPF 45

broad spectrum lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68726-269
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	8.1 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	8 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
TRIHYROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68726-269-11	177 mL in 1 CAN; Type 0: Not a Combination Product	05/01/2020	
2	NDC:68726-269-53	192 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2020	

