

BRONCOCHEM COLD AND FLU TEA- acetaminophen-phenylephrine hydrochloride-chlorpheniramine maleate granule, for solution
LABORATORIO MAGNACHEM INTERNATIONAL SRL

BRONCOCHEM COLD AND FLU TEA

Warnings

Liver warning:

This product contains acetaminophen, severe liver damage may occur if you take:

- More than 6 packets in 24 hours, which is the maximum daily amount.
- with other drugs containing acetaminophen.
- three (3) or more alcoholic drinks every day while using this product.

Sore Throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea or vomiting consult a doctor promptly.

Active Ingredients

Acetaminophen.

Phenylephrine Hydrochloride.

Chlorpheniramine Maleate

Purpose

Pain reliever/fever reducer

Nasal decongestant

Antihistamine

Keep Out of the Reach of Children

In case of overdose get medical help or contact a Poison Control Center right away, prompt medical attention is critical for adults as well as for children even if you do not notice any signs symptoms.

Indications and Usage

Temporarily relieves these symptoms due to a cold:

- Minor aches and pains.
- Minor sore throat pain.
- Headache.
- Nasal and sinus congestion.
- Runny nose.
- Sneezing
- Itchy nose or throat.

- Itchy, watery eyes due to hay fever.
- Cough due to minor throat and bronchial irritation.
- Temporarily reduces fever.

Dosage and Administration

Do not use more than directed.

Take every 4 hours; do not take more than 6 packets in 24 hours unless directed by a doctor.

Children under 4 years of age-Do not use.

Children from 4 to 12 years of age-Do not use unless directed by a doctor.

Adults and children 12 years of age and over-One packet

Dissolve contents of one packet into 8 oz of hot or cold water, consume entire drink within 10-15 minutes.

If using a microwave, add contents of one packet to 8 oz of cool water stir briskly before and after heating.

Do not over heat.

Inactive Ingredients

Ascorbic acid, Silicon Dioxide, Citric Acid Monohydrate, Ethyl alcohol, Lime flavor, Maltodextrin, Sucrose, Honey, Sucralose, Tricalcium phosphate, Propyl gallate, Yellow No.5

PACKAGE LABEL PRINCIPAL DISPLAY PANEL





PACKAGE LABEL PRINCIPAL DISPLAY PANNEL



Broncochem[®]
TÉ ANTIGRI PAL

Contiene Acetaminofén, Clorhidrato de Fenilefrina, Maleato de Clorfeniramina

vit.C + miel real

**Fiebre
Alergias
Estornudos
Dolor de cabeza
Dolor del cuerpo
Garganta irritada
Moqueo Nariz
Congestión Nasal**

25 sobres

Expiration date: _____
Batch / Lot: _____

Información del Medicamento

Ingrédients activos (por cada paquete)

Acetaminofén	800.00 mg	Propósito Analgésico
Clorhidrato de Fenilefrina	4.000 mg	Descongestionante
Maleato de Clorfeniramina	4.000 mg	Antihistamínico

Uso: Alivia temporalmente estas síntomas debido a un resfriado:
 • dolor de cabeza
 • dolor de cuerpo
 • congestión nasal
 • estornudos
 • dolor de garganta
 • fiebre
 • alergia
 • reduce la fiebre temporalmente.

Advertencias:
 • Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Precaución: Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Contraindicaciones: Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Interacciones: Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Información adicional: Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Ingrédients inactivos: Acetaminofén, Clorhidrato de Fenilefrina, Maleato de Clorfeniramina, NIA, LIME FL, SO, EDTA, metilcelulosa, sacarosa, refina, miel real, 70% humectante, saborizante, colorante, emulsificante, P, 200000.

Preguntas? 1-866-338-8221 o www.broncochem.com

Fabricado en República Dominicana
 Exclusivamente para Global Corporation, Boca Raton, FL 33487 USA.

REGISTRADO EN LA FDA

Broncochem[®]
COLD & FLU TEA

Contiene Acetaminofén, Phenylephrine HCl, Chlorpheniramine Maleate

vit.C + real honey

**Fever
Allergy
Sneezing
Headache
Body ache
Sore throat
Runny nose
Nasal congestion**

25 sachets

Expiration date: _____
Batch / Lot: _____

Drug Facts

Active ingredients (in each packet)

Acetaminophen	800.00 mg	Purpose Analgesic
Phenylephrine HCl	4.000 mg	Decongestant
Chlorpheniramine Maleate	4.000 mg	Antihistamine

Uses: Temporarily relieves these symptoms due to a cold:
 • fever
 • sore throat
 • runny nose
 • sneezing
 • body aches or pains
 • headache
 • congestion
 • allergy
 • fever
 • congestion

Warnings:
 • Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 • more than 8 packets in 24 hours, which is the maximum daily amount
 • if you take other drugs containing acetaminophen
 • if you take acetaminophen every day while using this product
 • if you take acetaminophen for more than 10 days, unless directed or followed by your health care provider
 • if you are pregnant or breastfeeding
 • if you are taking other drugs containing acetaminophen
 • if you are taking other drugs containing acetaminophen
 • if you are taking other drugs containing acetaminophen

Ask a doctor before use if you have:
 • liver disease
 • kidney disease
 • high blood pressure
 • heart disease
 • if you are pregnant or breastfeeding
 • if you are taking other drugs containing acetaminophen
 • if you are taking other drugs containing acetaminophen
 • if you are taking other drugs containing acetaminophen

Directions: Do not use more than directed. Do not exceed 8 packets in a 24 hour period unless directed by a doctor.
 Adults and children 12 years and over: 1 packet every 4 hours
 Children 4 to under 12 years: Do not use unless directed by a doctor

Other information: • Store at 68-77°F (20-25°C)
 • Protect from moisture and heat.

Inactive ingredients: Acetaminophen, Phenylephrine HCl, Chlorpheniramine Maleate, NIA, LIME FL, SO, EDTA, metilcelulosa, sacarosa, refina, miel real, 70% humectante, saborizante, colorante, emulsificante, P, 200000.

Questions? 1-866-338-8221 or visit www.broncochem.com

Made in Dominican Republic
 Exclusively for Global Corporation, Boca Raton, FL 33487 USA.

FDA REGISTERED



Broncochem[®]
TÉ ANTIGRI PAL

Contiene Acetaminofén, Clorhidrato de Fenilefrina, Maleato de Clorfeniramina

vit.C + miel real

**Fiebre
Alergias
Estornudos
Dolor de cabeza
Dolor del cuerpo
Garganta irritada
Moqueo Nariz
Congestión Nasal**

25 sobres

Expiration date: _____
Batch / Lot: _____

Información del Medicamento

Ingrédients activos (por cada paquete)

Acetaminofén	800.00 mg	Propósito Analgésico
Clorhidrato de Fenilefrina	4.000 mg	Descongestionante
Maleato de Clorfeniramina	4.000 mg	Antihistamínico

Uso: Alivia temporalmente estas síntomas debido a un resfriado:
 • dolor de cabeza
 • dolor de cuerpo
 • congestión nasal
 • estornudos
 • dolor de garganta
 • fiebre
 • alergia
 • reduce la fiebre temporalmente.

Advertencias:
 • Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Precaución: Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Contraindicaciones: Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Interacciones: Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Información adicional: Evitar el consumo de alcohol.
 • No tomar más de 4 sobres en 24 horas.
 • No tomar más de 6 sobres en 24 horas.
 • No tomar más de 12 sobres en 24 horas.

Ingrédients inactivos: Acetaminofén, Clorhidrato de Fenilefrina, Maleato de Clorfeniramina, NIA, LIME FL, SO, EDTA, metilcelulosa, sacarosa, refina, miel real, 70% humectante, saborizante, colorante, emulsificante, P, 200000.

Preguntas? 1-866-338-8221 o www.broncochem.com

Fabricado en República Dominicana
 Exclusivamente para Global Corporation, Boca Raton, FL 33487 USA.

REGISTRADO EN LA FDA

Broncochem[®]
COLD & FLU TEA

Contiene Acetaminofén, Phenylephrine HCl, Chlorpheniramine Maleate

vit.C + real honey

**Fever
Allergy
Sneezing
Headache
Body ache
Sore throat
Runny nose
Nasal congestion**

25 sachets

Expiration date: _____
Batch / Lot: _____

Drug Facts

Active ingredients (in each packet)

Acetaminophen	800.00 mg	Purpose Analgesic
Phenylephrine HCl	4.000 mg	Decongestant
Chlorpheniramine Maleate	4.000 mg	Antihistamine

Uses: Temporarily relieves these symptoms due to a cold:
 • fever
 • sore throat
 • runny nose
 • sneezing
 • body aches or pains
 • headache
 • congestion
 • allergy
 • fever
 • congestion

Warnings:
 • Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 • more than 8 packets in 24 hours, which is the maximum daily amount
 • if you take other drugs containing acetaminophen
 • if you take acetaminophen every day while using this product
 • if you take acetaminophen for more than 10 days, unless directed or followed by your health care provider
 • if you are pregnant or breastfeeding
 • if you are taking other drugs containing acetaminophen
 • if you are taking other drugs containing acetaminophen
 • if you are taking other drugs containing acetaminophen

Ask a doctor before use if you have:
 • liver disease
 • kidney disease
 • high blood pressure
 • heart disease
 • if you are pregnant or breastfeeding
 • if you are taking other drugs containing acetaminophen
 • if you are taking other drugs containing acetaminophen
 • if you are taking other drugs containing acetaminophen

Directions: Do not use more than directed. Do not exceed 8 packets in a 24 hour period unless directed by a doctor.
 Adults and children 12 years and over: 1 packet every 4 hours
 Children 4 to under 12 years: Do not use unless directed by a doctor

Other information: • Store at 68-77°F (20-25°C)
 • Protect from moisture and heat.


Inactive ingredients: Acetaminophen, Phenylephrine HCl, Chlorpheniramine Maleate, NIA, LIME FL, SO, EDTA, metilcelulosa, sacarosa, refina, miel real, 70% humectante, saborizante, colorante, emulsificante, P, 200000.

Questions? 1-866-338-8221 or visit www.broncochem.com

Made in Dominican Republic
 Exclusively for Global Corporation, Boca Raton, FL 33487 USA.

FDA REGISTERED





BRONCOCHEM COLD AND FLU TEA

acetaminophen-phenylephrine hydrochloride-chlorpheniramine maleate granule, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65131-097
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg in 13 g
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg in 13 g

Inactive Ingredients

Ingredient Name	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ)	10 mg in 13 g
ASCORBIC ACID (UNII: PQ6CK8PD0R)	66 mg in 13 g
SUCROSE (UNII: C151H8M554)	9483 mg in 13 g
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	1500 mg in 13 g
HONEY (UNII: Y9H1V576FH)	100 mg in 13 g
MALTODEXTRIN (UNII: 7CVR7L4A2D)	1000 mg in 13 g
TRICALCIUM PHOSPHATE (UNII: K4C08XP666)	166.6 mg in 13 g

SUCRALOSE (UNII: 96K6UQ3ZD4)	28.43 mg in 13 g
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	40 mg in 13 g
PROPYL GALLATE (UNII: 8D4SNN7V92)	0.433 mg in 13 g
ALCOHOL (UNII: 3K9958V90M)	0.001 mL in 13 g

Product Characteristics

Color	yellow (FD&C YELLOW NO.5)	Score	
Shape		Size	
Flavor	LIME (LIME (CITRUS))	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65131-097-53	6 in 1 BOX	09/28/2017	
1	NDC:65131-097-52	13 g in 1 PACKAGE; Type 0: Not a Combination Product		
2	NDC:65131-097-12	25 in 1 BOX	09/28/2017	
2	NDC:65131-097-52	13 g in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	09/01/2013	

Labeler - LABORATORIO MAGNACHEM INTERNATIONAL SRL (871446100)

Registrant - LABORATORIO MAGNACHEM INTERNATIONAL SRL (871446100)

Establishment

Name	Address	ID/FEI	Business Operations
LABORATORIO MAGNACHEM INTERNATIONAL SRL		871446100	manufacture(65131-097)

Revised: 12/2024

LABORATORIO MAGNACHEM INTERNATIONAL SRL