LIDL ORANGE SMOOTH FIBER POWDER SUGAR FREE NATURALLY AND ARTIFICIALLY FLAVORED- natural psyllium husk powder LIDL US, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LIDL Fiber 100% NATURAL PSYLLIUM HUSK Orange Flavor Sugar free 114 Teaspoon Doses

Drug Facts

Active ingredient: (in each TEASPOON)

Psyllium husk approximately 3.4 g

Purpose

Bulk-forming Laxative

Uses:

- for relief of occasional constipation (irregularity)
- generally produces bowel movement in 12-72 hours

Warnings:

Choking:

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert:

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions:

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children	1 rounded TEASPOON in 8 oz of liquid at the first sign of
12 years & older:	irregularity. Can be taken up to 3 times daily.
Children 6-11 yrs:	$\frac{1}{2}$ adult dose in 8 oz of liquid, up to 3 times daily
Children under 6	Consult a doctor
yrs:	

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users:

Start with 1 serving per day; gradually increased to 3 doses per day as necessary. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information:

- each teaspoon contains: potassium 35 mg; sodium 5 mg
- PHENYLKETONURICS: CONTAINS PHENYLALANINE, 25 mg per teaspoon
- contains a 100% natural, therapeutic fiber
- store at room temperature tightly closed to protect from humidity

Inactive ingredients:

aspartame, citric acid, FD&C yellow 6, maltodextrin, natural and artificial orange flavor, silica.

Questions or comments?

1-844-656-5151

PRINCIPAL DISPLAY PANEL SUGAR FREE

NDC 71141-146-32

ORANGE SMOOTH

FIBER POWDER NATURALLY & ARTIFICIALLY FLAVORED

Compare to Psyllium in Metamucil® 4 in 1 Multihealth Fiber*

Fiber POWDER

100% NATURAL PSYLLIUM HUSK

Bulk forming laxative/fiber supplement

THERAPY FOR REGULARITY

- Helps you **feel less hungry** between meals**
- Helps maintain **healthy blood sugar** levels as part of your diet**
- Helps lower cholesterol to promote heart health†
- Promotes digestive health**
- Gluten free

NET WT 23 OZ (660g)

fill controlled by weight, not volume

tSee back for information about soluble fiber and heart disease.

**These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber.

GLUTEN FREE if you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

DISTRIBUTED BY:

LidI US, LLC

3500 S. Clark Street

Arlington, VA 22202

QUESTIONS?

1-844-656-5151

www.lidl.com



lotice: Put 1 dose of product into an empty glass. Mix this roduct with at least 8 oz. (a full glass) of liquid. Str briskly and rink promptly. Taking without enough liquid may cause choking o not take if you have difficulty swallowing.

Allergy alert: This product may cause allergic reaction in and your art. This product may do as a region reaction in eople sensitive to inhaled or ingested psyllium, contact your doctor BEFORE USING this detary supplement if ou have recently experienced a sudden change in bowel habit ersisting for 2 weeks, abdominal pain, nausea or vomiting. STOP USING this dietary supplement and ask a doctor if onstipation lasts more than 7 days or rectal bleeding occurs nese may be signs of a serious condition.

New Users: Start with 1 serving per day; gradually increa to 3 doses per day as necessary. You may nitrally experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

When used as a daily fiber supplement

Fiber Supplement Information

Uses & Directions:

For feeling less hungry between meals **

Adults & children 12 yrs. and over: Two rounded teaspoon
in 8 or more ounces of liquid with meals, up to 3 times daily.

For lowering cholesterol to promote heart health"

Adults & children 12 yrs. & over: One rounded teaspoon in 8 unices of liquid, 3 times dayl. 'Duets low in saturated far adverted to the cholesterol that include? 'grams of studie there per day from psyllium husk, as in this product, may reduce the risk of heart

ease by lowering cholesterol. One serving of this product has 2.4 grams of this soluble fiber. Consult a doctor if you are considering use of this product as a part of a cholesteroHowering program. For maintaining healthy blood sugar levels as part of

your diet**

Adults & children 12 yrs. and over: One rounded teaspoon in 8 oz. of liquid, 3 times daily. Consult your doctor before use if you are currently using medication to control your blood sugar levels.

For promoting and maintaining digestive health * *
Adults & children 12 yrs. and over: One rounded teaspool
in 8 oz. of liquid up to 3 times daily for fiber supplementation. or occasional constipation and to help promote and maintain gularity. For children under 12: consult a doctor

Supplement Facts

Servings Per Container	About	57	About	114
Amount per Serving		%DV*		%DV*
Calories	45		20	
Total Carbohydrate	11 g	4%*	5 g	2%
Dietary Fiber	6 g	24%*	3 g	12%
Soluble Fiber	5 g	†	2 g	†
Sugars	0 g	†	0 g	†
ron	1.4 mg	8%	0.7 mg	4%
Sodium	10 mg	<1%	5 mg	<1%
Potassium	70 mg	2%	35 mg	1%

Ingredients: Psyllium Husk, Maltodextrin, Citric Acid, Natural & Artificial Orange Flavor, Silica, Aspartame, FD&C Yellow 6

Drug Facts

Active ingredient (in each TEASPOON) Purpose .Bulk-forming Laxativ

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hour.

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or espohagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, womting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention. Allergy alert: This product may cause an allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

■ a sudden change in bowel habits persisting for 2 weeks

■ abdominal pain, nausea or vomiting

Stop use and ask a doctor if ■ constipation lasts more than 7 days ■ rectal bleeding occurs hese may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right

Directions Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking arning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12 years & older:	1 rounded TEASPOON in 8 oz of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
Children 6-11 yrs:	1/2 adult dose in 8 oz of liquid, up to 3 times daily
Children under 6 vrs:	Consult a doctor

ulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users: Start with 1 serving per day; gradually increase to 3 doses per day as necessary. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information

- each teaspoon contains: potassium 35 mg, sodium 5 mg
 PHENYLKETONURICS: CONTAINS PHENYLALANINE, 25 mg per teaspoon
- contains a 100% natural, therapeutic fiber
- tore at room temperature tightly closed to protect from humidity

Inactive ingredients aspartame, citric acid, FD&C yellow 6, maltodextrin, natural & artificial orange flaw

"These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING Arlington, VA 22202 www.Lidl.com

"This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil[®] 4 in 1 MultiHealth Fiber".

LITEN FREE If you have edific dietary needs, you ould consult your doctor fore consuming this production

f y 0



DISTRIBUTED BY



Strength

LIDL ORANGE SMOOTH FIBER POWDER SUGAR FREE NATURALLY AND ARTIFICIALLY FLAVORED

natural psyllium husk powder

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71141-146

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength **PSYLLIUM HUSK** PSYLLIUM HUSK (UNII: 0SHO53407G) (PSYLLIUM HUSK - UNII:0SHO53407G) 3.4 g in 5.8 g

Inactive Ingredients

Ingredient Name

ASPARTAME (UNII: Z0H242BBR1)

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)

FD&C Yellow No. 6 (UNII: H77VEI93A8)

MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics			
Color	BROWN (Light Yellowish)	Score	
Shape		Size	
Flavor	ORANGE (natural and artifcial)	Imprint Code	RP146
Contains			

F	Packaging			
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71141- 146-32	660 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/15/2018	
mar			

Labeler - LIDL US, LLC (079389709)

Revised: 10/2023 LIDL US, LLC