

**MUCINEX CHILDRENS COUGH- dextromethorphan hydrobromide and guaifenesin solution**  
**RB Health (US) LLC**

-----  
**Mucinex® Children's Cough**

**Drug Facts**

<b>Active ingredients (in each 5 mL)</b>	<b>Purposes</b>
Dextromethorphan HBr 5 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep

**Warnings**

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

**When using this product do not use more than directed**

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided

- do not use dosing cup with other products
- dose as follows or as directed by a doctor

<b>Age</b>	<b>Dose</b>
children 6 years to under 12 years of age	5 mL - 10 mL every 4 hours
children 4 years to under 6 years of age	2.5 mL - 5 mL every 4 hours
children under 4 years of age	do not use

### **Other information**

- each 5 mL contains: **sodium 3 mg**
- store between 20-25°C (68-77°F)
- do not refrigerate

### **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C red no. 40, flavors, glycerin (soy), propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate <sup>1</sup>, xanthan gum

---

<sup>1</sup> may contain this ingredient

### **Questions?**

#### **1-866-MUCINEX (1-866-682-4639)**

You may also report side effects to this phone number.

Dist. by: RB Health (US)  
Parsippany, NJ 07054-0224

Made in England

### **PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton**

Pediatrician Recommended †

NDC 63824-946-03

Mucinex®  
Children's

COUGH

Dextromethorphan HBr 5 mg - Cough Suppressant  
Guaifenesin 100 mg - Expectorant

- Controls Cough
- Relieves Chest Congestion

- Breaks up Mucus

Ages

4 +yrs

Cherry

Flavor Liquid

4 FL OZ (118 mL)



208 93 13

**Drug Facts**

**Active ingredients** (in each 5 mL) **Purposes**  
Dextromethorphan HBr 5 mg ..... Cough suppressant  
Guaifenesin 100 mg ..... Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep

**Warnings**

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

When using this product do not use more than directed. Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not give more than 8 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 years to under 12 years of age	5 mL - 10 mL every 4 hours
children 4 years to under 6 years of age	2.5 mL - 5 mL every 4 hours
children under 4 years of age	do not use

**Other information**

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not refrigerate

**Drug Facts (continued)**

**Inactive ingredients** anhydrous citric acid, edetate disodium, FD&C red no. 40, flavors, glycerin (soy), propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate\*, xanthan gum \*may contain this ingredient

**Questions?** 1-866-MUCINEX (1-866-682-4639) You may also report side effects to this phone number.

\*as an OTC brand in the Children's Cough/Cold category (AlphaImpactRxProVoice Survey)

**PARENTS:**

Learn about teen medicine abuse

[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

Other convenient forms for Chest Congestion Relief



**CHEST CONGESTION**



On-the-go granule packets for chest congestion relief!

Keep carton for full information

Tamper evident: Do not use if neckband on bottle cap is broken or missing.



**COUGH**

Dextromethorphan HBr 5 mg - Cough Suppressant  
Guaifenesin 100 mg - Expectorant

Pediatrician Recommended\*

NDC 63824-946-03



**COUGH**

Dextromethorphan HBr 5 mg - Cough Suppressant  
Guaifenesin 100 mg - Expectorant

- ✓ Controls Cough
- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus



Ages 4+ yrs

Cherry Flavor Liquid

4 FL OZ (118 mL)



**COUGH**

Each dose of Cherry flavored Mucinex Children's Cough Liquid:

- ✓ Controls Cough
- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus



Dosing Cup Included


Questions or comments?  
1-866-Mucinex (1-866-682-4639)  
or [www.mucinex.com](http://www.mucinex.com)

Dist. by: RB Health (US)  
Parsippany, NJ 07054-0224  
©2021 RB Health  
Made in Mexico



030521 3103802 HEALTH • HYGIENE • HOME

3163802



LOT CODE:  
EXP. DATE:

**MUCINEX CHILDRENS COUGH**

dextromethorphan hydrobromide and guaifenesin solution

**Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63824-946

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-946-03	1 in 1 CARTON	05/01/2018	
1		118 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2018	

