

MUCINEX CHILDRENS COUGH- dextromethorphan hydrobromide and guaifenesin solution
RB Health (US) LLC

Mucinex® Children's Cough

Drug Facts

Active ingredients (in each 5 mL)	Purposes
Dextromethorphan HBr 5 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

When using this product do not use more than directed

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided

- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 years to under 12 years of age	5 mL - 10 mL every 4 hours
children 4 years to under 6 years of age	2.5 mL - 5 mL every 4 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: **sodium 3 mg**
- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C red no. 40, flavors, glycerin (soy), propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate ¹, xanthan gum

¹ may contain this ingredient

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

Made in England

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

Pediatrician Recommended †

NDC 63824-946-03

Mucinex®
Children's

COUGH

Dextromethorphan HBr 5 mg - Cough Suppressant
Guaifenesin 100 mg - Expectorant

- Controls Cough
- Relieves Chest Congestion

- Breaks up Mucus

Ages

4 +yrs

Cherry

Flavor Liquid

4 FL OZ (118 mL)



208 93 13

Drug Facts

Active ingredients (in each 5 mL)	Purposes
Dextromethorphan HBr 5 mgCough suppressant
Guaifenesin 100 mgExpectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

- Ask a doctor before use if the child has
- cough that occurs with too much phlegm (mucus)
 - persistent or chronic cough such as occurs with asthma

When using this product do not use more than directed. Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than 8 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 years to under 12 years of age	5 mL – 10 mL every 4 hours
children 4 years to under 6 years of age	2.5 mL – 5 mL every 4 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not refrigerate

Drug Facts (continued)

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C red no. 40, flavors, glycerin (soy), propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate*, xanthan gum *may contain this ingredient

Questions? 1-866-MUCINEX (1-866-682-4639) You may also report side effects to this phone number.

*as an OTC brand in the Children's Cough/Cold category (AlphaImpactRxProVoice Survey)

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

Other convenient forms for Chest Congestion Relief



CHEST CONGESTION



On-the-go granule packets for chest congestion relief!

Keep carton for full information

Tamper evident: Do not use if neckband on bottle cap is broken or missing.



COUGH

Dextromethorphan HBr 5 mg – Cough Suppressant
Guaifenesin 100 mg – Expectorant

Pediatrician Recommended*

NDC 63824-946-03



COUGH

Dextromethorphan HBr 5 mg – Cough Suppressant
Guaifenesin 100 mg – Expectorant

- ✓ Controls Cough
- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus



Ages 4+ yrs

Cherry Flavor Liquid

4 FL OZ (118 mL)



COUGH

Each dose of Cherry flavored Mucinex Children's Cough Liquid:

- ✓ Controls Cough
- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus



Dosing Cup Included


Questions or comments?
1-866-Mucinex (1-866-682-4639)
or www.mucinex.com

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224
©2021 RB Health
Made in Mexico



HEALTH • HYGIENE • HOME

3163802



LOT CODE:
EXP. DATE:

MUCINEX CHILDRENS COUGH

dextromethorphan hydrobromide and guaifenesin solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63824-946

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-946-03	1 in 1 CARTON	05/01/2018	
1		118 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		
2	NDC:63824-946-34	3 in 1 CARTON	07/25/2024	
2		118 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M012

05/01/2018

Labeler - RB Health (US) LLC (081049410)

Revised: 6/2025

RB Health (US) LLC