

**TARGET UP AND UP SPORT SPF 50- avobenzzone, homosalat, octisalate, octocrylene spray**  
**TARGET CORPORATION**

-----  
**Target Up & Up Sport SPF 50 Continuous Spray**

**Active ingredients**

Avobenzzone 3.0%

Homosalate 10.0%

Octisalate 5.0%

Octocrylene 4.0%

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

## **Stop use and ask a doctor if**

- rash occurs.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
  - children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection

measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

## **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## **Inactive ingredients**

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol, fragrance,

stearyoxytrimethylsilane, caprylic/capric triglyceride, glycerin

## **Labels**

twin pack

SPF 50

# sport sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Sport®  
SPF 50 Clear Continuous Spray Sunscreen\*



water resistant (80 minutes)  
UVA/UVB protection

2 – NET WT 7.3 OZ (207 g)  
TOTAL – NET WT 14.6 OZ (414 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possible premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.



Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3.0% Homosalate 10.0% Octisalate 6.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b>	
For external use only	
<b>Flammable:</b>	
• Do not use near heat, flame or while smoking	
• Avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • Keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it.	
• Do not puncture or incise. Contents under pressure. • Do not store at temperatures above 102°F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• Spray liberally and spread evenly by hand 15 minutes before sun exposure	
• Hold can 4-6 inches away from the skin to apply	
• Do not spray directly into face. Spray on hands then apply to face	
• Do not apply in windy conditions	
• Use in a well-ventilated area	
• Reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: Ask a doctor	
• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b>	
• protect the product in this container from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
<b>Inactive Ingredients</b> acrylates/copolymer, alcohol denat., butylcholate, caprylic/capric triglyceride, fragrance, glycerin, paraffin, stearoyltrimethylammonium chloride, tocopherol	
<b>Questions?</b> Call 1-800-910-6874	

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2024 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Baleardorf AG, owner of the registered trademarks  
Coppertone® and Coppertone Sport®.

SPF 50



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

**Drug Facts**

**Active ingredients**

- Avobenzone 3.0%
- Homosalate 10.0%
- Octisalate 5.0%
- Octocrylene 4.0%

**Purpose**

Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Flammable:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray on hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area

**Apply:**

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: Ask a doctor

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

**Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients** acrylates/octylacrylamide copolymer, alcohol denat., butylacetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, stearyltrimethylsilane, tocoferol

**Questions? Call 1-800-810-6874**

Copy Limit  
Height: 138 mm  
Width: 157 mm

Backgrounds Bleed to  
Outside Dimensions

**sport**  
sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Sport®  
SPF 50 Clear Continuous Spray Sunscreen\*



water resistant (80 minutes)  
UVA/UVB protection

NET WT 7.3 OZ (207 g)

**100% satisfaction guaranteed or your money back.**

037 11 8347 R00 C-002262-01-058  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2024 Target Brands, Inc.

\*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Sport®.

DOT2P M5655

twin pack  
SPF 50

# sport sunscreen spray

broad spectrum SPF 50


Compare to Coppertone® Sport®  
SPF 50 Clear Continuous Spray Sunscreen\*



water resistant (80 minutes)  
UVA/UVB protection

2 – NET WT 7.3 OZ (207 g)  
TOTAL – NET WT 14.6 OZ (414 g)

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.



Drug Facts	Purpose
<b>Active Ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • If used in directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> <b>For external use only</b> <b>Flammable:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) <b>Do not use</b> • on damaged or broken skin <b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F. <b>Stop use and ask a doctor if</b> • rash occurs. <b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b>	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • hold can 4-6 inches away from the skin to apply • do not spray directly into face. Spray on hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive Ingredients</b> acrylates/acrylamide copolymer, alcohol denat, butyl alcohol, caprylic/capric triglyceride, fragrance, glycerin, parthenol, decahydrobenzofuran, isodecyl alcohol	
<b>Questions?</b> Call 1-800-919-8874	

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2023 Target Brands, Inc.

\*This product is not manufactured or distributed by Bolezordorf AG, owner of the registered trademarks Coppertone® and Coppertone Sport®.



SPF 50

# sport sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Sport®  
SPF 50 Clear Continuous Spray Sunscreen\*



water resistant (80 minutes)  
UVA/UVB protection

NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

### Drug Facts

Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

#### Flammable:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray on hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- Reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients** acrylates/octylacrylamide copolymer, alcohol denat, butylacetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, stearyltrimethylsilane, tocoferol

**Questions?** Call 1-800-910-6874

100% satisfaction guaranteed or your money back.

037 11 5045 R00 C-002016-01-016  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2023 Target Brands, Inc.



\*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Sport®.

DOT2P M5655



Not recycled in all countries

twink pack

SPF 50

# sport sunscreen spray

broad spectrum SPF 50

Compare to Coppertone<sup>®</sup> Sport<sup>®</sup> SPF 50 Clear Continuous Spray Sunscreen<sup>\*</sup>

reef-conscious formula<sup>†</sup>



water resistant (80 minutes)  
UVA/UVB protection

2 - NET WT 7.3 OZ (207 g)  
TOTAL - NET WT 14.6 OZ (414 g)

Drug Facts	Purpose
<b>Active Ingredients</b> Avobenzone 3.0%, Homosalate 14.0%, Octocrylene 5.0%	Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b> <b>For external use only</b>	
<b>FLAMMABLE:</b> • do not use near heat, flames or while smoking • avoid long term storage above 158°F (70°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not inhale or ingest. Contains under pressure. • do not store at temperatures above 158°F.	
<b>Stop use and ask a doctor if:</b> • rash occurs.	
<b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b>	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to spray • Do not spray directly into face. Spray into hands then apply to face • Do not rub in windy conditions • Use in a well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m., • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., xanthan gum, polyethylene glycol, dimethylsiloxane, copolymer, polyethylene glycol, panthenol, tocopheryl (vitamin E), fragrance, tetrahydrofuran, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-911-5874	

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

037 11 5840 ROD C-001472-01-028

3 71661 82460 9

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2021 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone<sup>®</sup> and Coppertone Sport<sup>®</sup>.

<sup>†</sup>Formula is compliant with H1 SB2571.



Drug Facts	Purpose
<b>Active Ingredients</b> Avobenzone 3.0%, Homosalate 14.0%, Octocrylene 5.0%	Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b> <b>For external use only</b>	
<b>FLAMMABLE:</b> • do not use near heat, flames or while smoking • avoid long term storage above 158°F (70°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not inhale or ingest. Contains under pressure. • do not store at temperatures above 158°F.	
<b>Stop use and ask a doctor if:</b> • rash occurs.	
<b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b>	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to spray • Do not spray directly into face. Spray into hands then apply to face • Do not rub in windy conditions • Use in a well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m., • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., xanthan gum, polyethylene glycol, dimethylsiloxane, copolymer, polyethylene glycol, panthenol, tocopheryl (vitamin E), fragrance, tetrahydrofuran, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-911-5874	

100% satisfaction guaranteed or your money back.

This product is not manufactured or distributed by Target Corporation  
Distributed by Target Corporation  
Bayer HealthCare, LLC, owner of the registered trademarks Coppertone<sup>®</sup> and Coppertone Sport<sup>®</sup>.  
Minneapolis, MN 55403  
TM & ©2022 Target Brands, Inc.

037 11 8447 ROD C-001743-01-001

3 71661 82460 0

# sport sunscreen spray

broad spectrum SPF 50

Compare to Coppertone<sup>®</sup> Sport<sup>®</sup> SPF 50 Clear Continuous Spray Sunscreen<sup>\*</sup>

reef-conscious formula<sup>†</sup>

water resistant (80 minutes)  
UVA/UVB protection

triple pack  
SPF 50

THREE - NET WT 7.3 OZ (207 g) TOTAL - NET WT 21.9 OZ (621 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may help reduce the potential risk of skin cancer due to overexposure to sunlight.

value size

SPF 50

# sport sunscreen spray

broad spectrum SPF 50

Copy Limit  
Height: 138 mm  
Width: 157 mm

Backgrounds Bleed to  
Outside Dimensions

Compare to Coppertone® Sport®  
SPF 50 Clear Continuous Spray Sunscreen\*



reef-conscious formula†

water resistant (80 minutes)  
UVA/UVB protection

NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avoobenzone 3.0% Homosalate 14.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• Spray liberally and spread evenly by hand 15 minutes before sun exposure	
• Hold can 4-6 inches away from the skin to apply	
• Do not spray directly into face. Spray into hands then apply to face	
• Do not apply in windy conditions	
• Use in a well-ventilated area	
<b>Apply:</b>	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
<b>Children under 6 months of age:</b> ask a doctor	
<b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. to 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b>	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b>	
alcohol denat., butylacetyl salicylate, acrylates/acrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimellitate, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-910-6874	



100% satisfaction guaranteed  
or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2021 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare LLC, owner of the registered  
trademarks Coppertone® and Coppertone Sport®.

†Formula is compliant with HHSB2571.



how2recycle.info



\*Not recycled in all communities

DOT-2P M565



SPF 50



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

<b>Drug Facts</b>	
<b>Active ingredients</b> Anderone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	<b>Purpose</b> Sunscreen
<b>Uses</b> • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun*	
<b>Warnings</b> For external use only <b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) <b>Do not use</b> • on damaged or broken skin. <b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F. <b>Stop use and ask a doctor if</b> • rash occurs. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • every 2 hours or after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • If you are under 6 months of age, ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butylhexyl salicylate, acrylates/acrylamide copolymer, paraffin, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-910-6874	

Copy Limit  
Height: 138 mm  
Width: 157 mm

Backgrounds Bleed  
Outside Dimensions

# sport sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Sport®  
SPF 50 Clear Continuous Spray Sunscreen\*

reef-conscious formula†



water resistant (80 minutes)  
UVA/UVB protection

NET WT 7.3 OZ (207 g)

100% satisfaction guaranteed or your money back.

037 11 5840 R00 C-001472-01-029  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2021 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Sport®.

†Formula is compliant with H1 SB2571.



SPF 50

# sport sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Sport®  
SPF 50 Clear Continuous Spray Sunscreen\*\*

reef-conscious formula†



water resistant (80 minutes)  
UVA/UVB protection

NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

### Drug Facts

#### Active ingredients

Avobenzone 3.0%  
Homosalate 10.0%  
Octisalate 5.0%  
Octocrylene 4.0%

#### Purpose

Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

#### Flammable:

• do not use near heat, flame or while smoking  
• avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it.  
• do not puncture or incise, contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• Spray liberally and spread evenly by hand 15 minutes before sun exposure

• Hold can 4-6 inches away from the skin to apply

• Do not spray directly into face. Spray into hands then apply to face

• Do not spray in windy conditions

• Use in a well-ventilated area

• reapply:

• after 80 minutes of swimming or sweating

• immediately after towel drying

• at least every 2 hours

• children under 6 months of age: Ask a doctor

• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10 a.m. - 2 p.m.

• wear long-sleeved shirts, pants, hats, and sunglasses

#### Other information

• protect the product in this container from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

#### Inactive ingredients

alcohol denat., butylacetyl salicylate, acrylate/acrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylammonium, caprylic/capric triglyceride, glycerin

#### Questions?

Call 1-800-810-6874

100% satisfaction guaranteed or your money back.

037 11 8447 R00 C-001743-01-001  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2022 Target Brands, Inc.

\*\*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Sport®.

†Formula is compliant with H1 SB2571.



DOT-2P M5655

value  
size

SPF  
50

# sport sunscreen spray

broad spectrum SPF 50



Compare to Coppertone® Sport®  
SPF 50 Clear Continuous Spray Sunscreen\*



reef-conscious formula†

water resistant (80 minutes)  
UVA/UVB protection

NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incise. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• Spray liberally and spread evenly by hand 15 minutes before sun exposure</li> <li>• Hold can 4-6 inches away from the skin to apply</li> <li>• Do not spray directly into face. Spray into hands then apply to face</li> <li>• Do not apply in windy conditions</li> <li>• Use in a well-ventilated area</li> <li>• reapply:               <ul style="list-style-type: none"> <li>• after 80 minutes of swimming or sweating</li> <li>• immediately after towel drying</li> <li>• at least every 2 hours</li> </ul> </li> <li>• children under 6 months of age: ask a doctor</li> <li>• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>• wear long-sleeve shirts, pants, hats, and sunglasses</li> </ul> </li> </ul>	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>• protect this product from excessive heat and direct sun</li> <li>• may stain or damage some fabrics, materials or surfaces</li> </ul>	
<b>Inactive ingredients</b>	
alcohol denat., butyltolyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-910-8874	



100% satisfaction guaranteed  
or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2022 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Sport®.

†Formula is compliant with H1 SB2571.



DOT2P  
M5655



## TARGET UP AND UP SPORT SPF 50

avobenzone, homosalat, octisalate, octocrylene spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-939
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g

<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PANTHENOL</b> (UNII: W9CM0067Z)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-939-48	258 g in 1 CAN; Type 0: Not a Combination Product	12/10/2018	
2	NDC:11673-939-62	3 in 1 PACKAGE	12/10/2018	
2	NDC:11673-939-37	156 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:11673-939-63	2 in 1 PACKAGE	12/10/2018	
3	NDC:11673-939-37	156 g in 1 CAN; Type 0: Not a Combination Product		
4	NDC:11673-939-38	312 g in 1 CAN; Type 0: Not a Combination Product	12/10/2018	
5	NDC:11673-939-64	2 in 1 PACKAGE	12/10/2018	
5	NDC:11673-939-86	207 g in 1 CAN; Type 0: Not a Combination Product		
6	NDC:11673-939-97	3 in 1 PACKAGE	12/10/2018	
6	NDC:11673-939-86	207 g in 1 CAN; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/10/2018	

**Labeler** - TARGET CORPORATION (006961700)