

**BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid  
bandage liquid  
Topco Associates LLC**

-----  
**TopCare Liquid Bandage**

***Active ingredients***

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

***Purpose***

First aid antiseptic

Topical analgesic

***Uses***

- first aid to prevent bacteria contamination in minor cuts and scrapes

***Warnings***

**For external use only.**

**Flammable:**

do not use while smoking or near heat or flame.

**Do not use**

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

**Ask a doctor before use if you have**

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

**When using this product**

- do not store at temperature above 120 °F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Stop use and ask a doctor if**

- condition persists or gets worse
- infection occurs

**Keep out of reach of children.**

If swallowed, get medical help or call a Poison Control Center right away.

***Directions***

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

***Other information***

- ***cap bottle tightly***
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces - will stain

***Inactive ingredients***

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

***Questions***

Call 1-866-964-0939

**Principal Display Panel****TopCare****Liquid****Bandage**

Topical Analgesic & Antiseptic to Help Prevent Infection

FOR SMALL CUTS & WOUNDS

- Dries Quickly

- Forms a Flexible, Invisible Protective Cover

USE LIQUID BANDAGE FOR:

- Blisters
- Chapped & Cracked Finger Tips
- Hangnails
- Paper Cuts
- Shaving Nicks
- Help in Preventing the Formulation of Calluses

GREAT FOR:

Athletes, Active Lifestyles, Outdoor Sportmen & Musicians

NET 0.3 FL OZ (9 mL)

# Liquid Bandage

Topical Analgesic & Antiseptic to Help Prevent Infection

**FOR SMALL CUTS & WOUNDS**

- Dries Quickly
- Forms a Flexible, Invisible Protective Cover

NET 0.3 FL OZ (9 mL)

COMPARE TO NEW-SKIN® LIQUID BANDAGE ACTIVE INGREDIENT\*



**USE LIQUID BANDAGE FOR:**

- Blisters • Chapped & Cracked Finger Tips • Hangnails
- Paper Cuts • Shaving Nicks
- Help in Preventing the Formation of Calluses

**GREAT FOR:**  
Athletes, Active Lifestyles, Outdoor Sportmen & Musicians

53-033TC-01

**FOR SMALL CUTS & WOUNDS**  
**Liquid Bandage**  
 BENZETHONIUM CHLORIDE  
 DYCLONINE HYDROCHLORIDE



**FOR SMALL CUTS & WOUNDS**

## Liquid Bandage

BENZETHONIUM CHLORIDE 0.2% • DYCLONINE HYDROCHLORIDE 0.75%

NET 0.3 FL OZ (9 mL)

\* This product is not manufactured or distributed by Mcberg Pharma North America LLC, owner of the registered trademark New-Skin®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
 ELK GROVE VILLAGE, IL 60007  
 ©TOPCO PBA0718 QUESTIONS? 1-888-423-0139  
 topcare@topco.com www.topcibrand.com

MADE IN USA WITH U.S. AND IMPORTED PARTS

✓ QUALITY GUARANTEED



Scan here for more information




0 36800 28179 0

**Other information** ■ cap bottle tightly ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more Liquid Bandage and quickly wipe off

**Inactive ingredients** acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

**Questions?** Call 1-888-423-0139



## BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-382
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 9 mL
<b>DYCLONINE HYDROCHLORIDE</b> (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 9 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ACETONE</b> (UNII: 1364PS73AF)	
<b>AMYL ACETATE</b> (UNII: 92Q24NH7AS)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>ETHYL ACETATE</b> (UNII: 76845O8NMZ)	
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-382-03	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	07/10/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	07/10/2014	

**Labeler** - Topco Associates LLC (006935977)

Revised: 10/2025

Topco Associates LLC