

TARGET UP AND UP KIDS SPF 50- avobenzene, homosalate, octisalate, octocrylene spray
TARGET CORPORATION

Target Up & Up Kids SPF 50 Continuous Spray

Active ingredients

Avobenzene 3.0%

Homosalate 10.0%

Octisalate 5.0%

Octocrylene 4.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection

measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses


Other information

• protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance,


stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin




SPF 50


Kids' Sunscreen Spray

- Water resistant (80 minutes)
- Broad spectrum SPF 50 protects against UVA/UVB
- Made without oxybenzone and octinoxate






NET WT 5.5 OZ (156 g)



Hypoallergenic



Dermatologist
Tested

up&up® Kids' Sunscreen Spray SPF 50 helps provide sheer, lightweight protection from the sun's harmful UVA and UVB rays. This sunscreen sprays on quickly and clearly, forming a photostable layer of protection gentle enough for kids' sensitive skin.



Drug Facts	Purpose
Active ingredients Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
Flammable: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • spray liberally and spread evenly by hand 15 minutes before sun exposure. • hold container 4 to 6 inches away from the skin to apply. • do not spray directly into face. Spray into hands then apply to face. • do not apply in windy conditions. • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients acrylates/octylacrylamide copolymer, alcohol denat., butyloctyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, stearoxytrimethylsilane, tocopherol (vitamin E)	
Questions or comments? Call toll free 1-800-910-6874	

Satisfaction guaranteed – Love it or your money back.

037 11 4619 R00 C-002262-01-116-0000

Distributed by Target Corporation
Minneapolis, MN 55403

TM & ©2025 Target Brands, Inc.

twinn pack

SPF 50

kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*



water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

2 – NET WT 7.3 OZ (207 g)
TOTAL – NET WT 14.6 OZ (414 g)

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including tanning and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.



Drug Facts	
Active Ingredients Avobenzone 3.0% Homosalate 10.0% Octinoxate 5.0% Octocrylene 4.0%	Purpose Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only Flammable: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incise. Contents under pressure. • do not store at temperatures above 120°F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray on hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients acrylates/acrylamide copolymer, alcohol denat., butylhexyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, paraffin, stearyltrimethylammonium, tocopherol	
Questions? Call 1-800-810-0874	

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2024 Target Brands, Inc.

*This product is not manufactured or distributed by
Beiersdorf AG, owner of the registered trademarks
Coppertone® and Coppertone Kids®.

SPF 50

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Purpose Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
Flammable: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray on hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Apply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients acrylates/octylacrylamide copolymer, alcohol denat., butylacetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, stearyltrimethylsilane, tocoopherol	
Questions? Call 1-800-910-6874	

kids'
sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

NET WT 7.3 OZ (207 g)

Copy Limit
Height: 138 mm
Width: 157 mm

Backgrounds Bleed Through
Outside Dimensions


100% satisfaction guaranteed or your money back.

037 11 2448 R00 C-002262-01-058
Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2024 Target Brands, Inc.

*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Kids®.

→ NOT FOR REUSE

Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-86
2 x 7.3 oz (207 g)



kids'
sunscreen spray
broad spectrum SPF 50

**Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen***

up&up water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

2 – NET WT 7.3 OZ (207 g)
TOTAL – NET WT 14.6 OZ (414 g)

twin pack **SPF 50**

Drug Facts

Active Ingredients	Purpose
Azobenzene 3.0%, Homosalate 10.0%, Octylsalicylate 3.0%, Octocrylene 4.0%	Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only

Flammable:
• do not use near heat, flame or while smoking
• avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin
• on irritated or inflamed skin
• on skin with open wounds or cuts
• on skin with severe sunburn
• on skin with severe allergic reactions
• on skin with severe skin conditions
• on skin with severe skin infections
• on skin with severe skin diseases
• on skin with severe skin conditions
• on skin with severe skin infections
• on skin with severe skin diseases

Directions
• Spray liberally and spread evenly by hand 15 minutes before sun exposure
• Reapply every 2 hours, or more often if sweating or towel drying
• Use in a well-ventilated area
• Do not use in windy conditions
• Do not use on children under 6 months of age. Ask a doctor.
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses

Other information
• protect the product in this container from excessive heat and direct sun
• may stain or damage some fabrics, materials or surfaces

Inactive ingredients acrylates/octylacrylate copolymer, alcohol denat., butylacetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, paraben, stearoyltrimethylammonium chloride, titanium dioxide

Questions? Call 1-800-910-0874

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2023 Target Brands, Inc.

*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Kids®.

NO CFCs

Empty Before Recycling
Check Locally
METAL CAN
not recycled in all communities

Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-64
7.3 oz (207 g)

kids' sunscreen spray


broad spectrum SPF 50

SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection



NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butylacrylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylammonium chloride, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-810-6874	

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2022 Target Brands, Inc.

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



DOT-2P M5655

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)



kids'

sunscreen spray

broad spectrum SPF 50

**Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen***



water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	Purpose
Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
Flammable: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray on hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients acrylates/octylacrylamide copolymer, alcohol denat., butylacetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, stearyltrimethylsilane, tocoopherol	
Questions? Call 1-800-910-6874	

100% satisfaction guaranteed or your money back.

037 11 0123 R00 C-002016-01-016
 Distributed by Target Corporation
 Minneapolis, MN 55403
 TM & ©2023 Target Brands, Inc.

*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Kids®.

DOT2P M5655





Empty Before Recycling
Check Locally
METAL CAN
Not recycled in all communities

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)

kids'


sunscreen spray

broad spectrum SPF 50


Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection



NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	Purpose
Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only FLAMMABLE • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours Children under 6 months of age: Ask a doctor Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-810-6874	


100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2021 Target Brands, Inc.

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.


†Formula is compliant with H1562571.

037 11 0132 R01
C-001471-01-005



3 71661 82482 4

Empty Before Recycling



Check Locally*

METAL CAN

*Not recycled in all communities

DOT-2P M5655

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-97

3 x 7.3 oz (207 g)

Drug Facts	Purpose
Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only FLAMMABLE • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours Children under 6 months of age: Ask a doctor Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-810-6874	

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2022 Target Brands, Inc.

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H1562571.

037 11 3527 R00
C-001743-01-001



3 71661 82481 7

Empty Before Recycling



Check Locally*

METAL CAN

*Not recycled in all communities



kids'

sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

triple pack

SPF 50

THREE – NET WT 7.3 OZ (207 g) TOTAL – NET WT 21.9 OZ (621 g)

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)



kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen**

reef-conscious formula†



water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active ingredients

Azobenzene 3.0%
Homosalate 10.0%
Octocrylene 5.0%
Octinoxate 4.0%

Purpose

Sunscreen

Uses: • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammability:
• do not use near heat, flame or while smoking
• avoid long term storage above 104°F (40°C)

Do not use: • on damaged or broken skin.

When using this product: • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it.
• do not puncture or incise. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if: • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Spray liberally and spread evenly by hand 15 minutes before sun exposure

• Hold can 4-6 inches away from the skin to apply

• Do not spray directly into face. Spray into hands then apply to face

• Do not apply in windy conditions

• Use in a well-ventilated area

• **Reapply:**

• after 80 minutes of swimming or sweating

• immediately after towel drying

• at least every 2 hours

• children under 6 months of age: Ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10 a.m. - 2 p.m.

• wear long-sleeved shirts, pants, hats, and sunglasses

Other information

• protect the product in this container from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butyl alcohol, acrylates/copolymer, copolymer, paraffin, toluene (vitamin E), fragrance, stearyltrimethylammonium chloride, caprylic/capric triglyceride, glycerin

Questions?

Call 1-800-919-5874

100% satisfaction guaranteed or your money back.

037 11 3527 R00 C-001743-01-001

Distributed by Target Corporation
Minneapolis, MN 55403

TM & ©2022 Target Brands, Inc.

**This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H 582571.



DOT-8P M5665

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)

7.3 oz (207 g)



SPF 50

Copy Limit
Height: 138 mm
Width: 157 mm

Backgrounds Bleed
Outside Dimensions

kids'

sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†



water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

NET WT 7.3 OZ (207 g)

RECOMMENDED
 **ACTIVE**

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	Purpose
Active Ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings For external use only.	
FLAMMABLE: • do not use near heat, flame or while smoking. • avoid long term storage above 104°F (40°C).	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contains under pressure. • do not store at temperatures above 122°F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure. • rub in 4-5 inches away from the skin to apply. • Do not spray directly into face. Spray into hands then apply to face. • Do not apply in windy conditions. • Use in a well-ventilated area. • after 80 minutes of swimming or sweating • immediately after towel drying • reapply every 2 hours • if used under 6 months of age: Ask a doctor.	
Additional Information: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.	
Other Information • protect the product in this container from excessive heat and direct sun. • may stain or damage walls, fabrics, materials or surfaces.	
Inactive Ingredients alcohol denat., butyl stearate, dimethylsiloxane, copolymer, perfluoropolyether, isocetyl palmitate E, tripropylene glycol, triethylcitrate, caprylsyric triglyceride, glycerin.	
Questions? Call 1-800-910-6874	

100% satisfaction guaranteed or your money back.

037 11 7819 R00 C-001472-01-029
 Distributed by Target Corporation
 Minneapolis, MN 55403
 TM & ©2021 Target Brands, Inc.

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with HJ SB2571.

Empty Before Recycling



how2recycle.info

*Not recycled in all communities

DOT-SP M6655



Target Up & Up Kids SPF 50 Continuous Spray
 NDC 11673-941-86
 2 x 7.3 oz (207 g)



kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†




water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

2 – NET WT 7.3 OZ (207 g)
TOTAL – NET WT 14.6 OZ (414 g)

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including tanning and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

037 11 7419 800 C-201672-01-029



Drug Facts	
Active Ingredients	Purpose
Avobenzone 3.0% Homosalate 5.0% Octinoxate 7.0%	Sunscreen
Directions	
• Spray liberally and spread evenly by hand 15 minutes before sun exposure. • Reapply every 2 hours, or more often if you are sweating or towel drying. • Do not spray directly into face. Spray into hands then apply to face. • Do not use on children under 6 years of age. • Use on wet skin.	
Warnings	
• Do not use near heat, flame or while smoking. • Avoid direct contact with eyes. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Other information	
• Protect the product in this container from exposure to heat and direct sun. • May stain or damage some fabrics, including wet fabrics.	
Inactive Ingredients	
Alcohol denat., water, ethylhexyl triazone, octyl methoxycinnamate, copolymer, parabens, fragrance, titanium dioxide, iron oxides, zinc oxide, and other non-protective ingredients.	
Questions?	
1-800-451-4271	

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2021 Target Brands, Inc.

*This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with NOAA 802571.



Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-48

9.1 oz (258 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.2%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butylacetyl salicylate, acrylates/acrylamide copolymer, panthenol, tocopheryl (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-910-6874	



**100% satisfaction guaranteed
or your money back.**

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2019 Target Brands, Inc.

*This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



DOT-SP 14786

Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-48
9.1 oz (258 g)

value
size

SPF
50

kids'


sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection



NET WT 9.1 OZ (258 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Purpose Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age; ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butylcetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-910-6874	

037 11 1433 R01
IDC-000021-01-178
3 71661 82501 2

100% satisfaction guaranteed
or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2020 Target Brands, Inc.

*This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



how2recycle.info



Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-48
9.1 oz (258 g)

value
size

SPF
50

kids'


sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection



NET WT 9.1 OZ (258 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active ingredients

Azobenzene 3.0%
Homosalate 10.0%
Octisalate 5.0%
Octocrylene 4.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Use in a well-ventilated area
- Reapply every 80 minutes of swimming or sweating
- Immediately after towel drying
- Reapply every 2 hours
- Children under 6 months of age: ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limiting time in the sun, especially from 10 a.m. to 2 p.m., wearing long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

Questions?

Call 1-800-810-8874

100% satisfaction guaranteed
or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2020 Target Brands, Inc.

*This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



how2recycle.info



DOT-2P M5655

Copy Limit
Height: 138 mm
Width: 175.5 mm
Backgrounds Bleed Up
Outside Dimensions





kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection



NET WT 9.1 OZ (258 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active ingredients

Azobenzene 3.0%
Homosalate 10.0%
Octisalate 5.0%
Octocrylene 4.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butylcyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin

Questions?

Call 1-800-810-6874

100% satisfaction guaranteed
or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2019 Target Brands, Inc.


*This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 S82571.



DOT-SP 14786
TC/DOT-2Q 57 053

Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-62
3 x 5.5 oz (156 g)



Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-374
5.5 oz (156 g)

SPF 50

kids' sunscreen spray
broad spectrum SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

up&up water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

NET WT 5.5 OZ (156 g)

RECOMMENDED SKIN CANCER FOUNDATION ACTIVE

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avoobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin, When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Under 6 months of age: ask a doctor Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-910-6874	

100% satisfaction guaranteed or your money back.
C-001226-01-005 R01
Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2020 Target Brands, Inc.

*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.
†Formula is compliant with H1 SB2571.

Empty Before Recycling

Recycle Locally
METAL CAN
 *Not recycled in all communities

how2recycle.info

DOT-2P M566

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-62

3 x 5.5 oz (156 g)

82343V_Kids50_TRIPACK

Drug Facts	
Active ingredients	Purpose
Avoobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin, When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Under 6 months of age: ask a doctor Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-910-6874	

up&up kids' sunscreen spray
broad spectrum SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

THREE - NET WT 5.5 OZ (156 g) TOTAL - NET WT 16.5 OZ (468 g)

100% satisfaction guaranteed or your money back.
C-001226-01-005 R01
Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2020 Target Brands, Inc.

*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.
†Formula is compliant with H1 SB2571.

DOT-2P M566

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-37

5.5 oz (156 g)



SPF 50

kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†



water resistant (80 minutes)
hypoallergenic
UVA/UVB protection

NET WT 5.5 OZ (156 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active ingredients

Avo benzene 3.0%
Homosalate 10.0%
Octisalate 5.0%
Octocrylene 4.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE

• do not use near heat, flame or while smoking

• avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it.

• do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Spray liberally and spread evenly by hand 15 minutes before sun exposure

• Hold can 4-6 inches away from the skin to apply

• Do not spray directly into face. Spray into hands then apply to face

• Do not apply in windy conditions

• Use in a well-ventilated area

• reapply:

• after 80 minutes of swimming or sweating

• immediately after towel drying

• at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10 a.m. - 2 p.m.

• wear long-sleeve shirts, pants, hats, and sunglasses

Other information

• protect this product from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide

copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane,

caprylic/capric triglyceride, glycerin

Questions?

Call 1-800-810-8874

100% satisfaction guaranteed or your money back.

037 11 6359 R00 C-000973-01-008

Distributed by Target Corporation

Minneapolis, MN 55403

TM & ©2019 Target Brands, Inc.

*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with HJ SB2571.



how2recycle.info



DOT-SP 14786
TC/DOT-2Q 89 5703

Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-38
11 oz (312 g)

family
size

SPF
50

kids'


sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection



NET WT 11 OZ (312 g)

Copy Limit
Height: 171 mm
Width: 199.5 mm

Backgrounds Bleed to
Outside Dimensions



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Purpose Sunscreen
Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only FLAMMABLE • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin. When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Children under 6 months of age: ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylammonium chloride, caprylic/capric triglyceride, glycerin	
Questions? Call 1-800-910-6874	

100% satisfaction guaranteed
or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2020 Target Brands, Inc.

*This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



*Not recycled in all communities

037 11 6156 R01
IDC-000021-01-178



DOT-2P M5665

Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-38
11 oz (312 g)

family size **SPF 50**

kids'

sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection



NET WT 11 OZ (312 g)

Copy Limit
Height: 171 mm
Width: 199.5 mm

Backgrounds Bleed to
Outside Dimensions



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active ingredients

Ambixone 3.0%	}
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 4.0%	

Purpose

Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butylacrylate, acrylates/octylacrylamide copolymer, panthenol, tocopheryl (Vitamin E), fragrance, stearyltrimethylammonium, caprylic/capric triglyceride, glycerin

Questions?

Call 1-800-910-6874

037 11 0959 R00
IDC-000021-01-178



100% satisfaction guaranteed
or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2019 Target Brands, Inc.

*This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with HJ SB2571.



how2recycle.info



Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-63
2 x 5.5 oz (156 g)

kids' sunscreen spray

broad spectrum SPF 50


twin pack

SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)
hypoallergenic
UVA/UVB protection



2 – NET WT 5.5 OZ (156 g)
TOTAL – NET WT 11 OZ (312 g)

RECOMMENDED
The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 4.0%	
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes, rinse with water to remove, • keep away from face to avoid breathing it, • do not puncture or incinerate. Contents under pressure, • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age, ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Inactive ingredients alcohol (denat., hydroxy) salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
Other information • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Questions? Call 1-800-910-4874	



100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2019 Target Brands, Inc.

*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H 582571.



Target Up & Up Kids SPF 50 Continuous Spray
NDC 11673-941-37
5.5 oz (156 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts

Active Ingredients

Avobenzone 3.0%
Homosalate 10.0%
Octisalate 5.0%
Octocrylene 4.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin,

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Spray liberally and spread evenly by hand 15 minutes before sun exposure

• Hold can 4-6 inches away from the skin to apply

• Do not spray directly into face. Spray into hands then apply to face

• Do not apply in windy conditions

• Use in a well-ventilated area

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

Questions?

Call 1-800-910-6874

037 11 0053 R00
IDC-000021-01-161

**100% satisfaction guaranteed
or your money back.**

Distributed by Target Corporation
Minneapolis, MN 55403
TM & ©2019 Target Brands, Inc.

*This product is not manufactured or distributed by
Bayer HealthCare, LLC, owner of the registered
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1-SB2571.



how2recycle.info



kids'

sunscreen spray

**SPF
50**

broad spectrum SPF 50

Compare to Coppertone® Kids®
SPF 50 Continuous Spray Sunscreen*

reef-conscious formula†

water resistant (80 minutes)

hypoallergenic

UVA/UVB protection



NET WT 5.5 OZ (156 g)

TARGET UP AND UP KIDS SPF 50

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-941
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
PANTHENOL (UNII: WW9CM0O67Z)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
GLYCERIN (UNII: PDC6A3C0OX)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-941-48	258 g in 1 CAN; Type 0: Not a Combination Product	12/10/2018	
2	NDC:11673-941-62	3 in 1 PACKAGE	12/10/2018	
2	NDC:11673-941-37	156 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:11673-941-63	2 in 1 PACKAGE	12/10/2018	
3	NDC:11673-941-37	156 g in 1 CAN; Type 0: Not a Combination Product		
4	NDC:11673-941-38	312 g in 1 CAN; Type 0: Not a Combination Product	12/10/2018	
5	NDC:11673-941-64	207 g in 1 CAN; Type 0: Not a Combination Product	01/18/2021	
6	NDC:11673-941-86	2 in 1 PACKAGE	01/18/2021	
6	NDC:11673-941-64	207 g in 1 CAN; Type 0: Not a Combination Product		
7	NDC:11673-941-97	3 in 1 PACKAGE	03/03/2022	
7	NDC:11673-941-64	207 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/10/2018	

Labeler - TARGET CORPORATION (006961700)