

**JOINTFLEX - jointflex cream**  
**Strides Consumer LLC**

-----  
**JointFlex®**  
**Pain Relief Cream**  
**Drug Facts**

***Active Ingredient***

Camphor (3.2%)

***Purpose***

Topical analgesic

***Uses:***

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

***Warnings:***

**For external use only.**

**Do not use**

- if skin is irritated or damaged
- excessive irritation develops
- 12 years of age or under

**Ask a doctor before use if you have**

- redness over the affected area

**When using this product**

- use only as directed
- avoid contact with the eyes and mucous membranes
- do not apply to wounds, damaged, broken or irritated skin
- do not bandage tightly or use a heating pad
- do not swallow

**Stop use and ask doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- redness develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

adults and children 12 years of age and older:	<ul style="list-style-type: none"><li>• clean, rinse and dry skin prior to application</li><li>• apply generously to painful muscles and joints, gently massaging until the JointFlex<sup>®</sup> Pain Relieving Cream disappears</li><li>• repeat as necessary, but no more than 4 times a day</li><li>• for optimum benefit, use daily for at least two weeks and continue to use daily thereafter</li></ul>
children under 12 years of age:	<ul style="list-style-type: none"><li>• ask a doctor</li></ul>

**Other information**

- store at room temperature with the cap closed
- notice: because this product contains natural nutrients, color may vary

**Inactive ingredients:**

Acetylated Lanolin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Vera, C12-15 Alkyl Benzoate, Chondroitin Sulfate, Diazolidinyl Urea, Dimethicone, Dimethiconol Stearate, Disodium EDTA, dl Panthenol, Glucosamine Sulfate, Glycerin, Glycerol Stearate, Glycosaminoglycans, Hydroxylated Lanolin, Hydroxypropyl methycellulose, Iodopropynyl Butylcarbamate, Methyl Gluceth-20, Methyl Glucose Sesquistearate, Peppermint Oil, Polysorbate 20, Potassium Carbomer, Purified Water, Tocopheryl Acetate (Vitamin E).

**Questions and comments?**

Call (866) 235-4581 or or email [stridesconsumer@emersongroup.com](mailto:stridesconsumer@emersongroup.com)

Manufactured for

Strides Consumer LLC,

East Brunswick, NJ 08816

†Results based on a 2021 Healthcare Provider survey conducted by InStep Health as part of a point-of-care marketing campaign sponsored by Strides Consumer LLC.

Manufactured for Strides Consumer LLC, East Brunswick, NJ 08816

Licensed user of trademarks. © 2022 Strides Consumer LLC

[www.jointflex.com](http://www.jointflex.com)

## **PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

***8 Week Challenge*** for pain relief

***Effectively Reduces Joint Pain***

**#1 CLINICALLY RECOMMENDED† JOINT PAIN CREAM**

***JointFlex® - Pain Relief Cream***

***Immediate & Long Lasting Relief\****

*Contains Glucosamine & Chondroitin\*\**

No stain/ No Grease/ Pleasant Scent

***DEEP PENETRATINGFusome®*** Technology

Quick & effective penetration

Targeted pain relief

Long lasting relief when used daily

***Flex Your Freedom™***

Relieves Back, Neck, Shoulder, Knees, Elbow, Foot, Ankle, Leg Hand and Wrist pain

NET WT 4 OZ (114g)

NDC 72927-904-01

Visit **[www.jointflex.com](http://www.jointflex.com)** for more information

\* when applied as directed

\*\* For skin conditioning

011-1605C-R03





Long lasting relief when used daily

***Flex Your Freedom***™

Relieves Back, Neck, Shoulder, Knees, Elbow, Foot, Ankle, Leg Hand and Wrist pain

NET WT 1 OZ (28g)

NDC 72927-904-03

Visit **[www.jointflex.com](http://www.jointflex.com)** for more information

\* when applied as directed

\*\* For skin conditioning

011-1606C-R01



NDC 72927-904-03

# JointFlex<sup>®</sup>

Pain Relief Cream

NET WT 1 OZ (28g)

Manufactured for Shilbee Consumer LLC, East Brunswick, NJ 08816. Licensed user of trademark: © 2010 Shilbee Consumer LLC, 01-1-606-830 jointflex.com. Questions or comments? Call (866) 233-4381

### Drug Facts

Active ingredient	Purpose
Camphor (3.2%)	Topical analgesic

**Uses:** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings:** For external use only.

**Do not use** ■ if skin is irritated or damaged ■ excessive irritation develops ■ 12 years of age or under

**Ask a doctor before use** if you have ■ redness over the affected area

**When using this product** ■ use only as directed ■ avoid contact with the eyes and mucous membranes ■ do not apply to wounds, damaged, broken or irritated skin ■ do not bandage tightly or use a heating pad ■ do not swallow

**Stop use and ask doctor** if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions:

adults and children 12 years of age and older:	<ul style="list-style-type: none"> <li>■ clean, rinse and dry skin prior to application</li> <li>■ apply generously to painful muscles and joints, gently massaging until the JointFlex<sup>®</sup> Pain Relief Cream disappears</li> <li>■ repeat as necessary, but no more than 4 times a day</li> <li>■ for optimum benefit, use daily for at least two weeks and continue to use daily thereafter</li> </ul>
--	--

children under 12 years of age:	■ ask a doctor
---------------------------------	----------------

**Other information:** ■ store at room temperature with the cap closed ■ notice: because this product contains natural ingredients, color may vary

**Inactive ingredients:** Acetylated Lanolin, Acrylates C10-30 Alkyl Acrylates Crosspolymer, Aloe Vera, C12-15 Alkyl Benzoate, Chondroitin Sulfate, Disodium Urea, Dimethicone, Dimethiconol Stearate, Disodium EDTA, dl Panthenol, Glucosamine Sulfate, Glycerin, Glycerol Stearate, Glycosaminoglycans, Hydrolyzed Lanolin, Hydroxypropyl Methylcellulose, Isopropyl Myristate, Isopropyl Myristate, Methyl Gluceth-20, Methyl Glucose Sesquistearate, Peppermint Oil, Polysorbate 20, Potassium Carbomer, Purified Water, Tocopheryl Acetate (Vitamin E).



Tube Label

**8 Week Challenge** for pain relief  
**Effectively Reduces Joint Pain**  
**JointFlex<sup>®</sup> - Pain Relief Cream**  
**Immediate & Long Lasting Relief<sup>™</sup>\***  
 Contains Glucosamine & Chondroitin\*\*  
 No stain/ No Grease/ Pleasant Scent

*DEEP PENETRATING***Fusome**<sup>®</sup> Technology

Quick & effective penetration

Targeted pain relief

Long lasting relief when used daily

***Flex Your Freedom***<sup>™</sup>

Relieves Back, Neck, Shoulder, Knees, Elbow, Foot, Ankle, Leg Hand and Wrist pain

NET WT 1 OZ (28g)

NDC 72927-904-04

Visit **[www.jointflex.com](http://www.jointflex.com)** for more information

\* when applied as directed

\*\* For skin conditioning

Sample not for retail sale.

NDC 72927-904-04

# JointFlex<sup>®</sup>

Pain Relief Cream

NET WT 1 OZ (28g)

Manufactured for Shlides Consumer LLC, East Brunswick, NJ 08816. Licensed user of trademark. © 2020 Shlides Consumer LLC, 800-866-7100. [jointflex.com](http://jointflex.com). Questions or comments? Call (866) 235-4587.

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
Camphor (3.2%)	Topical analgesic

**Uses:** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings:** For external use only.

Do not use ■ if skin is irritated or damaged ■ excessive irritation develops ■ 12 years of age or under

Ask a doctor before use if you have ■ redness over the affected area

When using this product ■ use only as directed ■ avoid contact with the eyes and mucous membranes ■ do not apply to wounds, damaged, broken or irritated skin ■ do not bandage tightly or use a heating pad ■ do not swallow

Stop use and ask doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

adults and children 12 years of age and older: ■ clean, rinse and dry skin prior to application ■ apply generously to painful muscles and joints, gently massaging until the JointFlex<sup>®</sup> Pain Relief Cream disappears ■ repeat as necessary, but no more than 4 times a day ■ for optimum benefit, use daily for at least two weeks and continue to use daily thereafter

children under 12 years of age: ■ ask a doctor

**Other information:** ■ store at room temperature with the cap closed ■ notice: because this product contains natural ingredients, color may vary

**Inactive ingredients:** Acetylated Lanolin, Acrylates C10-30 Allyl Acrylates Crosspolymer, Aloe Vera, C12-15 Alkyl Benzoate, Chondroitin Sulfate, Diazolidinyl Urea, Dimethicone, Dimethiconol Stearate, Disodium EDTA, dl Panthenol, Glucosamine Sulfate, Glycerin, Glycerol Stearate, Glycosaminoglycans, Hydroxyethyl Lanolin, Hydroxypropyl Methylcellulose, Isopropyl Myristate, Isopropyl Myristate, Methyl Gluceth-20, Methyl Glucose Sesquistearate, Peppermint Oil, Polyorbate 20, Potassium Carbomer, Purified Water, Tocopheryl Acetate (Vitamin E).

Sample not for retail sale.

**JOINTFLEX**

jointflex cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72927-904
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Base of

Ingredient Name	Basis of Strength	Strength
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	3.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ACETYLATED LANOLIN</b> (UNII: 2X654GD19H)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CARBOMER 1342</b> (UNII: 809Y72KV36)	
<b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO)	
<b>CHONDROITIN SULFATE (SHARK)</b> (UNII: 2ZAJ1K50XH)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLUCOSAMINE SULFATE POTASSIUM CHLORIDE</b> (UNII: 15VQ11I66N)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>HYDROXYLATED LANOLIN</b> (UNII: EO10B9800C)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
<b>METHYL GLUCETH-20</b> (UNII: J3QD0LD11P)	
<b>METHYL GLUCOSE SESQUISTEARATE</b> (UNII: V1YW10H14D)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>POLYOXYL 40 STEARATE</b> (UNII: 13A4J4NH9I)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>SHARK CARTILAGE</b> (UNII: D2YCN1I522)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72927-904-01	1 in 1 CARTON	08/02/2019	
1		114 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:72927-904-03	1 in 1 CARTON	08/02/2019	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:72927-904-04	1 in 1 CARTON	08/02/2019	
3		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/02/2019	

**Labeler** - Strides Consumer LLC (116975770)

## Establishment

Name	Address	ID/FEI	Business Operations
Beltapharm SPA		429236789	MANUFACTURE(72927-904) , PACK(72927-904)

Revised: 4/2025

Strides Consumer LLC