MILK OF MAGNESIA CHERRY- magnesium hydroxide liquid TOP CARE (TOPCO ASSOCIATES LLC)

top milk of mag cherry

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Use

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

• you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

• you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow eash dose with a full glass (8 oz) of liquid

age	dose
adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL tablespoonful contains: magnesium 500 mg, sodium 6 mg
- store at room temperature and avoid freezing
- close cap tightly after use


Inactive ingredients

carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or Comments?

1-800-540-3765

package label



MILK OF MAGNESIA magnesium hydroxide liquid	CHERRY						
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:368	00-684		
Route of Administration	ORAL						
Active Ingredient/Active Moiety							
in		is of ngth	Strength				
MAGNESIUM HYDROXIDE (UNII: NBZ 3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)			MAGNES HYDROX		1200 mg in 15 mL		

Inactive Ingredients

	Ingredient Name		Strength		
CITRIC ACID MONOH	HYDRATE (UNII: 2968PHW8QP)				
GLYCERIN (UNII: PDC)	6A3C0OX)				
CARBOXYMETHYLCE	LLULOSE SODIUM (UNII: K679OBS311)				
WATER (UNII: 059QF0	KO0R)				
SODIUM HYPOCHLO	RITE (UNII: DY38VHM5OD)				
D&C RED NO. 28 (UN	III: 767IP0Y5NH)				
MICROCRYSTALLINE	CELLULOSE (UNII: OP1R32D61U)				
SODIUM CITRATE (U	NII: 1Q73Q2JULR)				
SUCROSE (UNII: C151	H8M554)				
XANTHAN GUM (UNII:	TTV12P4NEE)				
Product Charac					
Color	pink (opaque light pink)		Score		
Shape		Size	Size		
Flavor	CHERRY	Imprint Code	Imprint Code		
Contains					
Packaging					
Гаскаўніў					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	55 mL in 1 BOTTLE; Type 0: Not a Combination oduct	12/01/2020			
Marketing Ir	formation				
i la keting ii					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		

Labeler - TOP CARE (TOPCO ASSOCIATES LLC) (006935977)

Registrant - GCP Laboratories (965480861)

Establishment							
Name	Address	ID/FEI	Business Operations				
GCP Laboratories		965480861	manufacture(36800-684)				

Revised: 11/2023

TOP CARE (TOPCO ASSOCIATES LLC)