SUNMARK DAY TIME COLD AND FLU- acetaminophen, dextromethorphan hbr, phenylephrine hcl solution Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

McKesson Day Time Cold & Flu Drug Facts

Active ingredients (in each 15 mL)

Acetaminophen 325 mg Dextromethorphan HBr 10 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Cough suppressant Nasal decongestant

Uses

- temporarily relieves common cold/flu symptoms:
- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product

do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed see Overdose warning
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	ask a doctor
children under 4 yrs	do not use

Other information

- each 15 mL contains: sodium 7 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

butylated hydroxyanisole, edetate disodium, FD&C yellow no. 6, flavor, glycerin, menthol, monobasic sodium phosphate, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sucrose, xanthan gum


Questions or comments?

1-800-719-9260

Principal Display Panel

COMPARE TO VICKS® DAYQUIL® COLD & FLU ACTIVE INGREDIENTS day time Cold & Flu Pain Reliever/Fever Reducer Cough Suppressant Nasal Decongestant Acetaminophen Phenylephrine HCl Dextromethorphan HBr Non-Drowsy - Alcohol Free MULTI-SYMPTOM RELIEF GLUTEN FREE 8 FL OZ (237 mL)





SUNMARK DAY TIME COLD AND FLU

acetaminophen, dextromethorphan hbr, phenylephrine hcl solution

HUMAN OTC DRUG	Item Code (S	ource)	NDC:49348	-753	
ORAL					
Active Ingredient/Active Moiety					
edient Name		Basis of Str	ength	Strength	
	ORAL	ORAL Rety	ORAL Rety	ORAL	

		Marketing Start Date 06/09/2006	Marketing End I	
 2 NDC:49348-753-37 Marketing Inf 		Mayloting Stort Det	Marketing Fr. 1	
2 NDC:49348-753-37	ormation			
INDU 49.348 - / 5.3 - 36	237 mL in 1 BOTTLE; Type 0: Not a Combination Product			
	177 mL in 1 BOTTLE; Type 0: Not a Combination Product		05/14/2013	
# Item Code	Package Description	Marketing Start Date	Marketing End	
Packaging				
Contains				
Flavor	MENTHOL (with fruit)	Imprint Code		
Shape		Size		
Color	ORANGE (clear)	Score		
Product Charact				
XANTHAN GUM (UNI	I: TTV12P4NEE)			
SUCROSE (UNII: C151	H8 M554)			
SACCHARIN SODIUN	1 (UNII: SB8ZUX40TY)			
WATER (UNII: 059QF	0 KO 0 R)			
PROPYLENE GLYCO	L (UNII: 6 DC9 Q 16 7 V3)			
POLYETHYLENE GL	YCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
SO DIUM PHO SPHAT	E, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2S	SW)		
MENTHOL, UNSPEC	FIED FORM (UNII: L7T10EIP3A)			
GLYCERIN (UNII: PDO	C6A3C0OX)			
FD&C YELLOW NO.	6 (UNII: H77VE193A8)			
EDETATE DISO DIUM	I (UNII: 7FLD9 1C86K)			
BUTYLATED HYDRO	XYANISOLE (UNII: REK4960K2U)			
	Ingredient Name		Streng	
Inactive Ingredi	ents			
UNII:1WS297W6MV)		HYDROCHLORIDE	in 15 n	
PHENYLEPHRINE HY	DROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE -		5 mg	
	IAN HYDRO BROMIDE (UNII: 9 D2RTI9 KYH)	DEXTRO METHORPH HYDRO BRO MIDE	HAN 10 mg in 15 n	
DEXTROMETHORPH				

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 5/2020

Strategic Sourcing Services LLC