

**EQUATE LIDOCAINE COOL AND HEAT- lidocaine 4% plus menthol 1% patch**  
**Walmart Stores Inc**

-----  
**Equate Lidocaine Cool and Heat Patch 5 ct**

Lidocaine 4.0%

Menthol 1.0%

Topical Anesthetic

Topical Anesthetic

**Uses**

Temporarily relieves minor pain

**- Warnings**

For external use only.

Use only as directed

Read and follow all directions and warnings on this carton

Do not allow contact with the eyes

Do not use at the same time as other topical analgesics

Do not bandage tightly or apply local heat (such as heating pads) to the area of use

Do not microwave

Dispose of the used patch in a manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

More than one patch on your body at a time.

On cut, irritated or swollen skin

On puncture wounds

For more than one week without consulting a doctor

If you are allergic to any active or inactive ingredients

If pouch is damaged or opened

**Stop and ask a doctor**

Condition worsens

Redness is present

Irritation develops

Symptoms persist for more than 7 days or clear up and occur again within a few days

You experience signs of skin injury, such as pain, swelling or blistering where the product was applied

**If pregnant or breastfeeding**

Ask a health professional before use

## Keep out of reach of children and pets

If swallowed, get medical help or contact a Poison Control Center ( 1800-222-1222) right away

### Directions

Adults and children 12 years of age and over: Clean and the dry affected area. Carefully remove backing from the patch starting at a corner. Apply the sticky side of patch to the affected area. Use one patch for up to 12 hours. Discard patch after a single use. Children under 12 years old of age: consult a physician.

Store in a clean, dry place outside of direct sunlight. Protect for excessive moisture.

Aluminum glycininate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

## Equate Lidocaine + Menthol Pain Relief Patch

**Illustrations:** PULL TO SEPARATE FILM, PEEL OFF ONE SIDE OF FILM, PLACE PATCH ON SKIN, PEEL OFF OTHER SIDE OF FILM, PRESS FIRMLY TO SKIN

**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose(s)</b>
Lidocaine 4.0%	Topical anesthetic
Menthol 1.0%	Topical analgesic

**Use:** Temporarily relieve minor pain.

**Warnings:** For external use only. Do not use more than one patch on your body at a time. Do not use on cuts, irritated or swollen skin. Do not puncture wounds. Do not use for more than one week without consulting a doctor. If you are allergic to any active or inactive ingredients in it, you may be allergic or sensitive.

**When using this product:** Use only as directed. Read and follow all directions and warnings on this carton. Do not allow contact with the eyes. Do not use at the same time as other topical anesthetics. Do not touch, rub, or apply heat (such as heating pads) to the area of use. Do not increase if dosage of analgesic in normal dose, always leave several days from alcohol and pain. Lidocaine patches still contain the drug product. Do not use on irritated or sensitive areas. If it is used on a child or pregnant woman, consult your doctor.

**Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center (1-800-438-1222) right away.**

**Directions:** Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

**Other Information:** Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Inactive Ingredients:** aluminum glycininate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water.

**Additional information:** Do not use for more than 12 hours. For more information or questions, call 1-800-438-1222. See back of carton for important information. This product is not manufactured or distributed by Chastain, Inc., except for the registered trademark for Equate. Lidocaine Plus Menthol Patch.

**equate™**  
**Lidocaine + Menthol**  
Pain Relief Patch  
Lidocaine 4%/Topical Anesthetic  
Menthol 1%/Topical Analgesic

**equate™**  
**Lidocaine + Menthol**  
Pain Relief Patch  
Lidocaine 4%/Topical Anesthetic  
Menthol 1%/Topical Analgesic

**5 PATCHES** LASTS UP TO **12 HOURS**

**3.93 IN X 5.51 IN (10cm X 14cm)**

- Desensitizes aggravated nerves and temporarily relieve pain
- Targeted pain relief
- Stay-put flexible patch
- No-mess, single-use application
- Menthol scent
- Medicated

**Caution:** Do Not Use On Irritated or Sensitive Areas. Do Not Use on Cuts, Irritated or Swollen Skin.

**Child-Resistant Packaging**  
Model 47-012  
88-47007 01/21 VCB10246

**LOT**  
**EXP**



Child-Resistant Packaging  
Model 47-012  
88-47007 01/21 VCB10246

LOT  
EXP

# EQUATE LIDOCAINE COOL AND HEAT

lidocaine 4% plus menthol 1% patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79903-038
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0K0OR)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-038-05	5 in 1 BOX	01/01/2021	
1		6 g in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/01/2021	

**Labeler** - Walmart Stores Inc (051957769)

