

EQUATE LIDOCAINE COOL AND HEAT- lidocaine 4% plus menthol 1% patch
Walmart Stores Inc

Equate Lidocaine Cool and Heat Patch 5 ct

Lidocaine 4.0%

Menthol 1.0%

Topical Anesthetic

Topical Anesthetic

Uses

Temporarily relieves minor pain

- Warnings

For external use only.

Use only as directed

Read and follow all directions and warnings on this carton

Do not allow contact with the eyes

Do not use at the same time as other topical analgesics

Do not bandage tightly or apply local heat (such as heating pads) to the area of use

Do not microwave

Dispose of the used patch in a manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

More than one patch on your body at a time.

On cut, irritated or swollen skin

On puncture wounds

For more than one week without consulting a doctor

If you are allergic to any active or inactive ingredients

If pouch is damaged or opened

Stop and ask a doctor

Condition worsens

Redness is present

Irritation develops

Symptoms persist for more than 7 days or clear up and occur again within a few days

You experience signs of skin injury, such as pain, swelling or blistering where the product was applied

If pregnant or breastfeeding

Ask a health professional before use

Keep out of reach of children and pets

If swallowed, get medical help or contact a Poison Control Center (1800-222-1222) right away

Directions

Adults and children 12 years of age and over: Clean and the dry affected area. Carefully remove backing from the patch starting at a corner. Apply the sticky side of patch to the affected area. Use one patch for up to 12 hours. Discard patch after a single use. Children under 12 years old of age: consult a physician.

Store in a clean, dry place outside of direct sunlight. Protect for excessive moisture.

Aluminum glycinat, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

Equate Lidocaine + Menthol Pain Relief Patch

Drug Facts

Active Ingredients	Purpose
Lidocaine 4.0%	Topical anesthetic
Menthol 1.0%	Topical analgesic

Use Temporarily relieve minor pain.

Warnings
For external use only.
Do not use if more than one patch on your body at a time. Do not use on cuts, irritated or swollen skin. Do not puncture wounds. Do not use for more than one week without consulting a doctor. If you are allergic to any active or inactive ingredients in it, avoid it completely or avoid it.

When using this product: Use only as directed. Read and follow all directions and warnings on this carton. Do not allow contact with the eyes. Do not use at the same time as other topical anesthetics. Do not undergo tanning or spray tans. Avoid heat or hot baths to the area of use. Do not increase if dosage of analgesic in more than 12 hours unless advised by your doctor. Lidocaine patches still contain the drug product. Do not increase dosage unless advised by a doctor or pharmacist or request the patch.

Keep use small amount: a shoulder if it is Caution: remove it. Do not use if irritation develops. Do not use for more than 7 days or more up and cover again within a few days in the appearance of skin injury, such as pain, swelling or itching where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center (1-800-422-1222) right away.

Directions
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Other Information
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients
aluminum glycinat, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water.

Child-Resistant Packaging: Do not require a key or other device to open. For information on operation of this feature, an additional instruction or view effect, please call 1-800-422-1222.

Caution: Do not use if more than one patch on your body at a time. Do not use on cuts, irritated or swollen skin. Do not puncture wounds. Do not use for more than one week without consulting a doctor. If you are allergic to any active or inactive ingredients in it, avoid it completely or avoid it.

equate™
Lidocaine + Menthol
Pain Relief Patch
Lidocaine 4%/Topical Anesthetic
Menthol 1%/Topical Analgesic

equate™
Lidocaine + Menthol
Pain Relief Patch
Lidocaine 4%/Topical Anesthetic
Menthol 1%/Topical Analgesic

Contains 5 Patches
Lidocaine 4%
Menthol 1%

- Desensitizes aggravated nerves and temporarily relieve pain
- Targeted pain relief
- Stay-put flexible patch
- No-mess, single-use application
- Menthol scent
- Medicated

5 PATCHES LASTS UP TO **12 HOURS**

3.93 IN X 5.51 IN (10cm X 14cm)

4226

6 81131 40388 7

Child-Resistant Packaging
Model 47-012
88-47007 01/21 VCB10046

LOT

EXP

EQUATE LIDOCAINE COOL AND HEAT

lidocaine 4% plus menthol 1% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-038
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
KAOLIN (UNII: 24H4NWX5CO)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0K0OR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-038-05	5 in 1 BOX	01/01/2021	
1		6 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/01/2021	

Labeler - Walmart Stores Inc (051957769)

