

**SUNBETTER BROAD SPECTRUM SPF 75 SUNSCREEN TONE SMART- zinc oxide,  
titanium dioxide lotion  
SKINBETTER SCIENCE LLC**

-----  
**sunbetter TONE SMART SPF 75 Sunscreen Lotion**

**Drug Facts**

Drug Facts

**Active Ingredients**

Titanium Dioxide 3.5%

Zinc Oxide 10.0%

**Purpose**

Sunscreen

**Uses**

Helps prevent sunburn.

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. wear long-sleeved shirts, pants, hats and sunglasses.

Children under 6 months of age: Ask a doctor.

Apply liberally and evenly 15 minutes before sun exposure.

Reapply:

after 80 minutes of swimming or sweating.

immediately after towel drying.

at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

### **Inactive ingredients**

1,2-Hexanediol, Acrylates/Dimethicone Copolymer, Allantoin, Alumina, Bis-Vinyl Dimethicone/Dimethicone Copolymer, Bisabolol, Butyloctyl Salicylate, Camellia Oleifera Leaf Extract, Capparis Spinosa Fruit Extract, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cerium Oxide, Cetyl Dimethicone, Dimethicone, Distearidimonium Hectorite, Glycerin, Himanthalia Elongata Extract, Iron Oxides (CI 77491, CI 77492, CI 77499), Mica, Niacinamide, Olea Europaea (Olive) Fruit Extract, Olea Europaea (Olive) Leaf Extract, Opuntia Ficus-Indica Stem Extract, Panthenol, Phenethyl Alcohol, Phenoxyethanol, Phenyl Trimethicone, Plankton Extract, Polyglyceryl-3 Sorbityl Linseedate, Polyglyceryl-4 Oleate, Polygonum Aviculare Extract, Polyhydroxystearic Acid, Polymethyl Methacrylate, Potassium Sorbate, Silica, Sodium Benzoate, Sodium Chloride, Squalane, Stearic Acid, Styrene/Acrylates Copolymer, Tocopheryl Acetate, Triethyl Citrate, Tropolone, Ubiquinone, Water, Zea Mays (Corn) Starch, Zingiber Officinale (Ginger) Root Extract.

### **Other information**

Protect this product from excessive heat and direct sun.

### **Questions or comments?**

800-538-5600

### **Principal Display Panel**

sunbetter™

Advanced Mineral Protection

BROAD SPECTRUM SPF 75

SUNSCREEN LOTION

TONE SMART

Water-Resistant (80 Minutes)

Mineral Actives

skinbetter science®

1.7 FL.OZ. (50 ML)



## SUNBETTER BROAD SPECTRUM SPF 75 SUNSCREEN TONE SMART

zinc oxide, titanium dioxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73291-0003
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	35 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	100 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (500000 MW)</b> (UNII: 5Z4DPO246A)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WP17EW8)	
<b>GINGER</b> (UNII: C5529G5JPQ)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>UBIDECARENONE</b> (UNII: EJ27X76M46)	

<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DODECAMETHYLPENTASILOXANE</b> (UNII: 0QDQ2VQ5YJ)	
<b>OPUNTIA FICUS-INDICA STEM</b> (UNII: MUD8892KHL)	
<b>PHENYLETHYL ALCOHOL</b> (UNII: ML9LGA7468)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CAPER BERRY</b> (UNII: 7G4C45EE8C)	
<b>CETYL DIMETHICONE 45</b> (UNII: IK315POC44)	
<b>.ALPHA.-BISABOLOL, (+/-)-</b> (UNII: 36HQN158VC)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077EL0C60)	
<b>CERIC OXIDE</b> (UNII: 619G5K328Y)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>HIMANTHALIA ELONGATA</b> (UNII: 21RND18XRR)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BLACK OLIVE</b> (UNII: 2M6QW94OC)	
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>POLYGLYCERYL-4 OLEATE</b> (UNII: 15B05TY4GX)	
<b>POLYGONUM AVICULARE TOP</b> (UNII: ZCD6009IUF)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>TROPOLONE</b> (UNII: 7L6DL16P1T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73291-0003-1	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/01/2021	
2	NDC:73291-0003-2	15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/01/2021	
3	NDC:73291-0003-3	1 mL in 1 PACKET; Type 0: Not a Combination Product	02/01/2021	
4	NDC:73291-0003-4	237 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/01/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2021	

**Labeler** - SKINBETTER SCIENCE LLC (049403602)

Revised: 1/2025

SKINBETTER SCIENCE LLC