

**SUNBETTER BROAD SPECTRUM SPF 70 SUNSCREEN SHEER- zinc oxide,
titanium dioxide lotion
SKINBETTER SCIENCE LLC**

sunbetter SHEER SPF 70 Sunscreen Lotion

Drug Facts

Drug Facts

Active ingredients

Titanium Dioxide 3.6%

Zinc Oxide 10.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. - 2 p.m.

wear long-sleeved shirts, pants, hats and sunglasses.

Children under 6 months of age: Ask a doctor.

Apply liberally and evenly 15 minutes before sun exposure.

Reapply:

after 80 minutes of swimming or sweating.

immediately after towel drying.

at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

Inactive ingredients

1,2-Hexanediol, Acrylates/Dimethicone Copolymer, Allantoin, Alumina, Bis-Vinyl Dimethicone/Dimethicone Copolymer, Bisabolol, Butyloctyl Salicylate, Camellia Oleifera Leaf Extract, Capparis Spinosa Fruit Extract, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cerium Oxide, Cetyl Dimethicone, Dimethicone, Disteardimonium Hectorite, Glycerin, Himanthalia Elongata Extract, Niacinamide, Olea Europaea (Olive) Fruit Extract, Olea Europaea (Olive) Leaf Extract, Opuntia Ficus-Indica Stem Extract, Panthenol, Phenethyl Alcohol, Phenoxyethanol, Phenyl Trimethicone, Plankton Extract, Polyglyceryl-3 Sorbityl Linseedate, Polyglyceryl-4 Oleate, Polygonum Aviculare Extract, Polyhydroxystearic Acid, Polymethyl Methacrylate, Potassium Sorbate, Silica, Sodium Benzoate, Sodium Chloride, Squalane, Stearic Acid, Styrene/Acrylates Copolymer, Synthetic Fluorophlogopite, Tocopheryl Acetate, Triethyl Citrate, Tropolone, Ubiquinone, Water, Zea Mays (Corn) Starch, Zingiber Officinale (Ginger) Root Extract.

Other information

Protect this product from excessive heat and direct sun.

Questions or comments?

800-538-5600

Principal Display Panel

sunbetter™

Advanced Mineral Protection

BROAD SPECTRUM SPF 70

SUNSCREEN LOTION

SHEER

Water-Resistant (80 Minutes)

Mineral Actives

skinbetter science®

1.7 FL.OZ. (50 ML)



99.04



SUNBETTER BROAD SPECTRUM SPF 70 SUNSCREEN SHEER

zinc oxide, titanium dioxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:73291-0004 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 100 mg in 1 mL |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 36 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M) | |
| NIACINAMIDE (UNII: 25X5118RD4) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| POLYGLYCERYL-4 OLEATE (UNII: 15B05TY4GX) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| HIMANTHALIA ELONGATA (UNII: 21RND18XRR) | |
| PHENYLETHYL ALCOHOL (UNII: ML9LGA7468) | |
| CERIC OXIDE (UNII: 619G5K328Y) | |
| .ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CETYL DIMETHICONE 45 (UNII: IK315POC44) | |

| |
|--|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11) |
| DODECAMETHYLPENTASILOXANE (UNII: 0QDQ2VQ5YJ) |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) |
| STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| SQUALANE (UNII: GW89575KF9) |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| TRIETHYL CITRATE (UNII: 8Z96QXD6UM) |
| .ALPHA.-BISABOLOL, (+/-)- (UNII: 36HQN158VC) |
| PANTHENOL (UNII: WW9CM0O67Z) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:73291-0004-1 | 50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 02/01/2021 | |
| 2 | NDC:73291-0004-2 | 15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 02/01/2021 | |
| 3 | NDC:73291-0004-3 | 1 mL in 1 PACKET; Type 0: Not a Combination Product | 02/01/2021 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 02/01/2021 | |

Labeler - SKINBETTER SCIENCE LLC (049403602)

Revised: 1/2025

SKINBETTER SCIENCE LLC