

**LIPSTICK QUEEN ENDLESS SUMMER BROAD SPECTRUM SPF 15 SUNSCREEN-
homosalate, octinoxate, avobenzone and octocrylene lipstick
Space Brands Limited**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LIPSTICK QUEEN ENDLESS SUMMER Broad Spectrum SPF 15 Sunscreen

☐Drug Facts

☐Active Ingredients	Purpose
☐Homosalate 10%	Sunscreen
☐Octinoxate 4%	Sunscreen
☐Avobenzone 3%	Sunscreen
☐Octocrylene 2%	Sunscreen

☐Uses

- helps prevent sunburn
- if used as directed with other sunburn protection measures (see ☐**Directions**☐), decreases the risk of skin cancer and early skin aging caused by the sun

☐Warnings

☐**For external use only.**

☐**Do not use** ☐on damaged or broken skin.

☐**When using this product** ☐keep out of eyes. Rinse with water to remove.

☐**Stop use and ask a doctor if**☐ rash occurs.

☐**Keep out of reach of children.** ☐If swallowed, get medical help or contact a Poison Control Center right away.

☐Directions

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- ☐**Sun Protection Measures.** ☐Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

☐Inactive Ingredients (Aloha Shade)

Polyethylene, Ricinus Communis (Castor) Seed Oil, Vegetable Oil (Olus/Huile Vegetale), Hydrogenated Polyisobutene, Diisostearyl Malate, Perfluorononyl ethyl Stearyl Dimethicone, Isostearyl Hydroxystearate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera/Cire De Candelilla),

Triisostearyl Citrate, Silica, C12-15 Alkyl Lactate, Trimethylolpropane Triisostearate, Tridecyl Trimellitate, Hydrogenated Vegetable Oil, Caprylic/Capric Triglyceride, Hydrogenated Polycyclopentadiene, Phenoxyethanol, Tocopherol, Red 7 Lake (CI 15850), Red 30 Lake (CI 73360), Titanium Dioxide (CI 77891).

☐ *Inactive Ingredients (Hang Ten Shade)*

Polyethylene, Vegetable Oil (Olus/Huile Vegetale), Ricinus Communis (Castor) Seed Oil, Hydrogenated Polyisobutene, Diisostearyl Malate, Perfluorononyl Stearyl Dimethicone, Isostearyl Hydroxystearate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera/Cire De Candelilla), Triisostearyl Citrate, C12-15 Alkyl Lactate, Silica, Trimethylolpropane Triisostearate, Tridecyl Trimellitate, Hydrogenated Vegetable Oil, Caprylic/Capric Triglyceride, Hydrogenated Polycyclopentadiene, Phenoxyethanol, Tocopherol, Red 7 Lake (CI 15850), Red 30 Lake (CI 73360), Iron Oxides (CI 77492, CI 77499), Titanium Dioxide (CI 77891).

☐ *Inactive Ingredients (Perfect Wave Shade)*

Polyethylene, Ricinus Communis (Castor) Seed Oil, Vegetable Oil (Olus/Huile Vegetale), Hydrogenated Polyisobutene, Diisostearyl Malate, Perfluorononyl Stearyl Dimethicone, Isostearyl Hydroxystearate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera/Cire De Candelilla), Triisostearyl Citrate, C12-15 Alkyl Lactate, Silica, Trimethylolpropane Triisostearate, Tridecyl Trimellitate, Hydrogenated Vegetable Oil, Caprylic/Capric Triglyceride, Hydrogenated Polycyclopentadiene, Phenoxyethanol, Tocopherol, Red 6 (CI 15850), Yellow 6 Lake (CI 15985), Red 22 (CI 45380), Red 28 Lake (CI 45410), Titanium Dioxide (CI 77891).

☐ *Inactive Ingredients (Stoked Shade)*

Polyethylene, Vegetable Oil (Olus/Huile Vegetale), Hydrogenated Polyisobutene, Ricinus Communis (Castor) Seed Oil, Diisostearyl Malate, Perfluorononyl Stearyl Dimethicone, Isostearyl Hydroxystearate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera/Cire De Candelilla), Triisostearyl Citrate, C12-15 Alkyl Lactate, Silica, Trimethylolpropane Triisostearate, Tridecyl Trimellitate, Hydrogenated Vegetable Oil, Caprylic/Capric Triglyceride, Hydrogenated Polycyclopentadiene, Phenoxyethanol, Tocopherol, Red 30 Lake (CI 73360), Iron Oxides (CI 77492), Titanium Dioxide (CI 77891).

☐ *Other Information*

- protect this product from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - Carton - Aloha





DRUG FACTS PANEL - Carton - Aloha

Aloha

Drug Facts Label

TOP OF DRUG FACTS PANEL - Sheet 1

Drug Facts		Warnings For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	net wt 0.12 OZ./3.5 g e-1 Style Code: L10079US   Dist. Space Brands Ltd. London WC1E 6JA www.lipstickqueen.com Made in Canada / Fabriqué au Canada.
Active Ingredients Homosalate 10% Octinoxate 4% Avobenzone 3% Octocrylene 2%	Purpose Sunscreen Sunscreen Sunscreen Sunscreen		
Use • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun.			

LAST PORTION OF DRUG FACTS PANEL - Folded; stuck on carton

Glue
Drug Facts (continued) Inactive Ingredients Polyethylene, Ricinus Communis (Castor) Seed Oil, Vegetable Oil (Plus / Huile Vegetale), Hydrogenated Polyisobutene, Dioctylsebacate, Perfluoropolyether Stearyl Dimethylsiloxane, Isododecane, Hydroxyacetone, Erythorbic Acid, Candelilla Wax, Candelilla Core / Cera De Candelilla, Triisobutyl Citrate, Silica, C12-15 Alkyl Lactate, Trimethylpropane Triisostearate, Tridecyl Trimellitate, Hydrogenated Vegetable Oil, Oleoyl-Capric Triglyceride, Hydrogenated Polycyclopentadiene, Phenylethanol, Tocopherol, Red 7 Lake (CI 15850), Red 30 Lake (CI 73360), Titanium Dioxide (CI 77891). Other Information • protect this product from excessive heat and direct sun

Back of Sheet 1 - Folded

Drug Facts (continued) Directions • apply liberally 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating	Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses.	L 100-79-0-266
Glue		

PRINCIPAL DISPLAY PANEL - Carton - Hang Ten





DRUG FACTS PANEL - Carton - Hang Ten

Hang Ten

Drug Facts Label

TOP OF DRUG FACTS PANEL - Sheet 1

Drug Facts		Purpose Sunscreen Sunscreen Sunscreen Sunscreen	Warnings For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	net wt 0.12 OZ / 3.5 g e-1 Style Code: L10082J0   Div. Space Brands Ltd. London WC1E 6JA www.lipstickqueen.com Made in Canada / Fabriqué au Canada
Active Ingredients Homosalate 10% Octinoxate 4% Avobenzone 3% Octocrylene 2%	Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.			

LAST PORTION OF DRUG FACTS PANEL - Folded; stuck on carton

Glue

Drug Facts (continued) Inactive Ingredients Polyethylene, Vegetable Oil (Cus / Huile Vegetale), Ricinus Communis (Castor) Seed Oil, Hydrogenated Polyisobutene, Diisostearyl Malate, Perfluorooctyl Ethyl Dimethylacrylate, Isostearyl Hydroxyesterate, Euphorbia Cerifera (Candelilla) Wax, Candelilla Cera / Cire De Candelilla, Triacetinyl Citrate, C12-15 Alkyl Lactate, Silica, Trimethylolpropane Triacetate, Tridecyl Trimellitate, Hydrogenated Vegetable Oil, Caprylic/Capric Triglyceride, Hydrogenated Polycyclopentadiene, Phenylethanol, Tocopherol, Red 7 Lake (CI 15850), Red 30 Lake (CI 73360), Iron Oxides (CI 77490, CI 77499), Titanium Dioxide (CI 77891). Other Information • protect this product from excessive heat and direct sun

BACK OF SHEET 1 - Folded

Drug Facts (continued) Directions • apply liberally 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating	Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses.	L100-82-0-060
Glue		

PRINCIPAL DISPLAY PANEL - Carton - Perfect Wave




DRUG FACTS PANEL - Carton - Perfect Wave

Perfect Wave

Drug Facts Label

TOP OF DRUG FACTS PANEL - Sheet 1

Drug Facts Active Ingredients Homosalate 10% Octinoxate 4% Avobenzone 3% Octocrylene 2%		Purpose Sunscreen Sunscreen Sunscreen Sunscreen	Warnings For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	net wt 0.12 OZ. / 3.5 g e Style Code: L10080US  Dist. Space Brands Ltd. London WC1E 6JA www.lipstickqueen.com Made in Canada / Fabriqué au Canada
--	--	--	--	---

LAST PORTION OF DRUG FACTS PANEL - Folded; stuck on carton

Glue

Drug Facts (continued) Inactive Ingredients Polyethylene, Ricinus Communis (Castor) Seed Oil, Vegetable Oil (Olive / Huile Vegetale), Hydrogenated Poly(isobutene, Diisostearyl Malate, Perfluorooctyl Ethyl Dimethylacrylate, Isostearyl Hydroxystearate, Euphorbia Cerifera (Candelilla) Wax (Candelilla Cera / Cire De Candelilla), Triisostearyl Citrate, C12-16 Alkyl Lactate, Silica, Trimethylolpropane Triacrylate, Triethyl Trimellitate, Hydrogenated Vegetable Oil, Caprylic/Capric Triglyceride, Hydrogenated Poly(cyclopentadiene, Phenylethynol, Tocopherol, Red 8 (CI 15985), Yellow 6 Lake (CI 15985), Red 22 (CI 45380), Red 28 Lake (CI 45410), Titanium Dioxide (CI 77891). Other Information • Protect this product from excessive heat and direct sun.
--

Back of Sheet 1 - Folded

Drug Facts (continued) Directions • apply liberally 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating	Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses.
---	---

Glue

PRINCIPAL DISPLAY PANEL - Carton - Stoked



DRUG FACTS PANEL - Carton - Stoked

Stoked

Drug Facts Label

TOP OF DRUG FACTS PANEL - Sheet 1

Drug Facts		Warnings	net wt 0.12 OZ. / 3.5 g e-1 Style Code : L10081UG
Active Ingredients	Purpose	For external use only.	UVA P++
Homosalate 10% Octinoxate 4% Avobenzone 3% Octocrylene 2%	Sunscreen Sunscreen Sunscreen Sunscreen	Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.	
Uses		Stop use and ask a doctor if rash occurs.	Diet. Space Brands Ltd. London, WC1E 6JA. www.lipstickqueen.com Made in Canada / Fabrique au Canada.
• help prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	

LAST PORTION OF DRUG FACTS PANEL - Folded; stuck on carton

Glue	
Drug Facts (continued)	
Inactive Ingredients	
Polyethylene, Vegetable Oil (Cus / Huile Vegetale), Hydrogenated Polyisobutene, Ricinus Communis (Castor) Seed Oil, Dimethylsiloxane, Perfluoropolyether, Olefin Diacetate, Isostearyl Hydroxyesterate, Euphorbia Cerifera (Candelilla) Wax, Candelilla Cera / Cire De Candelilla, Triisostearyl Citrate, C12-15 Alkyl Lactate, Silica, Trimethylolpropane Triacrylate, Triisostearyl Trimellitate, Hydrogenated Vegetable Oil, Caprylic/Capric Triglyceride, Hydrogenated Polyisopentadiene, Phenylethanol, Tocopherol, Red 30 Lake (CI 73360), Iron Oxides (CI 77492), Titanium Dioxide (CI 77891).	
Other Information	
• protect this product from excessive heat and direct sun	

BACK OF SHEET 1 - Folded

Drug Facts (continued)	
Directions	Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
• apply liberally 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply at least every 2 hours • use a water-resistant sunscreen if swimming or sweating	• limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirt, pants, hats, and sunglasses.

Glue

LIPSTICK QUEEN ENDLESS SUMMER BROAD SPECTRUM SPF 15 SUNSCREEN

homosalate, octinoxate, avobenzone and octocrylene lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-0079
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.35 g in 3.5 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.14 g in 3.5 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.105 g in 3.5 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.07 g in 3.5 g

Inactive Ingredients

Ingredient Name	Strength
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CASTOR OIL (UNII: D5340Y2I9G)	
CORN OIL (UNII: 8470G57WFM)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
ISOSTEARYL HYDROXYSTEARATE (UNII: F7540880P0)	
CANDELILLA WAX (UNII: WL0328HX19)	
TRIISOSTEARYL CITRATE (UNII: 50XT3250OH)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
TRIMETHYLOLPROPANE TRIISOSTEARATE (UNII: Y32A6D7C6L)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TOCOPHEROL (UNII: R0ZB2556P8)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red (Aloha)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-0079-4	1 in 1 CARTON		
1		3.5 g in 1 APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/05/2014	

LIPSTICK QUEEN ENDLESS SUMMER BROAD SPECTRUM SPF 15 SUNSCREEN

homosalate, octinoxate, avobenzone and octocrylene lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-0082
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.35 g in 3.5 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.14 g in 3.5 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.105 g in 3.5 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.07 g in 3.5 g

Inactive Ingredients

Ingredient Name	Strength
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CASTOR OIL (UNII: D5340Y2I9G)	
CORN OIL (UNII: 8470G57WFM)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
ISOSTEARYL HYDROXYSTEARATE (UNII: F7540880P0)	
CANDELILLA WAX (UNII: WL0328HX19)	
TRIISOSTEARYL CITRATE (UNII: 50XT325OOH)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
TRIMETHYLOLPROPANE TRIISOSTEARATE (UNII: Y32A6D7C6L)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TOCOPHEROL (UNII: R0ZB2556P8)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Product Characteristics

Color	brown (Hang Ten)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-0082-3	1 in 1 CARTON		
1		3.5 g in 1 APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/05/2014	

LIPSTICK QUEEN ENDLESS SUMMER BROAD SPECTRUM SPF 15 SUNSCREEN

homosalate, octinoxate, avobenzone and octocrylene lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-0080
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.35 g in 3.5 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.14 g in 3.5 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.105 g in 3.5 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.07 g in 3.5 g

Inactive Ingredients

Ingredient Name	Strength
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CASTOR OIL (UNII: D5340Y2I9G)	
CORN OIL (UNII: 8470G57WFM)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
ISOSTEARYL HYDROXYSTEARATE (UNII: F7540880P0)	

CANDELILLA WAX (UNII: WL0328HX19)
TRISOSTEARYL CITRATE (UNII: 50XT325OOH)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)
TRIMETHYLOLPROPANE TRIISOSTEARATE (UNII: Y32A6D7C6L)
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TOCOPHEROL (UNII: R0ZB2556P8)
D&C RED NO. 6 (UNII: 481744AI4O)
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)
D&C RED NO. 22 (UNII: 1678RKX8RT)
D&C RED NO. 28 (UNII: 767IP0Y5NH)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	pink (Perfect Wave)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-0080-1	1 in 1 CARTON		
1		3.5 g in 1 APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/05/2014	

LIPSTICK QUEEN ENDLESS SUMMER BROAD SPECTRUM SPF 15 SUNSCREEN

homosalate, octinoxate, avobenzone and octocrylene lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-0081
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.35 g in 3.5 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.14 g in 3.5 g

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.105 g in 3.5 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.07 g in 3.5 g

Inactive Ingredients

Ingredient Name	Strength
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CASTOR OIL (UNII: D5340Y2I9G)	
CORN OIL (UNII: 8470G57WFM)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
ISOSTEARYL HYDROXYSTEARATE (UNII: F7540880P0)	
CANDELILLA WAX (UNII: WL0328HX19)	
TRISOSTEARYL CITRATE (UNII: 50XT325OOH)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
TRIMETHYLOLPROPANE TRIISOSTEARATE (UNII: Y32A6D7C6L)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TOCOPHEROL (UNII: R0ZB2556P8)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink (Stoked)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-0081-2	1 in 1 CARTON		
1		3.5 g in 1 APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/05/2014	

Labeler - Space Brands Limited (218214381)