DIPHENHYDRAMINE HCL MAXIMUM STRENGTH- diphenhydramine hcl tablet Bi-Mart

Drug Facts

Active ingredient (in each caplet)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

helps reduce difficulty falling asleep

Warnings

Do not use

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other antihistamines

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- avoid alcoholic beverages
- be careful when driveing a motor vehicle or operating machinery

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: take 1 caplet at bedtime if needed, or as directed by your doctor
- children under 12 years: do not use

Other information

- each caplet contains:calcium 50 mg
- store at room temperature
- protect from moisture

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, dicalcium calcium phosphate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide, yellow iron oxide

Questions?


call toll free 1-844-912-4012

Distributed by:

BI-MART

Eugene, OR 97402

Principal Display Panel



DIPHENHYDRAMINE HCL MAXIMUM STRENGTH

diphenhydramine hcl tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37835-852

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength	
	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg	

Inactive Ingredients			
Ingredient Name	Strength		
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)			
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
POLYVINYL ALCOHOL (UNII: 532B59J990)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TALC (UNII: 7SEV7J4R1U)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
FERRIC OXIDE YELLOW (UNII: EX43802MRT)			

Product Characteristics			
Color	blue	Score	no score
Shape	OVAL (caplet)	Size	15mm
Flavor		Imprint Code	44;687
Contains			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:37835-852- 50	50 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start	Marketing End

OTC Monograph Drug	M010	05/01/2025	

Labeler - Bi-Mart (027630078)

Registrant - Bi-Mart (027630078)

Establishment			
Name	Address	ID/FEI	Business Operations
L.N.K. International, Inc.		038154464	manufacture(37835-852)

Revised: 5/2025 Bi-Mart